Belkin M (*see* Nguyen et al). 2004;40:916-23
Bell C (*see* Jackson et al). 2004;40:17-23
Bell PRF (*see* Clover et al). 2004;40:1260 (Letter reply)
Bell PRF (*see* Webster et al). 2004;40:463-8
Bell R (*see* Leurs et al). 2004;40:670-80
Bendick PJ (*see* Fleser et al). 2004;40:803-11
Bendick PJ (*see* Nuthakki et al). 2004;40:123-9
Berceli SA (*see* Jiang et al). 2004;40:345-50
Bergan JJ (*see* Eklöf et al). 2004;40:1248-52
Bernardo J (*see* Raffetto et al). 2004;40:826-9 (Case rep.)
Bernheim J (*see* Dayal et al). 2004;40:985-94, 1112-7
Biagini E (*see* Rocci et al). 2004;40:880-5
Biebl M, Lau LL, Hakaim AG, Oldenburg WA, Klocker J, Neuhauser B, McKinney JM, Paz-Fumagalli R. Midterm outcome of endovascular abdominal aortic aneurysm repair in octogenarians: a single institution's experience. 2004;40:435-42
Biggs KL, Chiou AC, Hagino RT, Klucznik RP. Endovascular repair of a spontaneous carotid artery dissection with carotid stent and coils. 2004;40:170-3 (Case rep.)
Bilohlávek O (*see* Štádler et al). 2004;40:1246-7 (Tech. Note)
Biondi ML (*see* Ghilardi et al). 2004;40:995-1000
Biro C (*see* Carpentier et al). 2004;40:650-9
Blackhurst DW (*see* Androes et al). 2004;40:907-15
Blättler W, Heller G, Largiadèr J, Savolainen H, Gloor B, Schmidli J. Combined regional thrombolysis and surgical thrombectomy for treatment of iliofemoral vein thrombosis. 2004;40:620-5
Blattman S (*see* Hughes et al). 2004;40:1149-57
Bloch AD (*see* Zarins and Bloch). 2004;40:594-5 (Letter)
Bloch DA (*see* Zarins et al). 2004;40:1-11
Bluemke DA (*see* Hazirolan et al). 2004;40:381
Bluemke DA (*see* Perler and Bluemke). 2004;40:1062-3 (Letter reply)
Boari B (*see* Manfredini et al). 2004;40:382-8 (Review), 1062-3 (Letter)
Bock RW (*see* ten Cate et al). 2004;40:494-9
Boiten J (*see* Willigendael et al). 2004;40:1158-65
Bond R, Rerkasem K, Naylor AR, AbuRahma AF, Rothwell PM. Systematic review of randomized controlled trials of patch angioplasty versus primary closure and different types of patch materials during carotid endarterectomy. 2004;40:1126-35
Bossone E (*see* Manfredini et al). 2004;40:382-8 (Review)
Bosworth HB, Stechuchak KM, Grambow SC, Oddone EZ. Patient risk perceptions for carotid endarterectomy: which patients are strongly averse to surgery?. 2004;40:86-91
Bourke BM (*see* Thoo et al). 2004;40:1089-94
Bower TC (*see* Fields and Bower). 2004;40:559-63 (Case rep.)
Bown MJ (*see* Lloyd et al). 2004;40:691-7
Boyd PI (*see* McCullough et al). 2004;40:279-86
Bracchetti G (*see* Rocci et al). 2004;40:880-5
Branzi A (*see* Rocci et al). 2004;40:880-5
Brass EP (*see* Bauer et al). 2004;40:488-93
Brindle NPJ (*see* Clover et al). 2004;40:1260 (Letter reply)
Brophy CM (*see* Tessier et al). 2004;40:106-14
Brott TG (*see* Hobson et al). 2004;40:952-7, 1106-11
Brown AT, Chen H, Davis JA, Qureshi I, Cruz CP, Poirier LA, Eidt JF, Moursi MM. Plasma homocysteine measurement after carotid artery manipulation and clamping in a rat CEA model. 2004;40:796-802
Bryant MA (*see* McCready et al). 2004;40:1020-3
Bui H (*see* Hansen et al). 2004;40:228-34
Büller HR (*see* Willigendael et al). 2004;40:1158-65
Burdick JF (*see* Karp et al). 2004;40:379-80 (Case rep.)
Burke GL (*see* Hansen et al). 2004;40:45-52
Burke J (*see* Roseborough et al). 2004;40:235-46
Bush RL, Lin PH, Bates JT, Mureebe L, Zhou W, Lumsden AB. Pharmacomechanical thrombectomy for treatment of symptomatic lower extremity deep venous thrombosis: safety and feasibility study. 2004;40:965-70
Bush RL (*see* Zhou et al). 2004;40:179-82 (Case rep.), 291-5

C

Caldwell RA (*see* Androes et al). 2004;40:907-15
Callahan RE (*see* Fleser et al). 2004;40:803-11
Callahan RE (*see* Nuthakki et al). 2004;40:123-9
Calligaro KD, Dougherty MJ, Sidawy AN, Cronenwett JL. Choice of vascular surgery as a specialty: survey of vascular surgery residents, general surgery chief residents, and medical students at hospitals with vascular surgery training programs. 2004;40:978-84
Cambria RP. Endovascular treatment of thoracic aortic diseases: combined experience from the EUROSTAR and United Kingdom Thoracic Endograft registries. 2004;40:670-80 (Invited commentary)
Cambria RP. Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair. 2004;40:1067-73 (Invited commentary)
Cameron JD (*see* Asbeutah et al). 2004;40:1184-9
Campbell DR (*see* Hughes et al). 2004;40:1149-57
Cao D (*see* Shaalan et al). 2004;40:262-9
Cao P, Verzini F, Parlani G, Romano L, De Rango P, Pagliuca V, Iacono G. Clinical effect of abdominal aortic aneurysm endografting: 7-year concurrent comparison with open repair. 2004;40:841-8
Caps MT (*see* Masuda et al). 2004;40:24-9
Carabasi RA (*see* Schaner et al). 2004;40:146-53
Carey DJ (*see* Lawrence et al). 2004;40:334-8
Carpenter JP. Midterm results of the multicenter trial of the Powerlink bifurcated system for endovascular aortic aneurysm repair. 2004;40:849-59
Carpenter JP (*see* Fairman et al). 2004;40:1074-82
Carpenter JP (*see* Lombardi et al). 2004;40:154-60 (Case rep.)
Carpenter JP(*see* Velazquez et al). 2004;40:222-7
Carpentier PH, Maricq HR, Biro C, Ponçot-Makinen CO, Franco A. Prevalence, risk factors, and clinical patterns of chronic venous disorders of lower limbs: a population-based study in France. 2004;40:650-9
Carpentier PH (*see* Eklöf et al). 2004;40:1248-52
Carroccio A, Olin JW, Ellozy SH, Lookstein RA, Valenzuela R, Minor ME, Sheahan CM, Teodorescu VJ, Marin ML. The role of aortic stent grafting in the treatment of atheromatous embolization syndrome: results after a mean of 15 months follow-up. 2004;40:424-9
Carroccio A (*see* Baril et al). 2004;40:1024-7 (Case rep.)
Carroccio A (*see* Ellozy et al). 2004;40:405-12
Castellano R (*see* Chiesa et al). 2004;40:1245
Cayne NS (*see* Maldonado et al). 2004;40:703-10
Cerceau P (*see* Coggia et al). 2004;40:448-54
Cervera T (*see* Polo et al). 2004;40:319-24
Cha A (*see* Ellozy et al). 2004;40:405-12
Chacón P (*see* Alvarez et al). 2004;40:469-75
Chagnon M (*see* Raymond et al). 2004;40:1190-8
Chaikof EL (*see* Rayan et al). 2004;40:567-70 (Case rep.)
Chakhtoura E (*see* Choi et al). 2004;40:746-51
Chalmers RTA (*see* Tambyraja et al). 2004;40:830
Champagne B (*see* Mehta et al). 2004;40:886-90

Chang BB (*see* Mehta et al). 2004;40:698-702, 886-90
Chang D. Regarding "A new approach to carotid angioplasty and stenting with transcervial occlusion and protective shunting: why it may be a better carotid artery intervention." 2004;40:1062 (Letter)
Charo DN (*see* Tang et al). 2004;40:786-95
Charo IF (*see* Tang et al). 2004;40:786-95
Chekanov V. Regarding "Noninvasive augmentation of microvessel number in patients with peripheral vascular disease." 2004;40:1260 (Letter)
Chen C (*see* Ramaswami et al). 2004;40:1216-22
Chen H (*see* Brown et al). 2004;40:796-802
Chen R (*see* Morasch et al). 2004;40:204 (Letter reply)
Chen RJ (*see* Hsu et al). 2004;40:30-5
Cheng H (*see* Shaalan et al). 2004;40:262-9
Cheng SWK (*see* Mok et al). 2004;40:1234-7 (Case rep.)
Cherr GS (*see* Zhang et al). 2004;40:867-72
Cheshire NJW (*see* Delis et al). 2004;40:578-81 (Case rep.)
Chew DK (*see* Nguyen et al). 2004;40:916-23
Chew DKW, Conte MS, Khalil RA. Matrix metalloproteinase-specific inhibition of Ca^{2+} entry mechanisms of vascular contraction. 2004;40:1001-10
Chiesa R, Melissano G, Castellano R. Exceptionally large renal artery aneurysm. 2004;40:1245
Chiesa R (*see* Melissano and Chiesa). 2004;40:205-8 (Letter reply)
Chiou AC (*see* Biggs et al). 2004;40:170-3 (Case rep.)
Choi ET (*see* Diaz et al). 2004;40:339-44
Choi ET (*see* Geraghty et al). 2004;40:413-18
Choi HM, Hobson RW II, Goldstein J, Chakhtoura E, Lal BK, Haser PB, Cuadra SA, Padberg FT Jr, Jamil Z. Technical challenges in a program of carotid artery stenting. 2004;40:746-51
Chu SH (*see* Hsu et al). 2004;40:30-5
Cinà CS, Abouzahr L, Arena GO, Laganà A, Devereaux PJ, Farrokhyar F. Cerebrospinal fluid drainage to prevent paraplegia during thoracic and thoracoabdominal aortic aneurysm surgery: a systematic review and meta-analysis. 2004;40:36-44
Clagett GP (*see* Jackson et al). 2004;40:17-23
Clagett GP (*see* McCullough et al). 2004;40:279-86
Clagett GP (*see* Modrall and Clagett). 2004;40:403-4 (Letter reply)
Clair D (*see* DeRubertis et al). 2004;40:554-8 (Case rep.)
Clair DG (*see* Erzurum et al). 2004;40:419-23
Clover AJ, McCarthy MJ, Hodgkinson K, Bell PRF, Brindle NPJ. Regarding "Noninvasive augmentation of microvessel number in patients with peripheral vascular disease." 2004;40:1260 (Letter reply)
Clowes AW (*see* Fischer et al). 2004;40:115-22
Coggia M, Javerliat I, Di Centa I, Colacchio G, Cerceau P, Kitzis M, Goëau-Brissonnière OA. Total laparoscopic infrarenal aortic aneurysm repair: preliminary results. 2004;40:448-54
Coggia M, Javerliat I, Di Centa I, Colacchio G, Leschi JP, Kitzis M, Goëau-Brissonnière OA. Total laparoscopic bypass for aortoiliac occlusive lesions: 93-case experience. 2004;40:899-906
Coggia M (*see* Mercier et al). 2004;40:822-5 (Case rep.)
Colacchio G (*see* Coggia et al). 2004;40:448-54, 899-906
Colacchio G (*see* Mercier et al). 2004;40:822-5 (Case rep.)
Collart F (*see* Amabile et al). 2004;40:873-9
Colles SM (*see* van Aalst et al). 2004;40:1208-15
Colletti LM (*see* Ailawadi et al). 2004;40:1040-3 (Case rep.)
Collins J (*see* Morasch et al). 2004;40:204 (Letter reply)
Colone WM. Regarding "Disappointing results with a new commercially available thoracic endograft." 2004;40:205-8 (Letter)
Comerota AJ, Salles-Cunha SX, Daoud Y, Jones L, Beebe HG. Gender differences in blood velocities across carotid stenoses. 2004;40:939-44
Comerota AJ (*see* Kritpracha and Comerota). 2004;40:819-21 (Case rep.)
Comerota AJ (*see* Salles-Cunha et al). 2004;40:1165-73
Compton CN (*see* Sheehan et al). 2004;40:430-4
Connors JJ III (*see* Durham et al). 2004;40:837-8 (Letter)
Conrad MF (*see* Haithcock et al). 2004;40:325-33
Conte MS (*see* Chew et al). 2004;40:1001-10
Conte MS (*see* Nguyen et al). 2004;40:916-23
Correa L (*see* Pavcnik et al). 2004;40:1223-7
Cowan JA (*see* Knipp et al). 2004;40:717-23
Cowles RA (*see* Ailawadi et al). 2004;40:1040-3 (Case rep.)
Crabtree T (*see* Zarins et al). 2004;40:1-11
Crane JS (*see* Delis et al). 2004;40:578-81 (Case rep.)
Craven TE (*see* English et al). 2004;40:53-60
Craven TE (*see* Hansen et al). 2004;40:45-52
Criado E, Doblas M, Fontcuberta J, Orgaz A, Flores A, Lopez P, Wall LP. Carotid angioplasty with internal carotid artery flow reversal is well tolerated in the awake patient. 2004;40:92-7
Criado E, Doblas M, Fontcuberta J, Orgaz A, Flores A, Lopez P, Wall LP, Gasparis A, Lopez P, Strachan J, Ricotta J. Transcervical carotid stenting with internal carotid artery flow reversal: feasibility and preliminary results. 2004;40:476-83
Criado F (*see* Fairman et al). 2004;40:1074-82
Cronenwett JL, Seeger J. Regarding "Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron?". 2004;40:1062 (Letter reply)
Cronenwett JL, Seeger JM. Withdrawal of article by the FDA after objection from Medtronic. 2004;40:209-10
Cronenwett JL. Vascular surgery training in the United States, 1994 to 2003. 2004;40:660-9
Cronenwett JL (*see* Calligaro et al). 2004;40:978-84
Cruz CP (*see* Brown et al). 2004;40:796-802
Cuadra SA (*see* Choi et al). 2004;40:746-51
Curci JA (*see* Geraghty et al). 2004;40:413-18
Cuthbertson D (*see* Back et al). 2004;40:752-60

D

Da Giau G (*see* Ballotta et al). 2004;40:270-8, 732-40
D'Addio VJ (*see* Jackson et al). 2004;40:17-23
Daenens K (*see* Nevelsteen et al). 2004;40:403-4 (Letter)
Dalman RL (*see* Hoshina et al). 2004;40:512-18
Danetz JS, McLafferty RB, Schmittling ZC, Lee CH, Ayerdi J, Markwell SJ, Ramsey DE, Hodgson KJ. Predictors of complications after a prospective evaluation of diagnostic and therapeutic endovascular procedures. 2004;40:1142-8
Daoud Y (*see* Comerota et al). 2004;40:939-44
Darling RC III (*see* Mehta et al). 2004;40:698-702, 886-90
Davies MG (*see* Hsu et al). 2004;40:1118-26
Davis JA (*see* Brown et al). 2004;40:796-802
Dayal R, Faries PL, Lin SC, Bernheim J, Hollenbeck S, DeRubertis B, Trocciola S, Rhee J, McKinsey J, Morrissey NJ, Kent KC. Computer simulation as a component of catheter-based training. 2004;40:1112-7
Dayal R, Mousa A, Bernheim J, Hollenbeck S, Henderson P, Prince M, Gordon R, Badimon J, Fuster V, Marin ML, Kent KC, Faries PL. Characterization of retrograde collateral (type II) endoleaks using a new canine model. 2004;40:985-94

D'Ayala M (*see* Deitch et al). 2004;40:543-7 (Case rep.)
Dayton MT (*see* Zhang et al). 2004;40:867-72
de Jong DS (*see* Jacobs et al). 2004;40:1067-73
De Maeseneer MG, Vandenbroeck CP, Van Schil PE. Silicone patch saphenoplasty to prevent repeat recurrence after surgery to treat recurrent saphenofemoral incompetence: long-term follow-up study. 2004;40:98-105
De Rango P (*see* Cao et al). 2004;40:841-8
De Rossi A (*see* Ballotta et al). 2004;40:732-40
Dean RH (*see* English et al). 2004;40:53-60
Deatrick KB (*see* Varma et al). 2004;40:536-42
Degrieck Y (*see* Leurs et al). 2004;40:670-80
Deitch JS, Heller JA, McGagh D, D'Ayala M, Kent KC, Plonk GW Jr, Hansen KJ, Ligush J Jr. Abdominal aortic aneurysm causing duodenal obstruction: two case reports and review of the literature. 2004;40:543-7 (Case rep.)
Delis K, Knaggs AL, Khodabakhsh P. Prevalence, anatomic patterns, valvular competence, and clinical significance of Giacomini vein. 2004;40:1174-83
Delis KT. Perforator vein incompetence in chronic venous disease: a multivariate regression analysis model. 2004;40:626-33. Correction 2004;40:1031
Delis KT, Swan M, Crane JS, Cheshire NJW. The Giacomini vein as an autologous conduit in infrainguinal arterial reconstruction. 2004;40:578-81 (Case rep.)
DeMasi RJ (*see* Sprouse et al). 2004;40:443-7
Denardo AJ (*see* McCready et al). 2004;40:1020-3
DeRubertis B (*see* Dayal et al). 2004;40:1112-7
DeRubertis BG, Clair D, Faries P, Kapur S, Park K, Kent KC. Resection of an intravenous leiomyoma with intracardiac extension with use of endovascular techniques. 2004;40:554-8 (Case rep.)
Desai KM (*see* Diaz et al). 2004;40:339-44
Desai T (*see* Shaalan et al). 2004;40:262-9
Devereaux PJ (*see* Cinà et al). 2004;40:36-44
Devine C, McCollum C. Heparin-bonded Dacron or polytetrafluorethylene for femoropopliteal bypass: five-year results of a prospective randomized multicenter clinical trial. 2004;40:924-31
Dewyer NA (*see* Varma et al). 2004;40:536-42
Di Centa I (*see* Coggia et al). 2004;40:448-54, 899-906
Di Centa I (*see* Mercier et al). 2004;40:822-5 (Case rep.)
Dias NV, Ivancev K, Malina M, Hinnen JW, Visser M, Lindblad B, Sonesson B. Direct intra-aneurysm sac pressure measurement using tip-pressure sensors: in vivo and in vitro evaluation. 2004;40:711-16
Diaz-Cartelle J (*see* Polo et al). 2004;40:319-24
Diaz S, Uzieblo MR, Desai KM, Talcott MR, Bae KT, Geraghty PJ, Parodi JC, Sicard GA, Sanchez LA, Choi ET. Type II endoleak in porcine model of abdominal aortic aneurysm. 2004;40:339-44
Diehl S (*see* Koeppel et al). 2004;40:164-6 (Case rep.)
Dieplinger B (*see* Mueller et al). 2004;40:768-73
Dimick JB (*see* Knipp et al). 2004;40:717-23
DiMuzio PJ (*see* Schaner et al). 2004;40:146-53
Dimuzio PJ (*see* Schneider et al). 2004;40:599-603
Dios Luna J (*see* Linares-Palomino et al). 2004;40:359-66
Dirks M. Hypothenar hammer syndrome: distal ulnar artery reconstruction with autologous inferior epigastric artery. 2004;40:1238-42 (Case rep.)
Distante A (*see* Manfredini et al). 2004;40:382-8 (Review)
Divelbiss JL (*see* McCready et al). 2004;40:1020-3
Doblas M (*see* Criado et al). 2004;40:92-7, 476-83
Domenig CM (*see* Hughes et al). 2004;40:1149-57
Donaldson MC (*see* Nguyen et al). 2004;40:916-23
Donayre CE (*see* Hansen et al). 2004;40:228-34
Dosick SM (*see* Salles-Cunha et al). 2004;40:1165-73
Dosluoglu HH (*see* Zhang et al). 2004;40:867-72
Dougherty MJ (*see* Calligaro et al). 2004;40:978-84
Douglas D (*see* Maldonado et al). 2004;40:703-10
Dreiza CM (*see* Tessier et al). 2004;40:106-14
Dryjski ML (*see* Zhang et al). 2004;40:867-72
Dueber C (*see* Koeppel et al). 2004;40:164-6 (Case rep.)
Durham JD, Sacks D, Connors JJ III. Regarding "Standards of practice: carotid angioplasty and stenting." 2004;40:837-8 (Letter)

E

Eagle KA (*see* Manfredini et al). 2004;40:382-8 (Review)
Earnshaw JJ (*see* Winterborn et al). 2004;40:634-9
Ebner F (*see* Mueller et al). 2004;40:768-73
Edwards MS (*see* English et al). 2004;40:53-60
Edwards MS (*see* Hansen et al). 2004;40:45-52
Egger JF III (*see* Neglén et al). 2004;40:303-10
Eichler CM (*see* Schneider et al). 2004;40:599-603
Eidt JF (*see* Brown et al). 2004;40:796-802
Eklöf B, Rutherford RB, Bergan JJ, Carpentier PH, Gloviczki P, Kistner RL, Meissner MH, Moneta GL, Myers K, Padberg FT, Perrin M, Ruckley VC, Smith PC, Wakefield TW. Revision of the CEAP classification for chronic venous disorders: consensus statement. 2004;40:1248-52
Eklof B (*see* Masuda et al). 2004;40:24-9
Eliason JL (*see* Ailawadi et al). 2004;40:1040-3 (Case rep.)
Eliason JL (*see* Knipp et al). 2004;40:717-23
Ellozy SH, Carroccio A, Lookstein RA, Minor ME, Sheahan CM, Juta J, Cha A, Valenzuela R, Addis MD, Jacobs TS, Jeodorescu VJ, Marin ML. First experience in human beings with a permanently implantable intrasac pressure transducer for monitoring endovascular repair of abdominal aortic aneurysms. 2004;40:405-12
Ellozy SH (*see* Baril et al). 2004;40:1024-7 (Case rep.)
Ellozy SH (*see* Carroccio et al). 2004;40:424-9
Elmore JR (*see* Lawrence et al). 2004;40:334-8
Endean ED (*see* Moore et al). 2004;40:247-53
English WP, Pearce JD, Craven TE, Wilson DB, Edwards MS, Ayerdi J, Geary RL, Dean RH, Hansen KJ. Surgical management of renal artery aneurysms. 2004;40:53-60
English WP (*see* Hansen et al). 2004;40:45-52
Engström G, Site-Flondell D, Lindblad B, Janzon L, Lindgärde F. Risk of treatment of peripheral arterial disease is related to inflammation-sensitive plasma proteins: a prospective cohort study. 2004;40:1101-1105
Erdmann D, Sweis R, Heitmann C, Yasui K, Olbrich KC, Levin LS, Sharkawy AA, Klitzman B. Side-to-side sutureless vascular anastomosis with magnets. 2004;40:505-11
Ernemann U (*see* Kastrup et al). 2004;40:945-51
Erzurum VZ, Sampram ESK, Sarac TP, Lyden SP, Clair DG, Greenberg RK, O'Hara PJ, Kashyap VS, Ouriel K. Initial management and outcome of aortic endograft limb occlusion. 2004;40:419-23
Eskandari MK (*see* Morasch et al). 2004;40:12-16
Evans ME (*see* Morasch et al). 2004;40:12-16

F

Fairman RM, Velazquez OC, Carpenter JP, Woo E, Baum RA, Golden MA, Kritpracha B, Criado F. Midterm pivotal trial

results of the Talent Low Profile System for repair of abdominal aortic aneurysm: analysis of complicated versus uncomplicated aortic necks. 2004;40:1074-82
Fairman RM (*see* Lombardi et al). 2004;40:154-60 (Case rep.)
Fairman RM (*see* Velazquez et al). 2004;40:222-7
Fairman RM (*see* Woo and Fairman). 2004;40:167-9 (Case rep.)
Fanous NH (*see* Haithcock et al). 2004;40:325-33
Faries P (*see* DeRubertis et al). 2004;40:554-8 (Case rep.)
Faries PL (*see* Dayal et al). 2004;40:985-94, 1112-7
Faries PL (*see* Hollenbeck et al). 2004;40:351-8
Farrokhyar F (*see* Cinà et al). 2004;40:36-44
Fattori R (*see* Rocci et al). 2004;40:880-5
Fein M (*see* Thalheimer et al). 2004;40:548-53 (Case rep.)
Feinberg MS (*see* Schneiderman et al). 2004;40:1083-8
Fenigstein H (*see* Schneiderman et al). 2004;40:1083-8
Ferguson RD (*see* Hobson et al). 2004;40:952-7, 1106-11
Ferlito M (*see* Rocci et al). 2004;40:880-5
Fields CE, Bower TC. Use of superficial femoral artery to treat an infected great vessel prosthetic graft. 2004;40:559-63 (Case rep.)
Fischer JW, Hawkins S, Clowes AW. Pharmacologic inhibition of nitric oxide synthases and cyclooxygenases enhances intimal hyperplasia in balloon-injured rat carotid arteries. 2004;40:115-22
Fleser PS, Nuthakki VK, Malinzak LE, Callahan RE, Seymour ML, Reynolds MM, Merz SI, Meyerhoff ME, Bendick PJ, Zelenock GB, Shanley CJ. Nitric oxide-releasing biopolymers inhibit thrombus formation in a sheep model of arteriovenous bridge grafts. 2004;40:803-11
Fleser PS (*see* Nuthakki et al). 2004;40:123-9
Flores A (*see* Criado et al). 2004;40:92-7, 476-83
Flye MW (*see* Geraghty et al). 2004;40:413-18
Flynn TC (*see* Huber et al). 2004;40:311-18
Fontcuberta J (*see* Criado et al). 2004;40:92-7, 476-83
Fornoni A (*see* Vazquez-Padron et al). 2004;40:1199-1207
Fosse E (*see* ten Cate et al). 2004;40:494-9
Fourneau I (*see* Nevelsteen et al). 2004;40:403-4 (Letter)
Fowl R (*see* Tessier et al). 2004;40:106-14
Fox PL (*see* van Aalst et al). 2004;40:1208-15
Foy C (*see* Winterborn et al). 2004;40:634-9
Franco A (*see* Carpentier et al). 2004;40:650-9
Franke S (*see* Thalheimer et al). 2004;40:548-53 (Case rep.)
Franklin DP (*see* Lawrence et al). 2004;40:334-8
Franks SC (*see* Lloyd et al). 2004;40:691-7
Fraser DGW, Moody AR, Martel A, Morgan PS. Re-evaluation of iliac compression syndrome using magnetic resonance imaging in patients with acute deep venous thromboses. 2004;40:604-11
Fraser DGW, Moody AR, Morgan PS, Martel A. Iliac compression syndrome and recanalization of femoropopliteal and iliac venous thrombosis: a prospective study with magnetic resonance venography. 2004;40:612-19
Fujita H (*see* Banno et al). 2004;40:174-8 (Case rep.)
Furnish E (*see* Tessier et al). 2004;40:106-14
Furuhashi K (*see* Kato et al). 2004;40:1044-8 (Case rep.)
Fuster V (*see* Dayal et al). 2004;40:985-94

G

Gadsdon P (*see* Vijayan et al). 2004;40:1011-19
Gagne PJ (*see* Maldonado et al). 2004;40:703-10
Gahlen J (*see* Koeppel et al). 2004;40:164-6 (Case rep.)
Gale SS (*see* Salles-Cunha et al). 2004;40:1165-73
Galili O, Herrmann J, Woodrum J, Sattler KJ, Lerman LO, Lerman A. Adventitial vasa vasorum heterogeneity among different vascular beds. 2004;40:529-35
Gallerani M (*see* Manfredini et al). 2004;40:382-8 (Review), 1062-3 (Letter)
Garcia-Pajares R (*see* Polo et al). 2004;40:319-24
Gardner AW, Montgomery PS, Killewich LA. Natural history of physical function in older men with intermittent claudication. 2004;40:73-8
Gardner AW (*see* Killewich et al). 2004;40:741-5
Gariboldi V (*see* Amabile et al). 2004;40:873-9
Garniak A (*see* Schneiderman et al). 2004;40:1083-8
Gasparis A (*see* Criado et al). 2004;40:476-83
Ge R (*see* Niagara et al). 2004;40:774-85
Geary RL (*see* English et al). 2004;40:53-60
Geary RL (*see* Li et al). 2004;40:519-28
Gegenhuber A (*see* Mueller et al). 2004;40:768-73
Geissinger E (*see* Thalheimer et al). 2004;40:548-53 (Case rep.)
Geraghty PJ, Sanchez LA, Rubin BG, Choi ET, Flye MW, Curci JA, Thompson RW, Sicard GA. Overt ischemic colitis after endovascular repair of aortoiliac aneurysms. 2004;40:413-18
Geraghty PJ (*see* Diaz et al). 2004;40:339-44
Gewertz B (*see* Shaalan et al). 2004;40:262-9
Ghilardi G, Biondi ML, Battaglioli L, Zambon A, Guagnellini E, Scorza R. Genetic risk factor characterizes abdominal aortic aneurysm from arterial occlusive disease in human beings: CCR5 Δ32 deletion. 2004;40:995-1000
Giglia JS, Thompson JK. Repair of a thoracoabdominal aortic aneurysm in the presence of a left-sided inferior vena cava. 2004;40:161-3 (Case rep.)
Gillespie BT (*see* Hsu et al). 2004;40:1118-26
Glagov S (*see* Shaalan et al). 2004;40:262-9
Gloor B (*see* Blättler et al). 2004;40:620-5
Gloviczki P (*see* Eklöf et al). 2004;40:1248-52
Goëau-Brissonnière O (*see* Mercier et al). 2004;40:822-5 (Case rep.)
Goëau-Brissonnière OA (*see* Coggia et al). 2004;40:448-54, 899-906
Golden MA (*see* Fairman et al). 2004;40:1074-82
Golden MA (*see* Lombardi et al). 2004;40:154-60 (Case rep.)
Golden MA (*see* Velazquez et al). 2004;40:222-7
Goldman D (*see* Jiang et al). 2004;40:345-50
Goldstein J (*see* Choi et al). 2004;40:746-51
Golman K (*see* Nyman and Golman). 2004;40:204 (Letter)
Goodall AH (*see* Webster et al). 2004;40:463-8
Gordon R (*see* Dayal et al). 2004;40:985-94
Gordon RL (*see* Schneider et al). 2004;40:599-603
Graham DL (*see* Hobson et al). 2004;40:1106-11
Graham LM (*see* van Aalst et al). 2004;40:1208-15
Grambow SC (*see* Bosworth et al). 2004;40:86-91
Grant PJ (*see* Parry et al). 2004;40:891-8
Gravereaux EC (*see* Nguyen et al). 2004;40:916-23
Gray BH (*see* Androes et al). 2004;40:907-15
Green RM. Presidential address: A live dog is better than a dead lion. 2004;40:583-8
Green RM (*see* Hsu et al). 2004;40:1118-26
Green S (*see* Barker et al). 2004;40:932-8
Greenberg RK (*see* Erzurum et al). 2004;40:419-23
Greenfield LJ. Medical device adverse event reports and the Food and Drug administration. 2004;40:395-6 (Editorial)
Greenfield LJ. Regarding "Withdrawal of article by the FDA after objection from Medtronic." 2004;40:594 (Letter)
Gröschel K (*see* Kastrup et al). 2004;40:945-51
Guagnellini E (*see* Ghilardi et al). 2004;40:995-1000

Guerrero MA, Lumsden AB, Reardon M, Howell J. Embolus of surgical adhesive to the extremities during acute ischemia: report of two cases. 2004;40:571-3 (Case rep.)
Gupta PC, Madhavilatha N, Venkateshwarlu J, Sudha A. Extracranial carotid aneurysm related to pregnancy. 2004;40:375-8 (Case rep.)
Gutiérrez J (*see* Linares-Palomino et al). 2004;40:359-66

H

Hagino RT (*see* Biggs et al). 2004;40:170-3 (Case rep.)
Hagmüller GW (*see* Assadian et al). 2004;40:484-7
Haider HK (*see* Niagara et al). 2004;40:774-85
Haidinger D (*see* Mueller et al). 2004;40:768-73
Haithcock BE, Shepard AD, Raman SBK, Conrad MF, Pandurangi K, Fanous NH. Activation of fibronolytic pathways is associated with duration of supraceliac aortic cross-clamping. 2004;40:325-33
Hakaim AG (*see* Biebl et al). 2004;40:435-42
Haltmayer M (*see* Mueller et al). 2004;40:768-73
Hamdan AD (*see* Hughes et al). 2004;40:1149-57
Hamilton G (*see* Rashid et al). 2004;40:1136-41
Han U (*see* Kiziltepe et al). 2004;40:138-45
Hanover TM (*see* Androes et al). 2004;40:907-15
Hansen CJ, Bui H, Donayre CE, Aziz I, Kim B, Kopchok G, Walot I, Lee J, Lippmann M, White RA. Complications of endovascular repair of high-risk and emergent descending thoracic aortic aneurysms and dissections. 2004;40:228-34
Hansen KJ, Wilson DB, Craven TE, Pearce JD, English WP, Edwards MS, Ayerdi J, Burke GL. Mesenteric artery disease in the elderly. 2004;40:45-52
Hansen KJ (*see* Deitch et al). 2004;40:543-7 (Case rep.)
Hansen KJ (*see* English et al). 2004;40:53-60
Harkin DW (*see* Jeganathan et al). 2004;40:371-4 (Case rep.)
Harris JP (*see* May et al). 2004;40:860-6
Harris LM (*see* Zhang et al). 2004;40:867-72
Haser PB (*see* Choi et al). 2004;40:746-51
Hassen-Khodja R, Kieffer E. Radiotherapy-induced supra-aortic trunk disease: early and long-term results of surgical and endovascular reconstruction. 2004;40:254-61
Hassoun HT, Huynh TTT, Safi HJ. Regarding "Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair." 2004;40:205 (Letter reply)
Hawkins S (*see* Fischer et al). 2004;40:115-22
Hawxby A (*see* Karp et al). 2004;40:379-80 (Case rep.)
Hayes PD (*see* Webster et al). 2004;40:463-8
Hazirolan T, Perler BA, Bluemke DA. Floating thoracic aortic thrombus in "protein S" deficient patient. 2004;40:381
Heikkinen M (*see* Virkkunen et al). 2004;40:761-7
Heitmann C (*see* Erdmann et al). 2004;40:505-11
Heldenberg E (*see* Schneiderman et al). 2004;40:1083-8
Heller G (*see* Blättler et al). 2004;40:620-5
Heller JA (*see* Deitch et al). 2004;40:543-7 (Case rep.)
Henderson P (*see* Dayal et al). 2004;40:985-94
Henderson VJ (*see* Rosenthal et al). 2004;40:958-64
Henke PK (*see* Ailawadi et al). 2004;40:1040-3 (Case rep.)
Henke PK (*see* Knipp et al). 2004;40:717-23
Henke PK (*see* Varma et al). 2004;40:536-42
Henochowicz S (*see* Akbari and Henochowicz). 2004;40:836-7 (Letter)
Herrmann J (*see* Galili et al). 2004;40:529-35
Hiatt WR (*see* Bauer et al). 2004;40:488-93
Hill GB (*see* van Rij et al). 2004;40:296-302
Hingorani AP, Ascher E, Markevich N, Schutzer RW, Kallakuri S, Hou A, Nahata S, Yorkovich W, Jacob T. Deep venous thrombosis after radiofrequency ablation of greater saphenous vein: a word of caution. 2004;40:500-4
Hinnen JW (*see* Dias et al). 2004;40:711-16
Hioki K (*see* Honjo et al). 2004;40:1032-6 (Case rep.)
Hiraki T (*see* Pavcnik et al). 2004;40:1223-7
Hirneise CM (*see* Huber et al). 2004;40:311-18
Hirneise CM (*see* Lee et al). 2004;40:211-15
Hirose H, Svensson LG. Chronic posttraumatic aneurysm of descending aorta with fistulous communication into pulmonary artery. 2004;40:564-6 (Case rep.)
Hobo R (*see* Leurs et al). 2004;40:670-80
Hobson RW II, Howard VJ, Roubin GS, Brott TG, Ferguson RD, Popma JJ, Graham DL, Howard G. Carotid artery stenting is associated with increased complications in octogenarians: 30-day stroke and death rates in the CREST lead-in phase. 2004;40:1106-11
Hobson RW II, Howard VJ, Roubin GS, Ferguson RD, Brott TG, Howard G, Sheffet AJ, Roberts J, Hopkins LN, Moore WS. Credentialing of surgeons as interventionalists for carotid artery stenting: experience from the lead-in phase of CREST. 2004;40:952-7
Hobson RW II (*see* Choi et al). 2004;40:746-51
Hodgkinson K (*see* Clover et al). 2004;40:1260 (Letter reply)
Hodgson KJ. Presidential address: Canine or chameleon (revisited): a never-ending challenge in a perpetually changing world. 2004;40:1050-6
Hodgson KJ (*see* Danetz et al). 2004;40:1142-8
Hofstra L (*see* Kilkens et al). 2004;40:815-18 (Case rep.)
Hol PK (*see* ten Cate et al). 2004;40:494-9
Hollenbeck S (*see* Dayal et al). 2004;40:985-94, 1112-7
Hollenbeck ST, Kent KC. Regarding "Screening for abdominal aortic aneurysm: a consensus statement." 2004;40:402-3 (Letter reply)
Hollenbeck ST, Nelson PR, Yamamura S, Faries PL, Liu B, Kent KC. Intracellular calcium transients are necessary for platelet-derived growth factor but not extracellular matrix protein–induced vascular smooth muscle cell migration. 2004;40:351-8
Honjo O, Yamada Y, Kuroko Y, Kushida Y, Une D, Hioki K. Spontaneous dissection and rupture of common iliac artery in a patient with fibromuscular dysplasia: a case report and review of the literature on iliac artery dissections secondary to fibromuscular dysplasia. 2004;40:1032-6 (Case rep.)
Hood D (*see* Abando et al). 2004;40:287-90
Hopkins LN (*see* Hobson et al). 2004;40:952-7
Hoshina K, Koyama H, Miyata T, Shigematsu H, Takato T, Dalman RL, Nagawa H. Aortic wall cell proliferation via basic fibroblast growth factor gene transfer limits progression of experimental abdominal aortic aneurysm. 2004;40:512-18
Hossny A. Blunt popliteal artery injury with complete lower limb ischemia: is routine use of temporary intraluminal arterial shunt justified?. 2004;40:61-6
Hou A (*see* Hingorani et al). 2004;40:500-4
Howard G (*see* Hobson et al). 2004;40:952-7, 1106-11
Howard VJ (*see* Hobson et al). 2004;40:952-7, 1106-11
Howell J (*see* Guerrero et al). 2004;40:571-3 (Case rep.)
Hsu JH, Younan D, Pandalai S, Gillespie BT, Jain RA, Schippert DW, Narins CR, Khanna A, Surowiec SM, Davies MG, Shortell CK, Rhodes JM, Waldman DL, Green RM, Illig KA. Use of computer simulation for determining endovascular skill levels in a carotid stenting model. 2004;40:1118-26

Hsu RB, Chen RJ, Wang SS, Chu SH. Infected aortic aneurysms: clinical outcome and risk factor analysis. 2004;40:30-5
Huang IH, Zuckerman DA, Matthews JB. Occlusion of a giant splenic artery pseudoaneurysm with percutaneous thrombin-collagen injection. 2004;40:574-7 (Case rep.)
Huber TS, Hirneise CM, Lee WA, Flynn TC, Seeger JM. Outcome after autogenous brachial-axillary translocated superficial femoropopliteal vein hemodialysis access. 2004;40:311-18
Huber TS (*see* Lee et al). 2004;40:211-15
Hughes K, Domenig CM, Hamdan AD, Schermerhorn M, Auliovola B, Blattman S, Campbell DR, Scovell SD, LoGerfo FW, Pomposelli FB Jr. Bypass to plantar and tarsal arteries: an acceptable approach to limb salvage. 2004;40:1149-57
Huynh TTT (*see* Hassoun et al). 2004;40:205 (Letter reply)
Hynan LS (*see* McCullough et al). 2004;40:279-86

I

Iacono G (*see* Cao et al). 2004;40:841-8
Illig KA (*see* Hsu et al). 2004;40:1118-26
Illig KA (*see* Kumar et al). 2004;40:812-14 (Case rep.)
Ing DJ (*see* Baerlocher et al). 2004;40:1028-31 (Case rep.)
Inman MH (*see* McCullough et al). 2004;40:279-86
Inoue K (*see* Saito et al). 2004;40:1228-33 (Case rep.)
Ivancev K (*see* Dias et al). 2004;40:711-16

J

Jackson MR, Ali AT, Bell C, Modrall JG, Welborn MB III, Scoggins E, Valentine RJ, D'Addio VJ, Clagett GP. Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron?. 2004;40:17-23
Jacob T (*see* Hingorani et al). 2004;40:500-4
Jacobowitz GR (*see* Maldonado et al). 2004;40:703-10
Jacobs MJ, van Eps RGS, de Jong DS, Schurink GWH, Mochtar B. Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair. 2004;40:1067-73
Jacobs TS (*see* Ellozy et al). 2004;40:405-12
Jain RA (*see* Hsu et al). 2004;40:1118-26
Jamil Z (*see* Choi et al). 2004;40:746-51
Janzon L (*see* Engström et al). 2004;40:1101-1105
Javerliat I (*see* Coggia et al). 2004;40:448-54, 899-906
Javerliat I (*see* Mercier et al). 2004;40:822-5 (Case rep.)
Jeganathan R, Harkin DW, Lowry P, Lee B. Iatrogenic subclavian artery pseudoaneurysm causing airway compromise: treatment with percutaneous thrombin injection. 2004;40:371-4 (Case rep.)
Jeodorescu VJ (*see* Ellozy et al). 2004;40:405-12
Jeremy JY (*see* Vijayan et al). 2004;40:1011-19
Jiang P (*see* van Rij et al). 2004;40:296-302
Jiang Z, Berceli SA, Pfahnl CL, Wu L, Goldman D, Tao M, Kagayama M, Matsukawa A, Ozaki CK. Wall shear modulation of cytokines in early vein grafts. 2004;40:345-50
Johnson BL (*see* Armstrong et al). 2004;40:724-31
Johnson BL (*see* Back et al). 2004;40:752-60
Johnson JL (*see* Vijayan et al). 2004;40:1011-19
Jones CI (*see* Webster et al). 2004;40:463-8
Jones GT (*see* van Rij et al). 2004;40:296-302
Jones JW, McCullough LB, Richman BW. Ethical nuances of combining romance with medical practice. 2004;40:1255-7
Jones JW, McCullough LB, Richman BW. The ethics of innovative surgical approaches for well-established procedures. 2004;40:199-201
Jones JW, McCullough LB, Richman BW. The ethics of personal advertising in surgery. 2004;40:397-9
Jones JW, McCullough LB, Richman BW. Ethics of refusal to treat patients as a social statement. 2004;40:1057-9
Jones JW, McCullough LB, Richman BW. Family-surgeon disagreements over interventions. 2004;40:831-2
Jones JW, McCullough LB.Stem cell research: obligations when religious values conflict with professional values. 2004;40:589-91
Jones JW, Richman BW. Regarding "Ethics of boutique medical practice." 2004;40:836-7 (Letter reply)
Jones L (*see* Comerota et al). 2004;40:939-44
Jones L (*see* Salles-Cunha et al). 2004;40:1165-73
Joshi L (*see* Tessier et al). 2004;40:106-14
Juta J (*see* Ellozy et al). 2004;40:405-12

K

Kagayama M (*see* Jiang et al). 2004;40:345-50
Kalbaugh CA (*see* Androes et al). 2004;40:907-15
Kallakuri S (*see* Hingorani et al). 2004;40:500-4
Kalocheretis P (*see* Kavallieratos et al). 2004;40:640-3
Kapur S (*see* DeRubertis et al). 2004;40:554-8 (Case rep.)
Karp SJ, Hawxby A, Burdick JF. Axillorenal arteriovenous graft: a new approach for dialysis access. 2004;40:379-80 (Case rep.)
Kashyap VS (*see* Erzurum et al). 2004;40:419-23
Kastrup A, Schulz JB, Raygrotzki S, Gröschel K, Ernemann U. Comparison of angioplasty and stenting with cerebral protection versus endarterectomy for treatment of internal carotid artery stenosis in elderly patients. 2004;40:945-51
Kato T, Takagi H, Sekino S, Manabe H, Matsuno Y, Furuhashi K, Sekido Y, Umemoto T. Dorsalis pedis artery true aneurysm due to atherosclerosis: case report and literature review. 2004;40:1044-8 (Case rep.)
Katz D (*see* Shaalan et al). 2004;40:262-9
Katz S (*see* Abando et al). 2004;40:287-90
Kaufman J (*see* Pavcnik et al). 2004;40:1223-7
Kaul AF (*see* Ouriel et al). 2004;40:971-7
Kavallieratos N, Kokkinos A, Kalocheretis P. Axillary to saphenous vein bypass for treatment of central venous obstruction in patients receiving dialysis. 2004;40:640-3
Keller FS (*see* Pavcnik et al). 2004;40:1223-7
Kent CK (*see* Tessier et al). 2004;40:106-14
Kent KC (*see* Dayal et al). 2004;40:985-94, 1112-7
Kent KC (*see* Deitch et al). 2004;40:543-7 (Case rep.)
Kent KC (*see* DeRubertis et al). 2004;40:554-8 (Case rep.)
Kent KC (*see* Hollenbeck and Kent). 2004;40:402-3 (Letter reply)
Kent KC (*see* Hollenbeck et al). 2004;40:351-8
Kerlan RK (*see* Schneider et al). 2004;40:599-603
Khalil RA (*see* Chew et al). 2004;40:1001-10
Khanna A (*see* Hsu et al). 2004;40:1118-26
Khodabakhsh P (*see* Delis et al). 2004;40:1174-83
Kibbe MR (*see* Morasch et al). 2004;40:12-16
Kieffer E (*see* Hassen-Khodja and Kieffer). 2004;40:254-61
Kilkens TOC, Hofstra L, Kitslaar PJEHM. Diaphragm-like membrane causing common femoral vein obstruction: case report. 2004;40:815-18 (Case rep.)
Killewich LA, Macko RF, Montgomery PS, Wiley LA, Gardner AW. Exercise training enhances endogenous fibrinolysis in peripheral arterial disease. 2004;40:741-5
Killewich LA (*see* Gardner et al). 2004;40:73-8
Kim B (*see* Hansen et al). 2004;40:228-34
Kim GE, Yul BJ. Regarding "Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron?". 2004;40:1062 (Letter)
Kimura T (*see* Saito et al). 2004;40:1228-33 (Case rep.)

Kistner RL (*see* Eklöf et al). 2004;40:1248-52
Kistner RL (*see* Masuda et al). 2004;40:24-9
Kita T (*see* Saito et al). 2004;40:1228-33 (Case rep.)
Kitslaar PJEHM (*see* Kilkens et al). 2004;40:815-18 (Case rep.)
Kitzis M (*see* Coggia et al). 2004;40:448-54, 899-906
Kiziltepe U, Turan NND, Han U, Ulus AT, Akar F. Resveratrol, a red wine polyphenol, protects spinal cord from ischemia-reperfusion injury. 2004;40:138-45
Klitzman B (*see* Erdmann et al). 2004;40:505-11
Klocker J (*see* Biebl et al). 2004;40:435-42
Klucznik RP (*see* Biggs et al). 2004;40:170-3 (Case rep.)
Knaggs AL (*see* Delis et al). 2004;40:1174-83
Knipp BS, Dimick JB, Eliason JL, Cowan JA, Henke PK, Proctor MS, Stanley JC, Upchurch GR Jr. Diffusion of new technology for the treatment of renovascular hypertension in the United States: surgical revascularization versus catheter-based therapy, 1988-2001. 2004;40:717-23
Kobayashi M (*see* Banno et al). 2004;40:174-8 (Case rep.)
Koelemay M. Regarding "Screening for abdominal aortic aneurysm: a consensus statement." 2004;40:402-3 (Letter)
Koeppel TA, Gahlen J, Diehl S, Prosst RL, Dueber C. Mycotic aneurysm of the abdominal aorta with retroperitoneal abscess: successful endovascular repair. 2004;40:164-6 (Case rep.)
Koh VSW (*see* Niagara et al). 2004;40:774-85
Kokkinos A (*see* Kavallieratos et al). 2004;40:640-3
Komalavilas P (*see* Tessier et al). 2004;40:106-14
Komori K (*see* Banno et al). 2004;40:174-8 (Case rep.)
Kong LS (*see* Rayan et al). 2004;40:567-70 (Case rep.)
Kopchok G (*see* Hansen et al). 2004;40:228-34
Koppensteiner R (*see* Krieger et al). 2004;40:644-9
Koyama H (*see* Hoshina et al). 2004;40:512-18
Kreienberg PB (*see* Mehta et al). 2004;40:698-702, 886-90
Krieger E, van Der Loo B, Amann-Vesti BR, Rousson V, Koppensteiner R. C-reactive protein and red cell aggregation correlate with late venous function after acute deep venous thrombosis. 2004;40:644-9
Kritpracha B, Comerota AJ. Unilateral lower extremity paralysis after coil embolization of an internal iliac artery aneurysm. 2004;40:819-21 (Case rep.)
Kritpracha B (*see* Fairman et al). 2004;40:1074-82
Kuiken BW (*see* Willigendael et al). 2004;40:1158-65
Kulaylat MN (*see* Zhang et al). 2004;40:867-72
Kumar A, Surowiec S, Nigwekar P, Illig KA. Masson's intravascular hemangioma masquerading as effort thrombosis. 2004;40:812-14 (Case rep.)
Kumar V. Endovascular treatment of penetrating injury of axillary vein with Viabahn endoprosthesis. 2004;40:1243-4 (Case rep.)
Kunihara T, Matsuzaki K, Shiiya N, Saijo Y, Yasuda K. Naloxone lowers cerebrospinal fluid levels of excitatory amino acids after thoracoabdominal aortic surgery. 2004;40:681-90
Kunkel SL (*see* Varma et al). 2004;40:536-42
Kuroko Y (*see* Honjo et al). 2004;40:1032-6 (Case rep.)
Kushida Y (*see* Honjo et al). 2004;40:1032-6 (Case rep.)
Kyu SC (*see* Pavcnik et al). 2004;40:1223-7

L

Laberge JM (*see* Schneider et al). 2004;40:599-603
Laganà A (*see* Cinà et al). 2004;40:36-44
Lal BK (*see* Choi et al). 2004;40:746-51
Lamparello PJ (*see* Maldonado et al). 2004;40:703-10
Landl M (*see* Mueller et al). 2004;40:768-73
Langan EM III (*see* Androes et al). 2004;40:907-15
Largiadèr J (*see* Blättler et al). 2004;40:620-5
Lasko D (*see* Vazquez-Padron et al). 2004;40:1199-1207
Lau LL (*see* Biebl et al). 2004;40:435-42
Law S (*see* Mok et al). 2004;40:1234-7 (Case rep.)
Lawrence DM, Singh RS, Franklin DP, Carey DJ, Elmore JR. Rapamycin suppresses experimental aortic aneurysm growth. 2004;40:334-8
Lebel V (*see* Raymond et al). 2004;40:1190-8
Lee B (*see* Jeganathan et al). 2004;40:371-4 (Case rep.)
Lee CH (*see* Danetz et al). 2004;40:1142-8
Lee J (*see* Hansen et al). 2004;40:228-34
Lee WA, Hirneise CM, Tayyarah M, Huber TS, Seeger JM. Impact of endovascular repair on early outcomes of ruptured abdominal aortic aneurysms. 2004;40:211-15
Lee WA (*see* Huber et al). 2004;40:311-18
Leichter RF (*see* Schaner et al). 2004;40:146-53
Leo F (*see* Back et al). 2004;40:752-60
Leonard MC (*see* Ouriel et al). 2004;40:971-7
Lepäntalo M (*see* Virkkunen et al). 2004;40:761-7
Lerman A (*see* Galili et al). 2004;40:529-35
Lerman LO (*see* Galili et al). 2004;40:529-35
LeSar CJ (*see* Sprouse et al). 2004;40:443-7
Leschi JP (*see* Coggia et al). 2004;40:899-906
Leurs LJ, Bell R, Degrieck Y, Thomas S, Hobo R, Lundbom J. Endovascular treatment of thoracic aortic diseases: combined experience from the EUROSTAR and United Kingdom Thoracic Endograft registries. 2004;40:670-80
Levin LS (*see* Erdmann et al). 2004;40:505-11
Levitt A (*see* Wellons et al). 2004;40:1095-1100
Levitt AB (*see* Rosenthal et al). 2004;40:67-72, 958-64
Li J, Adams LD, Wang X, Pabon L, Schwartz SM, Sane DC, Geary RL. Regulator of G protein signaling 5 marks peripheral arterial smooth muscle cells and is downregulated in atherosclerotic plaque. 2004;40:519-28
Li S (*see* Vazquez-Padron et al). 2004;40:1199-1207
Ligero JM (*see* Polo et al). 2004;40:319-24
Ligush J Jr (*see* Deitch et al). 2004;40:543-7 (Case rep.)
Lim YT (*see* Niagara et al). 2004;40:774-85
Lin PH (*see* Bush et al). 2004;40:965-70
Lin PH (*see* Ramaswami et al). 2004;40:1216-22
Lin PH (*see* Zhou et al). 2004;40:179-82 (Case rep.), 291-5
Lin SC (*see* Dayal et al). 2004;40:1112-7
Linares-Palomino JP, Gutiérrez J, Lopez-Espada C, Dios Luna J, Ros E, Maroto C. Genomic, serologic, and clinical case-control study of *Chlamydia pneumoniae* and peripheral artery occlusive disease. 2004;40:359-66
Lindblad B (*see* Dias et al). 2004;40:711-16
Lindblad B (*see* Engström et al). 2004;40:1101-1105
Lindgärde F (*see* Engström et al). 2004;40:1101-1105
Liotta C (*see* Vazquez-Padron et al). 2004;40:1199-1207
Lippmann M (*see* Hansen et al). 2004;40:228-34
Lipsitz EC (*see* Mehta et al). 2004;40:698-702
Liu B (*see* Hollenbeck et al). 2004;40:351-8
Liu B (*see* Tessier et al). 2004;40:106-14
Lloyd GM, Newton JD, Norwood MGA, Franks SC, Bown MJ, Sayers RD. Patients with abdominal aortic aneurysm: are we missing the opportunity for cardiovascular risk reduction?. 2004;40:691-7
Lofiego C (*see* Rocci et al). 2004;40:880-5
LoGerfo FW (*see* Hughes et al). 2004;40:1149-57
Loh FK (*see* Moore et al). 2004;40:247-53
Lombardi JV, Fairman RM, Golden MA, Carpenter JP, Mitchell M, Barker C, McBride A, Velazquez OC. The utility of com-

mercially available endografts in the treatment of contained ruptured abdominal aortic aneurysm with hemodynamic stability. 2004;40:154-60 (Case rep.)
Lookstein RA (*see* Baril et al). 2004;40:1024-7 (Case rep.)
Lookstein RA (*see* Carroccio et al). 2004;40:424-9
Lookstein RA (*see* Ellozy et al). 2004;40:405-12
Lopez-Espada C (*see* Linares-Palomino et al). 2004;40:359-66
Lopez P (*see* Criado et al). 2004;40:92-7, 476-83
Lothert M (*see* ten Cate et al). 2004;40:494-9
Louis L (*see* Vazquez-Padron et al). 2004;40:1199-1207
Lovato L (*see* Rocci et al). 2004;40:880-5
Lowry P (*see* Jeganathan et al). 2004;40:371-4 (Case rep.)
Lumsden AB (*see* Bush et al). 2004;40:965-70
Lumsden AB (*see* Guerrero et al). 2004;40:571-3 (Case rep.)
Lumsden AB (*see* Ramaswami et al). 2004;40:1216-22
Lumsden AB (*see* Zhou et al). 2004;40:179-82 (Case rep.), 291-5
Lundbom J (*see* Leurs et al). 2004;40:670-80
Lyden SP (*see* Erzurum et al). 2004;40:419-23

M

Macko RF (*see* Killewich et al). 2004;40:741-5
Madhavilatha N (*see* Gupta et al). 2004;40:375-8 (Case rep.)
Makaroun MS (*see* Sheehan et al). 2004;40:430-4
Maldonado TS, Rockman CB, Riles E, Douglas D, Adelman MA, Jacobowitz GR, Gagne PJ, Nalbandian MN, Cayne NS, Lamparello PJ, Salzberg SS, Riles TS. Ischemic complications after endovascular abdominal aortic aneurysm repair. 2004;40:703-10
Malina M (*see* Dias et al). 2004;40:711-16
Malinzak LE (*see* Fleser et al). 2004;40:803-11
Malinzak LE (*see* Nuthakki et al). 2004;40:123-9
Manabe H (*see* Kato et al). 2004;40:1044-8 (Case rep.)
Manfredini R, Boari B, Gallerani M. Regarding "Floating thoracic aortic thrombus in 'protein S' deficient patient." 2004;40:1062-3 (Letter)
Manfredini R, Boari B, Gallerani M, Salmi R, Bossone E, Distante A, Eagle KA, Mehta RH. Chronobiology of rupture and dissection of aortic aneurysms. 2004;40:382-8 (Review)
Marcinczyk MJ (*see* Sprouse et al). 2004;40:443-7
Maricq HR (*see* Carpentier et al). 2004;40:650-9
Marin ML (*see* Baril et al). 2004;40:1024-7 (Case rep.)
Marin ML (*see* Carroccio et al). 2004;40:424-9
Marin ML (*see* Dayal et al). 2004;40:985-94
Marin ML (*see* Ellozy et al). 2004;40:405-12
Markevich N (*see* Hingorani et al). 2004;40:500-4
Markwell SJ (*see* Danetz et al). 2004;40:1142-8
Maroto C (*see* Linares-Palomino et al). 2004;40:359-66
Martel A (*see* Fraser et al). 2004;40:604-11, 612-19
Martin JD (*see* Rosenthal et al). 2004;40:67-72
Martin ND (*see* Schaner et al). 2004;40:146-53
Martin ND (*see* Schneider et al). 2004;40:599-603
Masuda EM, Caps MT, Singh N, Yorita K, Schneider PA, Sato DT, Eklof B, Nelken NA, Kistner RL. Effect of ethnicity on access and device complications during endovascular aneurysm repair. 2004;40:24-3
Matas M (*see* Alvarez et al). 2004;40:469-75
Matsukawa A (*see* Jiang et al). 2004;40:345-50
Matsumura JS (*see* Morasch et al). 2004;40:12-16
Matsuno Y (*see* Kato et al). 2004;40:1044-8 (Case rep.)
Matsushita M (*see* Banno et al). 2004;40:174-8 (Case rep.)
Matsuzaki K (*see* Kunihara et al). 2004;40:681-90
Matthews JB (*see* Huang et al). 2004;40:574-7 (Case rep.)
Matthews MR (*see* Moore et al). 2004;40:247-53
May J, White GH, Stephen MS, Harris JP. Rupture of abdominal aortic aneurysm: concurrent comparison of outcome of those occurring after endovascular repair versus those occurring without previous treatment in an 11-year single-center experience. 2004;40:860-6
May J (*see* Thoo et al). 2004;40:1089-94
McBride A (*see* Lombardi et al). 2004;40:154-60 (Case rep.)
McCarthy MJ (*see* Clover et al). 2004;40:1260 (Letter reply)
McClary GE Jr (*see* Androes et al). 2004;40:907-15
McCleary AJ (*see* Yow and McCleary). 2004;40:1037-9 (Case rep.)
McCollum C (*see* Devine and McCollum). 2004;40:924-31
McCready RA, Divelbiss JL, Bryant MA, Denardo AJ, Scott JA. Endoluminal repair of carotid artery pseudoaneurysms: a word of caution. 2004;40:1020-3
McCullough HK, Reinert CG, Hynan LS, Albiston CL, Inman MH, Boyd PI, Welborn MB III, Clagett GP, Modrall JG. Ocular findings as predictors of carotid artery occlusive disease: is carotid imaging justified?. 2004;40:279-86
McCullough LB (*see* Jones and McCullough). 2004;40:589-91
McCullough LB (*see* Jones et al). 2004;40:199-201, 397-9, 831-2, 1057-9, 1255-7
McGagh D (*see* Deitch et al). 2004;40:543-7 (Case rep.)
McGrath BP (*see* Asbeutah et al). 2004;40:1184-9
McKinney JM (*see* Biebl et al). 2004;40:435-42
McKinsey J (*see* Dayal et al). 2004;40:1112-7
McKinsey JF (*see* Shaalan et al). 2004;40:262-9
McKinsey JF (*see* ten Cate et al). 2004;40:494-9
McLafferty R (*see* Schmittling and McLafferty). 2004;40:1049
McLafferty RB (*see* Danetz et al). 2004;40:1142-8
Meadows WS (*see* Morasch et al). 2004;40:12-16
Mehta M, Champagne B, Darling RC III, Roddy SP, Kreienberg PB, Ozsvath KJ, Paty PSK, Chang BB, Shah DM. Outcome of popliteal artery aneurysms after exclusion and bypass: significance of residual patent branches mimicking type II endoleaks. 2004;40:886-90
Mehta M, Veith FJ, Darling RC III, Roddy SP, Ohki T, Lipsitz EC, Paty PSK, Kreienberg PB, Ozsvath KJ, Chang BB, Shah DM. Effects of bilateral hypogastric artery interruption during endovascular and open aortoiliac aneurysm repair. 2004;40:698-702
Mehta RH (*see* Manfredini et al). 2004;40:382-8 (Review)
Meier GH III (*see* Sprouse et al). 2004;40:443-7
Meissner MH (*see* Eklöf et al). 2004;40:1248-52
Melissano G, Chiesa R. Regarding "Disappointing results with a new commercially available thoracic endograft." 2004;40:205-8 (Letter reply)
Melissano G (*see* Chiesa et al). 2004;40:1245
Menard MT (*see* Nguyen et al). 2004;40:916-23
Mendoza B (*see* Sprouse et al). 2004;40:443-7
Menzoian JO (*see* Raffetto et al). 2004;40:826-9 (Case rep.)
Mercier O, Coggia M, Javerliat I, Di Centa I, Colacchio G, Goëau-Brissonnière O. Total laparoscopic repeat aortic surgery. 2004;40:822-5 (Case rep.)
Merz SI (*see* Fleser et al). 2004;40:803-11
Messina L (*see* Tang et al). 2004;40:786-95
Messina LM (*see* Schneider et al). 2004;40:599-603
Metcalfe A (*see* Raymond et al). 2004;40:1190-8
Metsänoja R (*see* Virkkunen et al). 2004;40:761-7
Meyerhoff ME (*see* Fleser et al). 2004;40:803-11
Michálek P (*see* Štádler et al). 2004;40:1246-7 (Tech. Note)
Milner R (*see* Rayan et al). 2004;40:567-70 (Case rep.)
Milner R (*see* Wellons et al). 2004;40:1095-1100

Minaminimura H (*see* Saito et al). 2004;40:1228-33 (Case rep.)
Minion DJ (*see* Moore et al). 2004;40:247-53
Minor ME (*see* Carroccio et al). 2004;40:424-9
Minor ME (*see* Ellozy et al). 2004;40:405-12
Mitchell M (*see* Lombardi et al). 2004;40:154-60 (Case rep.)
Miyata T (*see* Hoshina et al). 2004;40:512-18
Miyazaki K (*see* van Aalst et al). 2004;40:1208-15
Moaveni DM (*see* Varma et al). 2004;40:536-42
Mochtar B (*see* Jacobs et al). 2004;40:1067-73
Modrall JG, Clagett GP. Regarding "Deep vein harvest: predicting need for fasciotomy." 2004;40:403-4 (Letter reply)
Modrall JG (*see* Jackson et al). 2004;40:17-23
Modrall JG (*see* McCullough et al). 2004;40:279-86
Mok VWK, Ting ACW, Law S, Wong KH, Cheng SWK, Wong J. Combined endovascular stent grafting and endoscopic injection of fibrin sealant for aortoenteric fistula complicating esophagectomy. 2004;40:1234-7 (Case rep.)
Molina JE. Regarding "Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair." 2004;40:205 (Letter)
Moll FL (*see* Willigendael et al). 2004;40:1158-65
Molnar K (*see* Moon et al). 2004;40:130-7
Moneta GL (*see* Eklöf et al). 2004;40:1248-52
Montgomery PS (*see* Gardner et al). 2004;40:73-8
Montgomery PS (*see* Killewich et al). 2004;40:741-5
Moody AR (*see* Fraser et al). 2004;40:604-11, 612-19
Moon MC, Molnar K, Yau L, Zahradka P. Perivascular delivery of losartan with surgical fibrin glue prevents neointimal hyperplasia after arterial injury. 2004;40:130-7
Moore E, Matthews MR, Minion DJ, Quick R, Schwarcz TH, Loh FK, Endean ED. Surgical management of peripancreatic arterial aneurysms. 2004;40:247-53
Moore WS (*see* Hobson et al). 2004;40:952-7
Moores C (*see* Tambyraja et al). 2004;40:830
Morag B (*see* Schneiderman et al). 2004;40:1083-8
Morasch MD, Kibbe MR, Evans ME, Meadows WS, Eskandari MK, Matsumura JS, Pearce WH. Percutaneous repair of abdominal aortic aneurysm. 2004;40:12-16
Morasch MD, Pereles FS, Sam AD II, Collins J, Song G, Chen R. Regarding "Safety of gadolinium contrast angiography in patients with chronic renal insufficiency." 2004;40:204 (Letter reply)
Morgan PS (*see* Fraser et al). 2004;40:604-11, 612-19
Morrissey NJ (*see* Dayal et al). 2004;40:1112-7
Moursi MM (*see* Brown et al). 2004;40:796-802
Mousa A (*see* Dayal et al). 2004;40:985-94
Mueller T, Dieplinger B, Gegenhuber A, Haidinger D, Schmid N, Roth N, Ebner F, Landl M, Poelz W, Haltmayer M. Serum total 8-iso-prostaglandin $F_{2\alpha}$: a new and independent predictor of peripheral arterial disease. 2004;40:768-73
Mureebe L (*see* Bush et al). 2004;40:965-70
Mussack T (*see* Ruppert et al). 2004;40:367-70 (Case rep.)
Myers K (*see* Eklöf et al). 2004;40:1248-52
Myint F (*see* Rashid et al). 2004;40:1136-41

N

Nagata J (*see* Banno et al). 2004;40:174-8 (Case rep.)
Nagawa H (*see* Hoshina et al). 2004;40:512-18
Nahata S (*see* Hingorani et al). 2004;40:500-4
Nalbandian MN (*see* Maldonado et al). 2004;40:703-10
Narins CR (*see* Hsu et al). 2004;40:1118-26
Naylor AR (*see* Bond et al). 2004;40:1126-35
Naylor AR (*see* Webster et al). 2004;40:463-8
Neglén P, Egger JF III, Olivier J, Raju S. Hemodynamic and clinical impact of ultrasound-derived venous reflux parameters. 2004;40:303-10
Nelken NA (*see* Masuda et al). 2004;40:24-9
Nelson PR (*see* Hollenbeck et al). 2004;40:351-8
Neuhauser B (*see* Biebl et al). 2004;40:435-42
Nevelsteen A, Baeyens I, Daenens K, Fourneau I. Regarding "Deep vein harvest: predicting need for fasciotomy." 2004;40:403-4 (Letter)
Newton JD (*see* Lloyd et al). 2004;40:691-7
Nguyen L (*see* Zhou et al). 2004;40:291-5
Nguyen LL, Conte MS, Menard MT, Gravereaux EC, Chew DK, Donaldson MC, Whittemore AD, Belkin M. Infrainguinal vein bypass graft revision: factors affecting long-term outcome. 2004;40:916-23
Niagara MI, Haider HK, Ye L, Koh VSW, Lim YT, Poh KK, Ge R, Sim EKW. Autologous skeletal myoblasts transduced with a new adenoviral bicistronic vector for treatment of hind limb ischemia. 2004;40:774-85
Nigwekar P (*see* Kumar et al). 2004;40:812-14 (Case rep.)
Nishikimi N (*see* Banno et al). 2004;40:174-8 (Case rep.)
Norwood MGA (*see* Lloyd et al). 2004;40:691-7
Nuthakki VK, Fleser PS, Malinzak LE, Seymour ML, Callahan RE, Bendick PJ, Zelenock GB, Shanley CJ. Lysyl oxidase expression in a rat model of arterial balloon injury. 2004;40:123-9
Nuthakki VK (*see* Fleser et al). 2004;40:803-11
Nyman U, Golman K. Regarding "Safety of gadolinium contrast angiography in patients with chronic renal insufficiency." 2004;40:204 (Letter)

O

O'Conner RE (*see* Rosenthal et al). 2004;40:958-64
Oddone EZ (*see* Bosworth et al). 2004;40:86-91
Oesterle SN. Regarding "Withdrawal of article by the FDA after objection from Medtronic." 2004;40:835-6 (Letter)
Ogoudikpe C (*see* Raymond et al). 2004;40:1190-8
O'Hara PJ (*see* Erzurum et al). 2004;40:419-23
Ohki T (*see* Mehta et al). 2004;40:698-702
Olbrich KC (*see* Erdmann et al). 2004;40:505-11
Oldenburg WA (*see* Biebl et al). 2004;40:435-42
Olin JW (*see* Carroccio et al). 2004;40:424-9
Olivier J (*see* Neglén et al). 2004;40:303-10
Orgaz A (*see* Criado et al). 2004;40:92-7, 476-83
Ouriel K, Kaul AF, Leonard MC. Clinical and economic outcomes in thrombolytic treatment of peripheral arterial occlusive disease and deep venous thrombosis. 2004;40:971-7
Ouriel K. Regarding "Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting. 2004;40:595-6 (Letter)
Ouriel K. Regarding "Standards of practice: carotid angioplasty and stenting." 2004;40:837-8 (Letter reply)
Ouriel K (*see* Erzurum et al). 2004;40:419-23
Ouriel K (*see* Zarins et al). 2004;40:1-11
Ozaki CK (*see* Jiang et al). 2004;40:345-50
Ozsvath KJ (*see* Mehta et al). 2004;40:698-702, 886-90

P

Pabon L (*see* Li et al). 2004;40:519-28
Padberg FT Jr (*see* Choi et al). 2004;40:746-51
Padberg FT (*see* Eklöf et al). 2004;40:1248-52
Pagliuca V (*see* Cao et al). 2004;40:841-8
Pandalai S (*see* Hsu et al). 2004;40:1118-26
Pandurangi K (*see* Haithcock et al). 2004;40:325-33

Pang M (*see* Vazquez-Padron et al). 2004;40:1199-1207
Panitch A (*see* Tessier et al). 2004;40:106-14
Parent FN (*see* Sprouse et al). 2004;40:443-7
Park K (*see* DeRubertis et al). 2004;40:554-8 (Case rep.)
Parlani G (*see* Cao et al). 2004;40:841-8
Parlapiano M (*see* Rocci et al). 2004;40:880-5
Parodi JC (*see* Diaz et al). 2004;40:339-44
Parra J (*see* Roseborough et al). 2004;40:235-46
Parry DJ, Grant PJ, Scott DJA. Atherothrombotic risk factor clustering in healthy male relatives of male patients with intermittent claudication. 2004;40:891-8
Patel AB (*see* Baril et al). 2004;40:1024-7 (Case rep.)
Patterson RB. Hypothenar hammer syndrome: distal ulnar artery reconstruction with autologous inferior epigastric artery. 2004; 40:1238-42 (Case rep.)
Paty PSK (*see* Mehta et al). 2004;40:698-702, 886-90
Pavcnik D, Kaufman J, Uchida B, Correa L, Hiraki T, Kyu SC, Keller FS, Rosch J. Second-generation percutaneous bioprosthetic valve: a short-term study in sheep. 2004;40:1223-7
Payne DA (*see* Webster et al). 2004;40:463-8
Paz-Fumagalli R (*see* Biebl et al). 2004;40:435-42
Pearce BJ (*see* ten Cate et al). 2004;40:494-9
Pearce JD (*see* English et al). 2004;40:53-60
Pearce JD (*see* Hansen et al). 2004;40:45-52
Pearce WH (*see* Morasch et al). 2004;40:12-16
Pereles FS (*see* Morasch et al). 2004;40:204 (Letter reply)
Perler B (*see* Roseborough et al). 2004;40:235-46
Perler BA, Bluemke DA. Regarding "Floating thoracic aortic thrombus in 'protein S' deficient patient." 2004;40:1062-3 (Letter reply)
Perler BA. Inappropriate industry influence on FDA processes. 2004;40:594 (Letter)
Perler BA (*see* Hazirolan et al). 2004;40:381
Perrin M (*see* Eklöf et al). 2004;40:1248-52
Pestana IA (*see* Vazquez-Padron et al). 2004;40:1199-1207
Pfahnl CL (*see* Jiang et al). 2004;40:345-50
Piccoli A (*see* Ballotta et al). 2004;40:270-8
Piquet P, Amabile P, Rollet G. Minimally invasive retroperitoneal approach for the treatment of infrarenal aortic disease. 2004; 40:455-62
Piquet P (*see* Amabile et al). 2004;40:873-9
Piva T (*see* Rocci et al). 2004;40:880-5
Plonk GW Jr (*see* Deitch et al). 2004;40:543-7 (Case rep.)
Poelz W (*see* Mueller et al). 2004;40:768-73
Poh KK (*see* Niagara et al). 2004;40:774-85
Poirier LA (*see* Brown et al). 2004;40:796-802
Polo JR, Ligero JM, Diaz-Cartelle J, Garcia-Pajares R, Cervera T, Reparaz L. Randomized comparison of 6-mm straight grafts versus 6- to 8-mm tapered grafts for brachial-axillary dialysis access. 2004;40:319-24
Pomposelli FB Jr (*see* Hughes et al). 2004;40:1149-57
Ponçot-Makinen CO (*see* Carpentier et al). 2004;40:650-9
Popma JJ (*see* Hobson et al). 2004;40:1106-11
Prince M (*see* Dayal et al). 2004;40:985-94
Prins MH (*see* Willigendael et al). 2004;40:1158-65
Proctor MS (*see* Knipp et al). 2004;40:717-23
Prosst RL (*see* Koeppel et al). 2004;40:164-6 (Case rep.)

Q

Quick R (*see* Moore et al). 2004;40:247-53
Qureshi I (*see* Brown et al). 2004;40:796-802

R

Raffetto JD, Bernardo J, Menzoian JO. Aortobifemoral graft infection with *Mycobacterium tuberculosis*: treatment with abscess drainage, debridement, and long-term administration of antibiotic agents. 2004;40:826-9 (Case rep.)
Rajan DK (*see* Baerlocher et al). 2004;40:1028-31 (Case rep.)
Raju S (*see* Neglén et al). 2004;40:303-10
Raman SBK (*see* Haithcock et al). 2004;40:325-33
Ramaswami G, Yao Q, Lin PH, Lumsden AB, Chen C. Curcumin blocks homocysteine-induced endothelial dysfunction in porcine coronary arteries. 2004;40:1216-22
Ramsey DE (*see* Danetz et al). 2004;40:1142-8
Rapezzi C (*see* Rocci et al). 2004;40:880-5
Rashid ST, Salman M, Myint F, Baker DM, Agarwal S, Sweny P, Hamilton G. Prevention of contrast-induced nephropathy in vascular patients undergoing angiography: a randomized controlled trial of intravenous N-acetylcysteine. 2004;40:1136-41
Rayan SS, Vega JD, Shanewise JS, Kong LS, Chaikof EL, Milner R. Repair of mycotic aortic pseudoaneurysm with a stent graft using transesophageal echocardiography. 2004;40:567-70 (Case rep.)
Raygrotzki S (*see* Kastrup et al). 2004;40:945-51
Raymond J, Lebel V, Ogoudikpe C, Metcalfe A, Chagnon M, Robledo O. Recanalization of arterial thrombus, and inhibition with β-radiation in a new murine carotid occlusion model: mRNA expression of angiopoietins, metalloproteinases, and their inhibitors. 2004;40:1190-8
Reardon M (*see* Guerrero et al). 2004;40:571-3 (Case rep.)
Reinert CG (*see* McCullough et al). 2004;40:279-86
Renon L (*see* Ballotta et al). 2004;40:732-40
Reparaz L (*see* Polo et al). 2004;40:319-24
Rerkasem K (*see* Bond et al). 2004;40:1126-35
Reynolds MM (*see* Fleser et al). 2004;40:803-11
Rhee J (*see* Dayal et al). 2004;40:1112-7
Rhee R (*see* Sheehan et al). 2004;40:430-4
Rhodes JM (*see* Hsu et al). 2004;40:1118-26
Richman BW (*see* Jones and Richman). 2004;40:836-7 (Letter reply)
Richman BW (*see* Jones et al). 2004;40:199-201, 397-9, 831-2, 1057-9, 1255-7
Ricotta J (*see* Criado et al). 2004;40:476-83
Rieger J (*see* Ruppert et al). 2004;40:367-70 (Case rep.)
Riha AZ (*see* Asbeutah et al). 2004;40:1184-9
Riles E (*see* Maldonado et al). 2004;40:703-10
Riles TS (*see* Maldonado et al). 2004;40:703-10
Ritter RG (*see* Adili et al). 2004;40:582
Robbins M (*see* Salles-Cunha et al). 2004;40:1165-73
Roberts J (*see* Hobson et al). 2004;40:952-7
Robledo O (*see* Raymond et al). 2004;40:1190-8
Rocci G, Lofiego C, Biagini E, Piva T, Bracchetti G, Lovato L, Parlapiano M, Ferlito M, Rapezzi C, Branzi A, Fattori R. Transesophageal echocardiography–guided algorithm for stent-graft implantation in aortic dissection. 2004;40:880-5
Rockman CB (*see* Maldonado et al). 2004;40:703-10
Roddy SP (*see* Mehta et al). 2004;40:698-702, 886-90
Rollet G (*see* Amabile et al). 2004;40:873-9
Rollet G (*see* Piquet et al). 2004;40:455-62
Romano L (*see* Cao et al). 2004;40:841-8
Ros E (*see* Linares-Palomino et al). 2004;40:359-66
Rosch J (*see* Pavcnik et al). 2004;40:1223-7
Roseborough G, Burke J, Sperry J, Perler B, Parra J, Williams GM. Twenty-year experience with acute distal thoracic aortic dissections. 2004;40:235-46

Rosenthal D, Martin JD, Schubart PJ, Wellons ED, Shuler FW, Levitt AB. Remote superficial femoral artery endarterectomy and distal aSpire stenting: multicenter medium-term results. 2004;40:67-72
Rosenthal D, Wellons ED, Levitt AB, Shuler FW, O'Conner RE, Henderson VJ. Role of prophylactic temporary inferior vena cava filters placed at the ICU bedside under intravascular ultrasound guidance in patients with multiple trauma. 2004;40:958-64
Rosenthal D (*see* Wellons et al). 2004;40:1095-1100
Roth N (*see* Mueller et al). 2004;40:768-73
Rothwell PM (*see* Bond et al). 2004;40:1126-35
Rotter R (*see* Assadian et al). 2004;40:484-7
Roubin GS (*see* Hobson et al). 2004;40:952-7, 1106-11
Rousson V (*see* Krieger et al). 2004;40:644-9
Rubin BB (*see* Baerlocher et al). 2004;40:1028-31 (Case rep.)
Rubin BG (*see* Geraghty et al). 2004;40:413-18
Ruckley VC (*see* Eklöf et al). 2004;40:1248-52
Ruiz C (*see* Alvarez et al). 2004;40:469-75
Ruppert V, Umscheid T, Rieger J, Schmedt CG, Mussack T, Steckmeier B, Stelter WJ. Endovascular aneurysm repair: treatment of choice for abdominal aortic aneurysm coincident with horseshoe kidney? Three case reports and review of literature. 2004;40:367-70 (Case rep.)
Rutherford RB (*see* Eklöf et al). 2004;40:1248-52

S

Sacks D (*see* Durham et al). 2004;40:837-8 (Letter)
Safi HJ (*see* Hassoun et al). 2004;40:205 (Letter reply)
Saijo Y (*see* Kunihara et al). 2004;40:681-90
Saito N, Kimura T, Toma M, Teragaki M, Minaminimura H, Kita T, Inoue K. Successful endovascular repair of an aneurysm of the ductus diverticulum with a branched stent graft: case report and review of literature. 2004;40:1228-33 (Case rep.)
Salenius JP (*see* Virkkunen et al). 2004;40:761-7
Salles-Cunha SX, Comerota AJ, Tzilinis A, Dosick SM, Gale SS, Seiwert AJ, Jones L, Robbins M. Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis. 2004;40:1165-73
Salles-Cunha SX (*see* Comerota et al). 2004;40:939-44
Salman M (*see* Rashid et al). 2004;40:1136-41
Salmi R (*see* Manfredini et al). 2004;40:382-8 (Review)
Salzberg SS (*see* Maldonado et al). 2004;40:703-10
Sam AD II (*see* Morasch et al). 2004;40:204 (Letter reply)
Sampram ESK (*see* Erzurum et al). 2004;40:419-23
Samset E (*see* ten Cate et al). 2004;40:494-9
Samson RH, Showalter DP. Persistent sciatic artery as collateral for an occluded iliofemoral system. 2004;40:183. Correction 2004;40:295
Sanchez LA (*see* Diaz et al). 2004;40:339-44
Sanchez LA (*see* Geraghty et al). 2004;40:413-18
Sane DC (*see* Li et al). 2004;40:519-28
Sarac TP (*see* Erzurum et al). 2004;40:419-23
Sato DT (*see* Masuda et al). 2004;40:24-9
Sattler KJ (*see* Galili et al). 2004;40:529-35
Savolainen H (*see* Blättler et al). 2004;40:620-5
Sayers RD (*see* Lloyd et al). 2004;40:691-7
Schaner PJ, Martin ND, Tulenko TN, Shapiro IM, Tarola NA, Leichter RF, Carabasi RA, DiMuzio PJ. Decellullarized vein as a potential scaffold for vascular tissue engineering. 2004;40:146-53
Schanzer H (*see* Bazan and Schanzer). 2004;40:184-6 (Tech. Note)
Schermerhorn M (*see* Hughes et al). 2004;40:1149-57
Schippert DW (*see* Hsu et al). 2004;40:1118-26
Schmandra TC (*see* Adili et al). 2004;40:582
Schmedt CG (*see* Ruppert et al). 2004;40:367-70 (Case rep.)
Schmid N (*see* Mueller et al). 2004;40:768-73
Schmidli J (*see* Blättler et al). 2004;40:620-5
Schmittling ZC, McLafferty R. Transcatheter embolization of a splenic artery aneurysm. 2004;40:1049
Schmittling ZC (*see* Danetz et al). 2004;40:1142-8
Schneider DB, Dimuzio PJ, Martin ND, Gordon RL, Wilson MW, Laberge JM, Kerlan RK, Eichler CM, Messina LM. Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty. 2004;40:599-603
Schneider PA (*see* Masuda et al). 2004;40:24-9
Schneiderman J, Feinberg MS, Schwammenthal E, Tenenbaum A, Garniak A, Morag B, Walden R, Heldenberg E, Fenigstein H, Adar R. Protruding aortic arch thrombus: treatment with minimally invasive surgical approach. 2004;40:1083-8
Schubart PJ (*see* Rosenthal et al). 2004;40:67-72
Schulz JB (*see* Kastrup et al). 2004;40:945-51
Schurink GWH (*see* Jacobs et al). 2004;40:1067-73
Schutzer RW (*see* Hingorani et al). 2004;40:500-4
Schwammenthal E (*see* Schneiderman et al). 2004;40:1083-8
Schwarcz TH (*see* Moore et al). 2004;40:247-53
Schwartz LB (*see* Shaalan et al). 2004;40:262-9
Schwartz SM (*see* Li et al). 2004;40:519-28
Scoggins E (*see* Jackson et al). 2004;40:17-23
Scorza R (*see* Ghilardi et al). 2004;40:995-1000
Scott DJA (*see* Parry et al). 2004;40:891-8
Scott JA (*see* McCready et al). 2004;40:1020-3
Scovell SD (*see* Hughes et al). 2004;40:1149-57
Seeger J (*see* Cronenwett and Seeger). 2004;40:1062 (Letter reply)
Seeger JM (*see* Cronenwett and Seeger). 2004;40:209-10
Seeger JM (*see* Huber et al). 2004;40:311-18
Seeger JM (*see* Lee et al). 2004;40:211-15
Seiwert AJ (*see* Salles-Cunha et al). 2004;40:1165-73
Sekido Y (*see* Kato et al). 2004;40:1044-8 (Case rep.)
Sekino S (*see* Kato et al). 2004;40:1044-8 (Case rep.)
Senekowitsch C (*see* Assadian et al). 2004;40:484-7
Seymour ML (*see* Fleser et al). 2004;40:803-11
Seymour ML (*see* Nuthakki et al). 2004;40:123-9
Shaalan WE, Cheng H, Gewertz B, McKinsey JF, Schwartz LB, Katz D, Cao D, Desai T, Glagov S, Bassiouny HS. Degree of carotid plaque calcification in relation to symptomatic outcome and plaque inflammation. 2004;40:262-9
Shah DM (*see* Mehta et al). 2004;40:698-702, 886-90
Shames ML (*see* Armstrong et al). 2004;40:724-31
Shames ML (*see* Back et al). 2004;40:752-60
Shanewise JS (*see* Rayan et al). 2004;40:567-70 (Case rep.)
Shanley CJ (*see* Fleser et al). 2004;40:803-11
Shanley CJ (*see* Nuthakki et al). 2004;40:123-9
Shapiro IM (*see* Schaner et al). 2004;40:146-53
Sharkawy AA (*see* Erdmann et al). 2004;40:505-11
Sheahan CM (*see* Carroccio et al). 2004;40:424-9
Sheahan CM (*see* Ellozy et al). 2004;40:405-12
Sheehan MK, Barbato J, Compton CN, Zajko A, Rhee R, Makaroun MS. Effectiveness of coiling in the treatment of endoleaks after endovascular repair. 2004;40:430-4
Sheffet AJ (*see* Hobson et al). 2004;40:952-7
Shepard AD (*see* Haithcock et al). 2004;40:325-33
Shigematsu H (*see* Hoshina et al). 2004;40:512-18

Shiiya N (*see* Kunihara et al). 2004;40:681-90
Shortell CK (*see* Hsu et al). 2004;40:1118-26
Showalter DP (*see* Samson and Showalter). 2004;40:183. Correction 2004;40:295
Shukla N (*see* Vijayan et al). 2004;40:1011-19
Shuler FW (*see* Rosenthal et al). 2004;40:67-72, 958-64
Sicard GA (*see* Diaz et al). 2004;40:339-44
Sicard GA (*see* Geraghty et al). 2004;40:413-18
Sidawy AN (*see* Calligaro et al). 2004;40:978-84
Sim EKW (*see* Niagara et al). 2004;40:774-85
Singh N (*see* Masuda et al). 2004;40:24-9
Singh RS (*see* Lawrence et al). 2004;40:334-8
Site-Flondell D (*see* Engström et al). 2004;40:1101-1105
Smith FCT (*see* Vijayan et al). 2004;40:1011-19
Smith HE, Dirks M, Patterson RB. Hypothenar hammer syndrome: distal ulnar artery reconstruction with autologous inferior epigastric artery. 2004;40:1238-42 (Case rep.)
Smith PC (*see* Eklöf et al). 2004;40:1248-52
Snyder SO Jr. Presidential address: Vascular surgery: is our name Mudd or Quasimodo?. 2004;40:194-8
Solis M (*see* Wellons et al). 2004;40:1095-1100
Sonesson B (*see* Dias et al). 2004;40:711-16
Song G (*see* Morasch et al). 2004;40:204 (Letter reply)
Špaček M (*see* Štádler et al). 2004;40:1246-7 (Tech. Note)
Sperry J (*see* Roseborough et al). 2004;40:235-46
Sprouse LR II, Meier GH III, Parent FN, DeMasi RJ, Stokes GK, LeSar CJ, Marcinczyk MJ, Mendoza B. Is three-dimensional computed tomography reconstruction justified before endovascular aortic aneurysm repair?. 2004;40:443-7
Štádler P, Bilohlávek O, Špaček M, Michálek P. Diagnosis of vascular prosthesis infection with FDG-PET/CT. 2004;40:1246-7 (Tech. Note)
Stanbro MD (*see* Androes et al). 2004;40:907-15
Stanley JC (*see* Ailawadi et al). 2004;40:1040-3 (Case rep.)
Stanley JC (*see* Knipp et al). 2004;40:717-23
Stechuchak KM (*see* Bosworth et al). 2004;40:86-91
Steckmeier B (*see* Ruppert et al). 2004;40:367-70 (Case rep.)
Stelter WJ (*see* Ruppert et al). 2004;40:367-70 (Case rep.)
Stephen MS (*see* May et al). 2004;40:860-6
Stokes GK (*see* Sprouse et al). 2004;40:443-7
Stone W (*see* Tessier et al). 2004;40:106-14
Strachan J (*see* Criado et al). 2004;40:476-83
Strassegger J (*see* Assadian et al). 2004;40:484-7
Sudha A (*see* Gupta et al). 2004;40:375-8 (Case rep.)
Sullivan TM. Regarding "Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting. 2004;40:595-6 (Letter reply)
Surowiec S (*see* Kumar et al). 2004;40:812-14 (Case rep.)
Surowiec SM (*see* Hsu et al). 2004;40:1118-26
Svensson LG (*see* Hirose and Svensson). 2004;40:564-6 (Case rep.)
Swan M (*see* Delis et al). 2004;40:578-81 (Case rep.)
Sweis R (*see* Erdmann et al). 2004;40:505-11
Sweny P (*see* Rashid et al). 2004;40:1136-41

T

Takagi H. Regarding "Lunar cycles and abdominal aortic aneurysm rupture." 2004;40:1261 (Letter)
Takagi H (*see* Kato et al). 2004;40:1044-8 (Case rep.)
Takato T (*see* Hoshina et al). 2004;40:512-18
Talcott MR (*see* Diaz et al). 2004;40:339-44
Tambyraja AL, Moores C, Chalmers RTA. Primary popliteal venous aneurysm. 2004;40:830
Tang G, Charo DN, Wang R, Charo IF, Messina L. CCR2$^{-/-}$ knockout mice revascularize normally in response to severe hindlimb ischemia. 2004;40:786-95
Tao M (*see* Jiang et al). 2004;40:345-50
Tarola NA (*see* Schaner et al). 2004;40:146-53
Taylor SM (*see* Androes et al). 2004;40:907-15
Tayyarah M (*see* Lee et al). 2004;40:211-15
Teijink JAW (*see* Willigendael et al). 2004;40:1158-65
ten Cate G, Fosse E, Hol PK, Samset E, Bock RW, McKinsey JF, Pearce BJ, Lothert M. Integrating surgery and radiology in one suite: a multicenter study. 2004;40:494-9
Tenenbaum A (*see* Schneiderman et al). 2004;40:1083-8
Tenholt M (*see* Adili et al). 2004;40:582
Teodorescu VJ (*see* Carroccio et al). 2004;40:424-9
Teragaki M (*see* Saito et al). 2004;40:1228-33 (Case rep.)
Terranova O (*see* Ballotta et al). 2004;40:732-40
Tessier DJ, Komalavilas P, Liu B, Kent CK, Thresher JS, Dreiza CM, Panitch A, Joshi L, Furnish E, Stone W, Fowl R, Brophy CM. Transduction of peptide analogs of the small heat shock-related protein HSP20 inhibits intimal hyperplasia. 2004;40:106-14
Thalheimer A, Fein M, Geissinger E, Franke S. Intimal angiosarcoma of the aorta: report of a case and review of the literature. 2004;40:548-53 (Case rep.)
Thomas S (*see* Leurs et al). 2004;40:670-80
Thompson JK (*see* Giglia and Thompson). 2004;40:161-3 (Case rep.)
Thompson RW (*see* Geraghty et al). 2004;40:413-18
Thoo CHC, Bourke BM, May J. Symptomatic sac enlargement and rupture due to seroma after open abdominal aortic aneurysm repair with polytetrafluoroethylene graft: implications for endovascular repair and endotension. 2004;40:1089-94
Thresher JS (*see* Tessier et al). 2004;40:106-14
Ting ACW (*see* Mok et al). 2004;40:1234-7 (Case rep.)
Toma M (*see* Saito et al). 2004;40:1228-33 (Case rep.)
Torella F. Effect of improved endograft design on outcome of endovascular aneurysm repair. 2004;40:216-21. Correction 2004;40:563
Trocciola S (*see* Dayal et al). 2004;40:1112-7
Tulenko TN (*see* Schaner et al). 2004;40:146-53
Turan NND (*see* Kiziltepe et al). 2004;40:138-45
Turnipseed WD. Clinical review of patients treated for atypical claudication: a 28-year experience. 2004;40:79-85
Tzeng E (*see* Barbato and Tzeng). 2004;40:187-93 (Review)
Tzilinis A (*see* Salles-Cunha et al). 2004;40:1165-73

U

Uchida B (*see* Pavcnik et al). 2004;40:1223-7
Ulus AT (*see* Kiziltepe et al). 2004;40:138-45
Umemoto T (*see* Kato et al). 2004;40:1044-8 (Case rep.)
Umscheid T (*see* Ruppert et al). 2004;40:367-70 (Case rep.)
Une D (*see* Honjo et al). 2004;40:1032-6 (Case rep.)
Upchurch GR Jr (*see* Ailawadi et al). 2004;40:1040-3 (Case rep.)
Upchurch GR Jr (*see* Knipp et al). 2004;40:717-23
Upchurch GR Jr (*see* Varma et al). 2004;40:536-42
Uzieblo MR (*see* Diaz et al). 2004;40:339-44

V

Valentine RJ (*see* Jackson et al). 2004;40:17-23
Valenzuela R (*see* Carroccio et al). 2004;40:424-9
Valenzuela R (*see* Ellozy et al). 2004;40:405-12
van Aalst JA, Zhang DM, Miyazaki K, Colles SM, Fox PL, Graham LM. Role of reactive oxygen species in inhibition of endothelial

cell migration by oxidized low-density lipoprotein. 2004;40:1208-15
van Der Loo B (*see* Krieger et al). 2004;40:644-9
van Eps RGS (*see* Jacobs et al). 2004;40:1067-73
van Rij AM, Jones GT, Hill GB, Jiang P. Neovascularization and recurrent varicose veins: more histologic and ultrasound evidence. 2004;40:296-302
Van Schil PE (*see* De Maeseneer et al). 2004;40:98-105
Vandenbroeck CP (*see* De Maeseneer et al). 2004;40:98-105
Vargus AJ (*see* Varma et al). 2004;40:536-42
Varma MR, Moaveni DM, Dewyer NA, Vargus AJ, Deatrick KB, Kunkel SL, Upchurch GR Jr, Wakefield TW, Henke PK. Deep vein thrombosis resolution is not accelerated with increased neovascularization. 2004;40:536-42
Vazquez-Padron RI, Lasko D, Li S, Louis L, Pestana IA, Pang M, Liotta C, Fornoni A, Aitouche A. Aging exacerbates neointimal formation, and increases proliferation and reduces susceptibility to apoptosis of vascular smooth muscle cells in mice. 2004;40:1199-1207
Vega JD (*see* Rayan et al). 2004;40:567-70 (Case rep.)
Veith FJ (*see* Mehta et al). 2004;40:698-702
Velazquez OC. Regarding "Decreased use of iliac extensions and reduced graft junctions with software assisted centerline measurements." 2004;40:1063-4 (Letter reply)
Velazquez OC, Woo EY, Carpenter JP, Golden MA, Barker CF, Fairman RM. Decreased use of iliac extensions and reduced graft junctions with software-assisted centerline measurements in selection of endograft components for endovascular aneurysm repair. 2004;40:222-7
Velazquez OC (*see* Fairman et al). 2004;40:1074-82
Velazquez OC (*see* Lombardi et al). 2004;40:154-60 (Case rep.)
Venkateshwarlu J (*see* Gupta et al). 2004;40:375-8 (Case rep.)
Verzini F (*see* Cao et al). 2004;40:841-8
Vijayan V, Shukla N, Johnson JL, Gadsdon P, Angelini GD, Smith FCT, Baird R, Jeremy JY. Long-term reduction of medial and intimal thickening in porcine saphenous vein grafts with a polyglactin biodegradable external sheath. 2004;40:1011-19
Virkkunen J, Heikkinen M, Lepäntalo M, Metsänoja R, Salenius JP. Diabetes as an independent risk factor for early postoperative complications in critical limb ischemia. 2004;40:761-7
Visser M (*see* Dias et al). 2004;40:711-16
Vogl TJ (*see* Adili et al). 2004;40:582

W

Wakefield TW (*see* Eklöf et al). 2004;40:1248-52
Wakefield TW (*see* Varma et al). 2004;40:536-42
Walden R (*see* Schneiderman et al). 2004;40:1083-8
Waldman DL (*see* Hsu et al). 2004;40:1118-26
Walker PJ (*see* Barker et al). 2004;40:932-8
Wall LP (*see* Criado et al). 2004;40:92-7, 476-83
Walot I (*see* Hansen et al). 2004;40:228-34
Wang R (*see* Tang et al). 2004;40:786-95
Wang SS (*see* Hsu et al). 2004;40:30-5
Wang X (*see* Li et al). 2004;40:519-28
Weaver F (*see* Abando et al). 2004;40:287-90
Webster SE, Payne DA, Jones CI, Hayes PD, Bell PRF, Goodall AH, Naylor AR. Anti-platelet effect of aspirin is substantially reduced after administration of heparin during carotid endarterectomy. 2004;40:463-8
Welborn MB III (*see* Jackson et al). 2004;40:17-23
Welborn MB III (*see* McCullough et al). 2004;40:279-86
Wellons ED, Milner R, Solis M, Levitt, Rosenthal D. Stent-graft repair of traumatic thoracic aortic disruptions. 2004;40:1095-1100
Wellons ED (*see* Rosenthal et al). 2004;40:67-72, 958-64
White GH (*see* May et al). 2004;40:860-6
White RA (*see* Hansen et al). 2004;40:228-34
White RA (*see* Zarins et al). 2004;40:1-11
Whittemore AD (*see* Nguyen et al). 2004;40:916-23
Wiley LA (*see* Killewich et al). 2004;40:741-5
Williams DM (*see* Ailawadi et al). 2004;40:1040-3 (Case rep.)
Williams GM (*see* Roseborough et al). 2004;40:235-46
Willigendael EM, Teijink JAW, Bartelink ML, Kuiken BW, Boiten J, Moll FL, Büller HR, Prins MH. Influence of smoking on incidence and prevalence of peripheral arterial disease. 2004;40:1158-65
Wilson DB (*see* English et al). 2004;40:53-60
Wilson DB (*see* Hansen et al). 2004;40:45-52
Wilson JS (*see* Armstrong et al). 2004;40:724-31
Wilson MW (*see* Schneider et al). 2004;40:599-603
Winterborn RJ, Foy C, Earnshaw JJ. Causes of varicose vein recurrence: late results of randomized controlled trial of stripping the long saphenous vein. 2004;40:634-9
Wong J (*see* Mok et al). 2004;40:1234-7 (Case rep.)
Wong KH (*see* Mok et al). 2004;40:1234-7 (Case rep.)
Woo E (*see* Fairman et al). 2004;40:1074-82
Woo EY, Fairman RM. Treatment of multiple visceral aneurysms in a 20-year-old patient. 2004;40:167-9 (Case rep.)
Woo EY (*see* Velazquez et al). 2004;40:222-7
Woodrum J (*see* Galili et al). 2004;40:529-35
Wu L (*see* Jiang et al). 2004;40:345-50

Y

Yamada Y (*see* Honjo et al). 2004;40:1032-6 (Case rep.)
Yamamura S (*see* Hollenbeck et al). 2004;40:351-8
Yamanouchi D (*see* Banno et al). 2004;40:174-8 (Case rep.)
Yao JST. Regarding "Caution in signing nondisclosure contracts." 2004;40:835 (Letter)
Yao Q (*see* Ramaswami et al). 2004;40:1216-22
Yasuda K (*see* Kunihara et al). 2004;40:681-90
Yasui K (*see* Erdmann et al). 2004;40:505-11
Yau L (*see* Moon et al). 2004;40:130-7
Ye L (*see* Niagara et al). 2004;40:774-85
Yorita K (*see* Masuda et al). 2004;40:24-9
York JW (*see* Androes et al). 2004;40:907-15
Yorkovich W (*see* Hingorani et al). 2004;40:500-4
Youkey JR (*see* Androes et al). 2004;40:907-15
Younan D (*see* Hsu et al). 2004;40:1118-26
Yow H, McCleary AJ. Late lumbar hemorrhage after open repair of abdominal aortic aneurysm: computed tomographic appearance resembling type II endoleak. 2004;40:1037-9 (Case rep.)
Yul BJ (*see* Kim and Yul). 2004;40:1062 (Letter)

Z

Zahradka P (*see* Moon et al). 2004;40:130-7
Zajko A (*see* Sheehan et al). 2004;40:430-4
Zambon A (*see* Ghilardi et al). 2004;40:995-1000
Zarins CK, Arko FR, Crabtree T, Bloch DA, Ouriel K, Allen RC, White RA. Explant analysis of AneuRx stent grafts: relationship between structural findings and clinical outcome. 2004;40:1-11
Zarins CK, Bloch AD. Misperceptions regarding the long-term safety of the AneuRx stent graft. 2004;40:594-5 (Letter)
Zelenock GB (*see* Fleser et al). 2004;40:803-11
Zelenock GB (*see* Nuthakki et al). 2004;40:123-9
Zhang DM (*see* van Aalst et al). 2004;40:1208-15

Zhang WW, Kulaylat MN, Anain PM, Dosluoglu HH, Harris LM, Cherr GS, Dayton MT, Dryjski ML. Embolization as cause of bowel ischemia after endovascular abdominal aortic aneurysm repair. 2004;40:867-72

Zhou W, Bush RL, Lin PH, Lumsden AB. Radiation-associated venous stenosis: endovascular treatment options. 2004;40: 179-82 (Case rep.)

Zhou W, Lin PH, Bush RL, Nguyen L, Lumsden AB. Acute arterial thrombosis associated with cocaine abuse. 2004;40: 291-5

Zhou W (*see* Bush et al). 2004;40:965-70

Zölβ C (*see* Assadian et al). 2004;40:484-7

Zuckerman DA (*see* Huang et al). 2004;40:574-7 (Case rep.)

*Subject index**

A

Absorbable implants

Long-term reduction of medial and intimal thickening in porcine saphenous vein grafts with a polyglactin biodegradable external sheath (Vijayan et al). 2004;40:1011-19

Abstracts

Abstracts. 2004;40:202-3, 400-1, 592-3, 833-4, 1060-1, 1258-9

Acetylcysteine

Prevention of contrast-induced nephropathy in vascular patients undergoing angiography: a randomized controlled trial of intravenous N-acetylcysteine (Rashid et al). 2004; 40:1136-41

Advertising

The ethics of personal advertising in surgery (Jones et al). 2004;40:397-9

Aged

Carotid artery stenting is associated with increased complications in octogenarians: 30-day stroke and death rates in the CREST lead-in phase (Hobson et al). 2004;40:1106-11

Comparison of angioplasty and stenting with cerebral protection versus endarterectomy for treatment of internal carotid artery stenosis in elderly patients (Kastrup et al). 2004;40: 945-51

Mesenteric artery disease in the elderly (Hansen et al). 2004; 40:45-52

Midterm outcome of endovascular abdominal aortic aneurysm repair in octogenarians: a single institution's experience (Biebl et al). 2004;40:435-42

Natural history of physical function in older men with intermittent claudication (Gardner et al). 2004;40:73-8

Aging

Aging exacerbates neointimal formation, and increases proliferation and reduces susceptibility to apoptosis of vascular smooth muscle cells in mice (Vazquez-Padron et al). 2004; 40:1199-1207

Anastomosis, surgical

Side-to-side sutureless vascular anastomosis with magnets (Erdmann et al). 2004;40:505-11

Aneurysm

Common celiacomesenteric trunk: aneurysmal and occlusive disease (Ailawadi et al). 2004;40:1040-3 (Case rep.)

Dorsalis pedis artery true aneurysm due to atherosclerosis: case report and literature review (Kato et al). 2004;40:1044-8 (Case rep.)

Effect of ethnicity on access and device complications during endovascular aneurysm repair (Masuda et al). 2004;40: 24-9

Exceptionally large renal artery aneurysm (Chiesa et al). 2004; 40:1245

Outcome of popliteal artery aneurysms after exclusion and bypass: significance of residual patent branches mimicking type II endoleaks (Mehta et al). 2004;40:886-90

Primary popliteal venous aneurysm (Tambyraja et al). 2004;40: 830

Successful endovascular repair of an aneurysm of the ductus diverticulum with a branched stent graft: case report and review of literature (Saito et al). 2004;40:1228-33 (Case rep.)

Surgical management of peripancreatic arterial aneurysms (Moore et al). 2004;40:247-53

Surgical management of renal artery aneurysms (English et al). 2004;40:53-60

Transcatheter embolization of a splenic artery aneurysm (Schmittling and McLafferty). 2004;40:1049

Treatment of multiple visceral aneurysms in a 20-year-old patient (Woo and Fairman). 2004;40:167-9 (Case rep.)

Aneurysm, false

Endoluminal repair of carotid artery pseudoaneurysms: a word of caution (McCready et al). 2004;40:1020-3

Endovascular repair of an infected carotid artery pseudoaneurysm (Baril et al). 2004;40:1024-7 (Case rep.)

Iatrogenic subclavian artery pseudoaneurysm causing airway compromise: treatment with percutaneous thrombin injection (Jeganathan et al). 2004;40:371-4 (Case rep.)

Occlusion of a giant splenic artery pseudoaneurysm with percutaneous thrombin-collagen injection (Huang et al). 2004;40:574-7 (Case rep.)

Repair of mycotic aortic pseudoaneurysm with a stent graft using transesophageal echocardiography (Rayan et al). 2004;40:567-70 (Case rep.)

Aneurysm, infected

Infected aortic aneurysms: clinical outcome and risk factor analysis (Hsu et al). 2004;40:30-5

Mycotic aneurysm of the abdominal aorta with retroperitoneal abscess: successful endovascular repair (Koeppel et al). 2004;40:164-6 (Case rep.)

Repair of mycotic aortic pseudoaneurysm with a stent graft using transesophageal echocardiography (Rayan et al). 2004;40:567-70 (Case rep.)

Aneurysm, ruptured

Impact of endovascular repair on early outcomes of ruptured abdominal aortic aneurysms (Lee et al). 2004;40:211-15

Regarding "Lunar cycles and abdominal aortic aneurysm rupture" (Takagi). 2004;40:1261 (Letter)

Rupture of abdominal aortic aneurysm: concurrent comparison of outcome of those occurring after endovascular repair versus those occurring without previous treatment in an 11-year single-center experience (May et al). 2004;40: 860-6

Ruptured abdominal aortic aneurysm with aorto-caval fistula (Adili et al). 2004;40:582

Symptomatic sac enlargement and rupture due to seroma after open abdominal aortic aneurysm repair with polytetrafluoroethylene graft: implications for endovascular repair and endotension (Thoo et al). 2004;40:1089-94

The utility of commercially available endografts in the treatment of contained ruptured abdominal aortic aneurysm with hemodynamic stability (Lombardi et al). 2004;40: 154-60 (Case rep.)

Angiography

Integrating surgery and radiology in one suite: a multicenter study (ten Cate et al). 2004;40:494-9

Angiomyoma

Resection of an intravenous leiomyoma with intracardiac extension with use of endovascular techniques (DeRubertis et al). 2004;40:554-8 (Case rep.)

Angioplasty

Clinical effect of abdominal aortic aneurysm endografting: 7-year concurrent comparison with open repair (Cao et al). 2004;40:841-8

Comparison of angioplasty and stenting with cerebral protection versus endarterectomy for treatment of internal carotid

artery stenosis in elderly patients (Kastrup et al). 2004;40: 945-51

Silicone patch saphenoplasty to prevent repeat recurrence after surgery to treat recurrent saphenofemoral incompetence: long-term follow-up study (De Maeseneer et al). 2004;40: 98-105

Systematic review of randomized controlled trials of patch angioplasty versus primary closure and different types of patch materials during carotid endarterectomy (Bond et al). 2004;40:1126-35

Angioplasty, balloon

Carotid angioplasty with internal carotid artery flow reversal is well tolerated in the awake patient (Criado et al). 2004;40: 92-7

Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty (Schneider et al). 2004;40:599-603

Endoluminal repair of carotid artery pseudoaneurysms: a word of caution (McCready et al). 2004;40:1020-3

Long-term survival after vascular surgery: specific influence of cardiac factors and implications for preoperative evaluation (Back et al). 2004;40:752-60

Lysyl oxidase expression in a rat model of arterial balloon injury (Nuthakki et al). 2004;40:123-9

Optimizing infrainguinal arm vein bypass patency with duplex ultrasound surveillance and endovascular therapy (Armstrong et al). 2004;40:724-31

Regarding "Standards of practice: carotid angioplasty and stenting" (Durham et al) (Letter); (Ouriel) (Reply). 2004; 40:837-8

Angiopoietins

Recanalization of arterial thrombus, and inhibition with β-radiation in a new murine carotid occlusion model: mRNA expression of angiopoietins, metalloproteinases, and their inhibitors (Raymond et al). 2004;40:1190-8

Angiosarcoma; *see* Hemangiosarcoma

Aorta

Total laparoscopic bypass for aortoiliac occlusive lesions: 93-case experience (Coggia et al). 2004;40:899-906

Total laparoscopic repeat aortic surgery (Mercier et al). 2004; 40:822-5 (Case rep.)

Use of superficial femoral artery to treat an infected great vessel prosthetic graft (Fields and Bower). 2004;40:554-8 (Case rep.)

Aorta, thoracic

Endovascular treatment of thoracic aortic diseases: combined experience from the EUROSTAR and United Kingdom Thoracic Endograft registries (Leurs et al); (Cambria) (Commentary). 2004;40:670-80

Floating thoracic aortic thrombus in "protein S" deficient patient (Hazirolan et al). 2004;40:381

Naloxone lowers cerebrospinal fluid levels of excitatory amino acids after thoracoabdominal aortic surgery (Kunihara et al). 2004;40:670-80

Protruding aortic arch thrombus: treatment with minimally invasive surgical approach (Schneiderman et al). 2004;40: 1083-8

Stent-graft repair of traumatic thoracic aortic disruptions (Wellons et al). 2004;40:1095-1100

Surgical versus endovascular treatment of traumatic thoracic aortic rupture (Amabile et al). 2004;40:872-9

Twenty-year experience with acute distal thoracic aortic dissections (Roseborough et al). 2004;40:235-46

Aortic aneurysm, abdominal

Abdominal aortic aneurysm causing duodenal obstruction: two case reports and review of the literature (Deitch et al). 2004;40:543-7 (Case rep.)

Aortic wall cell proliferation via basic fibroblast growth factor gene transfer limits progression of experimental abdominal aortic aneurysm (Hoshina et al). 2004;40:512-18

Characterization of retrograde collateral (type II) endoleaks using a new canine model (Dayal et al). 2004;40:985-94

Chronobiology of rupture and dissection of aortic aneurysms (Manfredini et al). 2004;40:382-8 (Review)

Clinical effect of abdominal aortic aneurysm endografting: 7-year concurrent comparison with open repair (Cao et al). 2004;40:841-8

Decreased use of iliac extensions and reduced graft junctions with software-assisted centerline measurements in selection of endograft components for endovascular aneurysm repair (Velazquez et al). 2004;40:222-7

Direct intra-aneurysm sac pressure measurement using tip-pressure sensors: in vivo and in vitro evaluation (Dias et al). 2004;40:711-16

Effect of improved endograft design on outcome of endovascular aneurysm repair (Torella). 2004;40:216-21. Correction 2004;40:563

Effectiveness of coiling in the treatment of endoleaks after endovascular repair (Sheehan et al). 2004;40:430-4

Embolization as cause of bowel ischemia after endovascular abdominal aortic aneurysm repair (Zhang et al). 2004;40: 867-72

Endovascular aneurysm repair: treatment of choice for abdominal aortic aneurysm coincident with horseshoe kidney? Three case reports and review of literature (Ruppert et al). 2004;40:367-70 (Case rep.)

Explant analysis of AneuRx stent grafts: relationship between structural findings and clinical outcome (Zarins et al). 2004;40:1-11

First experience in human beings with a permanently implantable intrasac pressure transducer for monitoring endovascular repair of abdominal aortic aneurysms (Ellozy et al). 2004;40:405-12

Genetic risk factor characterizes abdominal aortic aneurysm from arterial occlusive disease in human beings: CCR5 Δ32 deletion (Ghilardi et al). 2004;40:995-1000

Impact of endovascular repair on early outcomes of ruptured abdominal aortic aneurysms (Lee et al). 2004;40:211-15

Is three-dimensional computed tomography reconstruction justified before endovascular aortic aneurysm repair? (Sprouse et al). 2004;40:443-7

Ischemic complications after endovascular abdominal aortic aneurysm repair (Maldonado et al). 2004;40:703-10

Late lumbar hemorrhage after open repair of abdominal aortic aneurysm: computed tomographic appearance resembling type II endoleak (Yow and McCleary). 2004;40:1037-9 (Case rep.)

Matrix metalloproteinase-specific inhibition of Ca^{2+} entry mechanisms of vascular contraction (Chew et al). 2004;40: 1001-10

Midterm outcome of endovascular abdominal aortic aneurysm repair in octogenarians: a single institution's experience (Biebl et al). 2004;40:435-42

Midterm pivotal trial results of the Talent Low Profile System for repair of abdominal aortic aneurysm: analysis of compli-

cated versus uncomplicated aortic necks (Fairman et al). 2004;40:1074-82
Midterm results of the multicenter trial of the Powerlink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2004;40:849-59
Minimally invasive retroperitoneal approach for the treatment of infrarenal aortic disease (Piquet et al). 2004;40:455-62
Mycotic aneurysm of the abdominal aorta with retroperitoneal abscess: successful endovascular repair (Koeppel et al). 2004;40:164-6 (Case rep.)
Overt ischemic colitis after endovascular repair of aortoiliac aneurysms (Geraghty et al). 2004;40:413-18
Patients with abdominal aortic aneurysm: are we missing the opportunity for cardiovascular risk reduction? (Lloyd et al). 2004;40:690-7
Percutaneous repair of abdominal aortic aneurysm (Morasch et al). 2004;40:12-16
Rapamycin suppresses experimental aortic aneurysm growth (Lawrence et al). 2004;40:334-8
Regarding "Decreased use of iliac extensions and reduced graft junctions with software assisted centerline measurements" (Adiseshiah) (Letter); (Velazquez) (Reply). 2004;40:1063-4
Regarding "Lunar cycles and abdominal aortic aneurysm rupture" (Takagi). 2004;40:1261 (Letter)
Regarding "Screening for abdominal aortic aneurysm: a consensus statement" (Koelemay) (Letter); (Hollenbeck and Kent) (Reply). 2004;40:402-3
The role of aortic stent grafting in the treatment of atheromatous embolization syndrome: results after a mean of 15 months follow-up (Carroccio et al). 2004;40:424-9
Rupture of abdominal aortic aneurysm: concurrent comparison of outcome of those occurring after endovascular repair versus those occurring without previous treatment in an 11-year single-center experience (May et al). 2004;40:860-6
Symptomatic sac enlargement and rupture due to seroma after open abdominal aortic aneurysm repair with polytetrafluoroethylene graft: implications for endovascular repair and endotension (Thoo et al). 2004;40:1089-94
Total laparoscopic infrarenal aortic aneurysm repair: preliminary results (Coggia et al). 2004;40:448-54
Type II endoleak in porcine model of abdominal aortic aneurysm (Diaz et al). 2004;40:339-44
The utility of commercially available endografts in the treatment of contained ruptured abdominal aortic aneurysm with hemodynamic stability (Lombardi et al). 2004;40:154-60 (Case rep.)

Aortic aneurysm, thoracic
Cerebrospinal fluid drainage to prevent paraplegia during thoracic and thoracoabdominal aortic aneurysm surgery: a systematic review and meta-analysis (Cinà et al). 2004;40:36-44
Chronic posttraumatic aneurysm of descending aorta with fistulous communication into pulmonary artery (Hirose and Svensson). 2004;40:564-6 (Case rep.)
Chronobiology of rupture and dissection of aortic aneurysms (Manfredini et al). 2004;40:382-8 (Review)
Complications of endovascular repair of high-risk and emergent descending thoracic aortic aneurysms and dissections (Hansen et al). 2004;40:228-34
Endovascular treatment of thoracic aortic diseases: combined experience from the EUROSTAR and United Kingdom Thoracic Endograft registries (Leurs et al); (Cambria) (Commentary). 2004;40:670-80
Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al);. (Cambria) (Commentary). 2004;40:1067-73
Regarding "Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair" (Molina) (Letter); (Hassoun et al) (Reply). 2004;40:205
Repair of a thoracoabdominal aortic aneurysm in the presence of a left-sided inferior vena cava (Giglia and Thompson). 2004;40:161-3 (Case rep.)

Aortic arch; *see* Aorta, thoracic

Aortic diseases
Combined endovascular stent grafting and endoscopic injection of fibrin sealant for aortoenteric fistula complicating esophagectomy (Mok et al). 2004;40:1234-7 (Case rep.)
Intimal angiosarcoma of the aorta: report of a case and review of the literature (Thalheimer et al). 2004;40:548-53 (Case rep.)

Aortic rupture
Chronobiology of rupture and dissection of aortic aneurysms (Manfredini et al). 2004;40:382-8 (Review)
Endovascular treatment of thoracic aortic diseases: combined experience from the EUROSTAR and United Kingdom Thoracic Endograft registries (Leurs et al); (Cambria) (Commentary). 2004;40:670-80
Stent-graft repair of traumatic thoracic aortic disruptions (Wellons et al). 2004;40:1095-1100
Surgical versus endovascular treatment of traumatic thoracic aortic rupture (Amabile et al). 2004;40:872-9
Transesophageal echocardiography–guided algorithm for stent-graft implantation in aortic dissection (Rocci et al). 2004;40:880-5
Twenty-year experience with acute distal thoracic aortic dissections (Roseborough et al). 2004;40:235-46

Apoptosis
Aging exacerbates neointimal formation, and increases proliferation and reduces susceptibility to apoptosis of vascular smooth muscle cells in mice (Vazquez-Padron et al). 2004;40:1199-1207

Arterial occlusive diseases
Acute arterial thrombosis associated with cocaine abuse (Zhou et al). 2004;40:291-5
Common celiacomesenteric trunk: aneurysmal and occlusive disease (Ailawadi et al). 2004;40:1040-3 (Case rep.)
Genetic risk factor characterizes abdominal aortic aneurysm from arterial occlusive disease in human beings: CCR5 Δ32 deletion (Ghilardi et al). 2004;40:995-1000
Genomic, serologic, and clinical case-control study of *Chlamydia pneumoniae* and peripheral artery occlusive disease (Linares-Palomino et al). 2004;40:359-66
Impaired muscle oxygen use at onset of exercise in peripheral arterial disease (Bauer et al). 2004;40:488-93
Minimally invasive retroperitoneal approach for the treatment of infrarenal aortic disease (Piquet et al). 2004;40:455-62
Persistent sciatic artery as collateral for an occluded iliofemoral system (Samson and Showalter). 2004;40:183. Correction 2004;40:295
Radiotherapy-induced supra-aortic trunk disease: early and long-term results of surgical and endovascular reconstruction (Hassen-Khodja and Kieffer). 2004;40:254-61

Total laparoscopic bypass for aortoiliac occlusive lesions: 93-case experience (Coggia et al). 2004;40:899-906
Total laparoscopic repeat aortic surgery (Mercier et al). 2004; 40:822-5 (Case rep.)

Arteries
Persistent sciatic artery as collateral for an occluded iliofemoral system (Samson and Showalter). 2004;40:183. Correction 2004;40:295

Arterio-arterial fistula
Chronic posttraumatic aneurysm of descending aorta with fistulous communication into pulmonary artery (Hirose and Svensson). 2004;40:564-6 (Case rep.)

Arteriosclerosis
Radiotherapy-induced supra-aortic trunk disease: early and long-term results of surgical and endovascular reconstruction (Hassen-Khodja and Kieffer). 2004;40:254-61
The role of aortic stent grafting in the treatment of atheromatous embolization syndrome: results after a mean of 15 months follow-up (Carroccio et al). 2004;40:424-9

Arteriovenous fistula
Ruptured abdominal aortic aneurysm with aorto-caval fistula (Adili et al). 2004;40:582
Transposition of the brachial vein: a new source for autologous arteriovenous fistulas (Bazan and Schanzer). 2004;40: 184-6 (Tech. Note)

Arteriovenous malformations
Common celiacomesenteric trunk: aneurysmal and occlusive disease (Ailawadi et al). 2004;40:1040-3 (Case rep.)

Arteriovenous shunt, surgical
Axillorenal arteriovenous graft: a new approach for dialysis access (Karp et al). 2004;40:379-80 (Case rep.)
Blunt popliteal artery injury with complete lower limb ischemia: is routine use of temporary intraluminal arterial shunt justified? (Hossny). 2004;40:61-6
Outcome after autogenous brachial-axillary translocated superficial femoropopliteal vein hemodialysis access (Huber et al). 2004;40:311-18
Randomized comparison of 6-mm straight grafts versus 6- to 8-mm tapered grafts for brachial-axillary dialysis access (Polo et al). 2004;40:319-24

Arteritis
Primary stenting of bilateral radiation-induced external iliac stenoses (Baerlocher et al). 2004;40:1028-31 (Case rep.)

Aspirin
Anti-platelet effect of aspirin is substantially reduced after administration of heparin during carotid endarterectomy (Webster et al). 2004;40:463-8

Atherosclerosis
Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron? (Jackson et al). 2004;40:17-23
Atherothrombotic risk factor clustering in healthy male relatives of male patients with intermittent claudication (Parry et al). 2004;40:891-8
Dorsalis pedis artery true aneurysm due to atherosclerosis: case report and literature review (Kato et al). 2004;40:1044-8 (Case rep.)
Nitric oxide and arterial disease (Barbato and Tzeng). 2004; 40:187-93 (Review)
Regulator of G protein signaling 5 marks peripheral arterial smooth muscle cells and is downregulated in atherosclerotic plaque (Li et al). 2004;40:519-28
Serum total 8-iso-prostaglandin $F_{2\alpha}$: a new and independent predictor of peripheral arterial disease (Mueller et al). 2004; 40:768-73
Serum values of metalloproteinase-2 and metalloproteinase-9 as related to unstable plaque and inflammatory cells in patients with greater than 70% carotid artery stenosis (Alvarez et al). 2004;40:469-75

Axillary vein
Endovascular treatment of penetrating injury of axillary vein with Viabahn endoprosthesis (Kumar). 2004;40:1243-4 (Case rep.)

B

Biocompatible materials
Second-generation percutaneous bioprosthetic valve: a short-term study in sheep (Pavcnik et al). 2004;40:1223-7
Systematic review of randomized controlled trials of patch angioplasty versus primary closure and different types of patch materials during carotid endarterectomy (Bond et al). 2004;40:1126-35

Biodegradable materials; *see* Absorbable implants

Biological markers
Risk of treatment of peripheral arterial disease is related to inflammation-sensitive plasma proteins: a prospective cohort study (Engström et al). 2004;40:1101-1105

Biopolymers
Nitric oxide-releasing biopolymers inhibit thrombus formation in a sheep model of arteriovenous bridge grafts (Fleser et al). 2004;40:803-11

Blood flow velocity
Gender differences in blood velocities across carotid stenoses (Comerota et al). 2004;40:939-44
Wall shear modulation of cytokines in early vein grafts (Jiang et al). 2004;40:345-50

Blood pressure monitors
Direct intra-aneurysm sac pressure measurement using tip-pressure sensors: in vivo and in vitro evaluation (Dias et al). 2004;40:711-16
First experience in human beings with a permanently implantable intrasac pressure transducer for monitoring endovascular repair of abdominal aortic aneurysms (Ellozy et al). 2004;40:405-12

Blood proteins
Risk of treatment of peripheral arterial disease is related to inflammation-sensitive plasma proteins: a prospective cohort study (Engström et al). 2004;40:1101-1105

Blood vessel prosthesis
Complications of endovascular repair of high-risk and emergent descending thoracic aortic aneurysms and dissections (Hansen et al). 2004;40:228-34
Endovascular treatment of penetrating injury of axillary vein with Viabahn endoprosthesis (Kumar). 2004;40:1243-4 (Case rep.)
Endovascular treatment of thoracic aortic diseases: combined experience from the EUROSTAR and United Kingdom Thoracic Endograft registries (Leurs et al); (Cambria) (Commentary). 2004;40:670-80
Heparin-bonded Dacron or polytetrafluorethylene for femoropopliteal bypass: five-year results of a prospective randomized multicenter clinical trial (Devine and McCollum). 2004;40:924-31
Long-term reduction of medial and intimal thickening in porcine saphenous vein grafts with a polyglactin biodegradable external sheath (Vijayan et al). 2004;40:1011-19

Nitric oxide-releasing biopolymers inhibit thrombus formation in a sheep model of arteriovenous bridge grafts (Fleser et al). 2004;40:803-11
Percutaneous repair of abdominal aortic aneurysm (Morasch et al). 2004;40:12-16
Regarding "Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron?" (Kim and Yul) (Letter); (Cronenwett and Seeger) (Reply). 2004;40:1062
Symptomatic sac enlargement and rupture due to seroma after open abdominal aortic aneurysm repair with polytetrafluoroethylene graft: implications for endovascular repair and endotension (Thoo et al). 2004;40:1089-94
The utility of commercially available endografts in the treatment of contained ruptured abdominal aortic aneurysm with hemodynamic stability (Lombardi et al). 2004;40:154-60 (Case rep.)
Wall shear modulation of cytokines in early vein grafts (Jiang et al). 2004;40:345-50

Blood vessel prosthesis implantation
Midterm pivotal trial results of the Talent Low Profile System for repair of abdominal aortic aneurysm: analysis of complicated versus uncomplicated aortic necks (Fairman et al). 2004;40:1074-82
Midterm results of the multicenter trial of the Powerlink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2004;40:849-59
Second-generation percutaneous bioprosthetic valve: a short-term study in sheep (Pavcnik et al). 2004;40:1223-7
Transesophageal echocardiography–guided algorithm for stent-graft implantation in aortic dissection (Rocci et al). 2004;40:880-5

Book reviews
Book reviews. 2004;40:597-8, 839, 1065-6, 1262-3

Brachiocephalic veins
Transposition of the brachial vein: a new source for autologous arteriovenous fistulas (Bazan and Schanzer). 2004;40:184-6 (Tech. Note)

Brunt injuries; *see* Wounds, nonpenetrating

C

C-reactive protein
C-reactive protein and red cell aggregation correlate with late venous function after acute deep venous thrombosis (Krieger et al). 2004;40:644-9

Calcinosis
Degree of carotid plaque calcification in relation to symptomatic outcome and plaque inflammation (Shaalan et al). 2004;40:262-9

Calcium
Intracellular calcium transients are necessary for platelet-derived growth factor but not extracellular matrix protein–induced vascular smooth muscle cell migration (Hollenbeck et al). 2004;40:351-8

Cardiovascular diseases
Atherothrombotic risk factor clustering in healthy male relatives of male patients with intermittent claudication (Parry et al). 2004;40:891-8
Patients with abdominal aortic aneurysm: are we missing the opportunity for cardiovascular risk reduction? (Lloyd et al). 2004;40:690-7

Carotid arteries
Credentialing of surgeons as interventionalists for carotid artery stenting: experience from the lead-in phase of CREST (Hobson et al). 2004;40:952-7
Endovascular repair of an infected carotid artery pseudoaneurysm (Baril et al). 2004;40:1024-7 (Case rep.)
Extracranial carotid aneurysm related to pregnancy (Gupta et al). 2004;40:375-8 (Case rep.)
Transcervical carotid stenting with internal carotid artery flow reversal: feasibility and preliminary results (Criado et al). 2004;40:476-83

Carotid artery, common
Extracranial carotid aneurysm related to pregnancy (Gupta et al). 2004;40:375-8 (Case rep.)
Technical challenges in a program of carotid artery stenting (Choi et al). 2004;40:746-51

Carotid artery, internal
Carotid angioplasty with internal carotid artery flow reversal is well tolerated in the awake patient (Criado et al). 2004;40:92-7

Carotid artery, internal, dissection
Endovascular repair of a spontaneous carotid artery dissection with carotid stent and coils (Biggs et al). 2004;40:170-3 (Case rep.)
Long-term results of covered stent repair of internal carotid artery dissections (Assadian et al). 2004;40:484-7

Carotid stenosis
Carotid angioplasty with internal carotid artery flow reversal is well tolerated in the awake patient (Criado et al). 2004;40:92-7
Carotid artery stenting is associated with increased complications in octogenarians: 30-day stroke and death rates in the CREST lead-in phase (Hobson et al). 2004;40:1106-11
Comparison of angioplasty and stenting with cerebral protection versus endarterectomy for treatment of internal carotid artery stenosis in elderly patients (Kastrup et al). 2004;40:945-51
Degree of carotid plaque calcification in relation to symptomatic outcome and plaque inflammation (Shaalan et al). 2004;40:262-9
Durability of carotid endarterectomy for treatment of symptomatic and asymptomatic stenoses (Ballotta et al). 2004;40:270-8
Gender differences in blood velocities across carotid stenoses (Comerota et al). 2004;40:939-44
Ocular findings as predictors of carotid artery occlusive disease: is carotid imaging justified? (McCullough et al). 2004;40:279-86
Recanalization of arterial thrombus, and inhibition with β-radiation in a new murine carotid occlusion model: mRNA expression of angiopoietins, metalloproteinases, and their inhibitors (Raymond et al). 2004;40:1190-8
Serum values of metalloproteinase-2 and metalloproteinase-9 as related to unstable plaque and inflammatory cells in patients with greater than 70% carotid artery stenosis (Alvarez et al). 2004;40:469-75

Case reports
Case reports. 2004;40:154-82, 367-80, 543-81, 812-29, 1024-48, 1228-44

Catheter ablation
Deep venous thrombosis after radiofrequency ablation of greater saphenous vein: a word of caution (Hingorani et al). 2004;40:500-4
Ultrasound findings after radiofrequency ablation of the great

saphenous vein: descriptive analysis (Salles-Cunha et al). 2004;40:1165-73

Celiac artery
Common celiacomesenteric trunk: aneurysmal and occlusive disease (Ailawadi et al). 2004;40:1040-3 (Case rep.)
Treatment of multiple visceral aneurysms in a 20-year-old patient (Woo and Fairman). 2004;40:167-9 (Case rep.)

Cell growth
Aortic wall cell proliferation via basic fibroblast growth factor gene transfer limits progression of experimental abdominal aortic aneurysm (Hoshina et al). 2004;40:512-18

Cell migration inhibition
Role of reactive oxygen species in inhibition of endothelial cell migration by oxidized low-density lipoprotein (van Aalst et al). 2004;40:1208-15

Cell movement
Intracellular calcium transients are necessary for platelet-derived growth factor but not extracellular matrix protein–induced vascular smooth muscle cell migration (Hollenbeck et al). 2004;40:351-8

Cerebrospinal fluid
Naloxone lowers cerebrospinal fluid levels of excitatory amino acids after thoracoabdominal aortic surgery (Kunihara et al). 2004;40:670-80

Cerebrospinal fluid shunts
Cerebrospinal fluid drainage to prevent paraplegia during thoracic and thoracoabdominal aortic aneurysm surgery: a systematic review and meta-analysis (Cinà et al). 2004;40:36-44

Chlamydia pneumoniae
Genomic, serologic, and clinical case-control study of *Chlamydia pneumoniae* and peripheral artery occlusive disease (Linares-Palomino et al). 2004;40:359-66

Chronic disease
Revision of the CEAP classification for chronic venous disorders: consensus statement (Eklöf et al). 2004;40:1248-52

Chronobiology
Chronobiology of rupture and dissection of aortic aneurysms (Manfredini et al). 2004;40:382-8 (Review)
Regarding "Lunar cycles and abdominal aortic aneurysm rupture" (Takagi). 2004;40:1261 (Letter)

Clinical protocols
Does a standardization tool to direct invasive therapy for symptomatic lower extremity peripheral arterial disease improve outcomes? (Androes et al). 2004;40:907-15

Coated materials, biocompatible
Heparin-bonded Dacron or polytetrafluorethylene for femoropopliteal bypass: five-year results of a prospective randomized multicenter clinical trial (Devine and McCollum). 2004;40:924-31

Cocaine-related disorders
Acute arterial thrombosis associated with cocaine abuse (Zhou et al). 2004;40:291-5

Colitis, ischemic
Embolization as cause of bowel ischemia after endovascular abdominal aortic aneurysm repair (Zhang et al). 2004;40:867-72
Overt ischemic colitis after endovascular repair of aortoiliac aneurysms (Geraghty et al). 2004;40:413-18

Collagen
Occlusion of a giant splenic artery pseudoaneurysm with percutaneous thrombin-collagen injection (Huang et al). 2004;40:574-7 (Case rep.)

Collateral circulation
Prevalence, anatomic patterns, valvular competence, and clinical significance of Giacomini vein (Delis et al). 2004;40:1174-83

Computer simulation
Computer simulation as a component of catheter-based training (Dayal et al). 2004;40:1112-7
Use of computer simulation for determining endovascular skill levels in a carotid stenting model (Hus et al). 2004;40:1118-26

Constriction
Activation of fibrinolytic pathways is associated with duration of supraceliac aortic cross-clamping (Haithcock et al). 2004;40:325-33

Constriction, pathologic
Iliac compression syndrome and recanalization of femoropopliteal and iliac venous thrombosis: a prospective study with magnetic resonance venography (Fraser et al). 2004;40:612-19
Re-evaluation of iliac compression syndrome using magnetic resonance imaging in patients with acute deep venous thromboses (Fraser et al). 2004;40:604-11

Contract services
Regarding "Caution in signing nondisclosure contracts" (Yao). 2004;40:835 (Letter)

Coronary artery bypass
Long-term survival after vascular surgery: specific influence of cardiac factors and implications for preoperative evaluation (Back et al). 2004;40:752-60

Coronary vessels
Adventitial vasa vasorum heterogeneity among different vascular beds (Galili et al). 2004;40:529-35

Corrections
Analysis of renal function after aneurysm repair with a device using suprarenal fixation (Zenith AAA endovascular graft) in contrast to open surgical repair (Greenberg et al) (2004;39:1219-28). 2004;40:23
Effect of improved endograft design on outcome of endovascular aneurysm repair (Torella) (2004;40:216-21). 2004;40:563
Immediate-term results of the US multicenter trial (Greenberg et al) (2004;39:1209-18). 2004;40:23
Perforator vein incompetence in chronic venous disease: a multivariate regression analysis model (Delis) (2004;40:626-33). 2004;40:1031
Persistent sciatic artery as collateral for an occluded iliofemoral system (Samson and Showalter) (2004;40:183). 2004;40:295

Credentialing
Credentialing of surgeons as interventionalists for carotid artery stenting: experience from the lead-in phase of CREST (Hobson et al). 2004;40:952-7

Cumulative trauma disorders
Hypothenar hammer syndrome: distal ulnar artery reconstruction with autologous inferior epigastric artery (Smith HE et al). 2004;40:1238-42 (Case rep.)

Curcumin
Curcumin blocks homocysteine-induced endothelial dysfunction in porcine coronary arteries (Ramaswami et al). 2004;40:1216-22

Cyclooxygenase inhibitors
Pharmacologic inhibition of nitric oxide synthases and cy-

clooxygenases enhances intimal hyperplasia in balloon-injured rat carotid arteries (Fischer et al). 2004;40:115-22

Cystathionine beta-synthase
Plasma homocysteine measurement after carotid artery manipulation and clamping in a rat CEA model (Brown et al). 2004;40:796-802

D

Data collection
Choice of vascular surgery as a specialty: survey of vascular surgery residents, general surgery chief residents, and medical students at hospitals with vascular surgery training programs (Calligaro et al). 2004;40:978-84

Diabetes mellitus
Diabetes as an independent risk factor for early postoperative complications in critical limb ischemia (Virkkunen et al). 2004;40:761-7

Diabetic angiopathies
Nitric oxide and arterial disease (Barbato and Tzeng). 2004;40:187-93 (Review)

Dietary carbohydrates
Effect of carbohydrate supplementation on walking performance in peripheral arterial disease: a preliminary physiologic study (Barker et al). 2004;40:932-8

Disease models, animal
Lysyl oxidase expression in a rat model of arterial balloon injury (Nuthakki et al). 2004;40:123-9
Rapamycin suppresses experimental aortic aneurysm growth (Lawrence et al). 2004;40:334-8
Type II endoleak in porcine model of abdominal aortic aneurysm (Diaz et al). 2004;40:339-44

Dissection
Spontaneous dissection and rupture of common iliac artery in a patient with fibromuscular dysplasia: a case report and review of the literature on iliac artery dissections secondary to fibromuscular dysplasia (Honjo et al). 2004;40:1032-6 (Case rep.)

Diverticulum
Successful endovascular repair of an aneurysm of the ductus diverticulum with a branched stent graft: case report and review of literature (Saito et al). 2004;40:1228-33 (Case rep.)

Ductus arteriosus
Successful endovascular repair of an aneurysm of the ductus diverticulum with a branched stent graft: case report and review of literature (Saito et al). 2004;40:1228-33 (Case rep.)

Duodenal obstruction
Abdominal aortic aneurysm causing duodenal obstruction: two case reports and review of the literature (Deitch et al). 2004;40:543-7 (Case rep.)

E

Eastern Vascular Society
Presidential address: Nostrums, quackery, and ethics in vascular surgery: how to remain true to the path of Hippocrates and still feed our families (Ascher). 2004;40:389-94

Echocardiography, transesophageal
Repair of mycotic aortic pseudoaneurysm with a stent graft using transesophageal echocardiography (Rayan et al). 2004;40:567-70 (Case rep.)
Transesophageal echocardiography–guided algorithm for stent-graft implantation in aortic dissection (Rocci et al). 2004;40:880-5

Education, medical, graduate
Vascular surgery training in the United States, 1994 to 2003 (Cronenwett). 2004;40:660-9

Embolism
Embolization as cause of bowel ischemia after endovascular abdominal aortic aneurysm repair (Zhang et al). 2004;40:867-72
Embolus of surgical adhesive to the extremities during acute ischemia: report of two cases (Guerrero et al). 2004;40:571-3 (Case rep.)

Embolism, cholesterol
The role of aortic stent grafting in the treatment of atheromatous embolization syndrome: results after a mean of 15 months follow-up (Carroccio et al). 2004;40:424-9

Embolization, therapeutic
Effectiveness of coiling in the treatment of endoleaks after endovascular repair (Sheehan et al). 2004;40:430-4
Effects of bilateral hypogastric artery interruption during endovascular and open aortoiliac aneurysm repair (Mehta et al). 2004;40:698-702
Endovascular repair of a spontaneous carotid artery dissection with carotid stent and coils (Biggs et al). 2004;40:170-3 (Case rep.)
Transcatheter embolization of a splenic artery aneurysm (Schmittling and McLafferty). 2004;40:1049
Unilateral lower extremity paralysis after coil embolization of an internal iliac artery aneurysm (Kritpracha and Comerota). 2004;40:819-21 (Case rep.)

Endarterectomy
Remote superficial femoral artery endarterectomy and distal aSpire stenting: multicenter medium-term results (Rosenthal et al). 2004;40:67-72

Endarterectomy, carotid
Anti-platelet effect of aspirin is substantially reduced after administration of heparin during carotid endarterectomy (Webster et al). 2004;40:463-8
Comparison of angioplasty and stenting with cerebral protection versus endarterectomy for treatment of internal carotid artery stenosis in elderly patients (Kastrup et al). 2004;40:945-51
Degree of carotid plaque calcification in relation to symptomatic outcome and plaque inflammation (Shaalan et al). 2004;40:262-9
Durability of carotid endarterectomy for treatment of symptomatic and asymptomatic stenoses (Ballotta et al). 2004;40:270-8
Endoluminal repair of carotid artery pseudoaneurysms: a word of caution (McCready et al). 2004;40:1020-3
Patient risk perceptions for carotid endarterectomy: which patients are strongly averse to surgery? (Bosworth et al). 2004;40:86-91
Plasma homocysteine measurement after carotid artery manipulation and clamping in a rat CEA model (Brown et al). 2004;40:796-802
Regarding "Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Ouriel) (Letter); (Sullivan) (Reply). 2004;40:595-6
Systematic review of randomized controlled trials of patch angioplasty versus primary closure and different types of

patch materials during carotid endarterectomy (Bond et al). 2004;40:1126-35

Endoleakage; *see* Postoperative complications

Endothelium, vascular

Curcumin blocks homocysteine-induced endothelial dysfunction in porcine coronary arteries (Ramaswami et al). 2004; 40:1216-22

Epigastric arteries

Hypothenar hammer syndrome: distal ulnar artery reconstruction with autologous inferior epigastric artery (Smith HE et al). 2004;40:1238-42 (Case rep.)

Equipment safety

Medical device adverse event reports and the Food and Drug administration (Greenfield). 2004;40:395-6 (Editorial)

Erythrocyte aggregation

C-reactive protein and red cell aggregation correlate with late venous function after acute deep venous thrombosis (Krieger et al). 2004;40:644-9

Esophagectomy

Combined endovascular stent grafting and endoscopic injection of fibrin sealant for aortoenteric fistula complicating esophagectomy (Mok et al). 2004;40:1234-7 (Case rep.)

Ethics, medical

Ethical nuances of combining romance with medical practice (Jones et al). 2004;40:1255-7

The ethics of innovative surgical approaches for well-established procedures (Jones et al). 2004;40:199-201

The ethics of personal advertising in surgery (Jones et al). 2004;40:397-9

Ethics of refusal to treat patients as a social statement (Jones et al). 2004;40:1057-9

Family-surgeon disagreements over interventions (Jones et al). 2004;40:831-2

Presidential address: Nostrums, quackery, and ethics in vascular surgery: how to remain true to the path of Hippocrates and still feed our families (Ascher). 2004;40:389-94

Regarding "Ethics of boutique medical practice" (Akbari and Henochowicz) (Letter); (Jones and Richman) (Reply). 2004;40:836-7

Stem cell research: obligations when religious values conflict with professional values (Jones and McCullough). 2004; 40:589-91

Ethnic groups

Effect of ethnicity on access and device complications during endovascular aneurysm repair (Masuda et al). 2004;40: 24-9

Excitatory amino acids

Naloxone lowers cerebrospinal fluid levels of excitatory amino acids after thoracoabdominal aortic surgery (Kunihara et al). 2004;40:670-80

Exercise

Exercise training enhances endogenous fibrinolysis in peripheral arterial disease (Killewich et al). 2004;40:741-5

Impaired muscle oxygen use at onset of exercise in peripheral arterial disease (Bauer et al). 2004;40:488-93

Extracellular matrix proteins

Intracellular calcium transients are necessary for platelet-derived growth factor but not extracellular matrix protein–induced vascular smooth muscle cell migration (Hollenbeck et al). 2004;40:351-8

Exudates and transudates

Symptomatic sac enlargement and rupture due to seroma after open abdominal aortic aneurysm repair with polytetrafluoroethylene graft: implications for endovascular repair and endotension (Thoo et al). 2004;40:1089-94

Eye manifestations

Ocular findings as predictors of carotid artery occlusive disease: is carotid imaging justified? (McCullough et al). 2004;40: 279-86

F

Femoral artery

Outcome after autogenous brachial-axillary translocated superficial femoropopliteal vein hemodialysis access (Huber et al). 2004;40:311-18

Remote superficial femoral artery endarterectomy and distal aSpire stenting: multicenter medium-term results (Rosenthal et al). 2004;40:67-72

Use of superficial femoral artery to treat an infected great vessel prosthetic graft (Fields and Bower). 2004;40:554-8 (Case rep.)

The use of the Angioseal device for femoral artery closure (Abando et al). 2004;40:287-90

Femoral vein

Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron? (Jackson et al). 2004;40:17-23

Combined regional thrombolysis and surgical thrombectomy for treatment of iliofemoral vein thrombosis (Blättler et al). 2004;40:620-5

Diaphragm-like membrane causing common femoral vein obstruction: case report (Kilkens et al). 2004;40:815-18 (Case rep.)

Regarding "Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron?" (Kim and Yul) (Letter); (Cronenwett and Seeger) (Reply). 2004;40:1062

Fibrin tissue adhesive

Combined endovascular stent grafting and endoscopic injection of fibrin sealant for aortoenteric fistula complicating esophagectomy (Mok et al). 2004;40:1234-7 (Case rep.)

Perivascular delivery of losartan with surgical fibrin glue prevents neointimal hyperplasia after arterial injury (Moon et al). 2004;40:130-7

Fibrinolysis

Activation of fibrinolytic pathways is associated with duration of supraceliac aortic cross-clamping (Haithcock et al). 2004;40:325-33

Exercise training enhances endogenous fibrinolysis in peripheral arterial disease (Killewich et al). 2004;40:741-5

Fibroblast growth factor, basic

Aortic wall cell proliferation via basic fibroblast growth factor gene transfer limits progression of experimental abdominal aortic aneurysm (Hoshina et al). 2004;40:512-18

Deep vein thrombosis resolution is not accelerated with increased neovascularization (Varma et al). 2004;40:536-42

Fibromuscular dysplasia

Spontaneous dissection and rupture of common iliac artery in a patient with fibromuscular dysplasia: a case report and review of the literature on iliac artery dissections secondary to fibromuscular dysplasia (Honjo et al). 2004;40:1032-6 (Case rep.)

Fludeoxyglucose F18

Diagnosis of vascular prosthesis infection with FDG-PET/CT (Štádler et al). 2004;40:1246-7 (Tech. Note)

Foot
Bypass to plantar and tarsal arteries: an acceptable approach to limb salvage (Hughes et al). 2004;40:1149-57
Dorsalis pedis artery true aneurysm due to atherosclerosis: case report and literature review (Kato et al). 2004;40:1044-8 (Case rep.)

G

G-protein signaling factors; *see* GTP-binding protein regulators
Gadolinium
Regarding "Safety of gadolinium contrast angiography in patients with chronic renal insufficiency" (Nyman and Golman) (Letter); (Morash et al) (Reply). 2004;40:204
Gene deletion
Genetic risk factor characterizes abdominal aortic aneurysm from arterial occlusive disease in human beings: CCR5 Δ32 deletion (Ghilardi et al). 2004;40:995-1000
Genetic vectors
Autologous skeletal myoblasts transduced with a new adenoviral bicistronic vector for treatment of hind limb ischemia (Niagara et al). 2004;40:774-85
Graft occlusion, vascular
Axillary to saphenous vein bypass for treatment of central venous obstruction in patients receiving dialysis (Kavalleratos et al). 2004;40:640-3
Durability of carotid endarterectomy for treatment of symptomatic and asymptomatic stenoses (Ballotta et al). 2004; 40:270-8
Infrainguinal vein bypass graft revision: factors affecting long-term outcome (Nguyen et al). 2004;40:916-23
Initial management and outcome of aortic endograft limb occlusion (Erzurum et al). 2004;40:419-23
Long-term reduction of medial and intimal thickening in porcine saphenous vein grafts with a polyglactin biodegradable external sheath (Vijayan et al). 2004;40:1011-19
Optimizing infrainguinal arm vein bypass patency with duplex ultrasound surveillance and endovascular therapy (Armstrong et al). 2004;40:724-31
The role of aortic stent grafting in the treatment of atheromatous embolization syndrome: results after a mean of 15 months follow-up (Carroccio et al). 2004;40:424-9
Graft survival
Durability of carotid endarterectomy for treatment of symptomatic and asymptomatic stenoses (Ballotta et al). 2004; 40:270-8
Infrainguinal vein bypass graft revision: factors affecting long-term outcome (Nguyen et al). 2004;40:916-23
Randomized comparison of 6-mm straight grafts versus 6- to 8-mm tapered grafts for brachial-axillary dialysis access (Polo et al). 2004;40:319-24
GTP-binding protein regulators
Regulator of G protein signaling 5 marks peripheral arterial smooth muscle cells and is downregulated in atherosclerotic plaque (Li et al). 2004;40:519-28

H

Heat-shock proteins
Transduction of peptide analogs of the small heat shock-related protein HSP20 inhibits intimal hyperplasia (Tessier et al). 2004;40:106-14
Hemangioendothelioma
Masson's intravascular hemangioma masquerading as effort thrombosis (Kumar et al). 2004;40:812-14 (Case rep.)
Hemangiosarcoma
Intimal angiosarcoma of the aorta: report of a case and review of the literature (Thalheimer et al). 2004;40:548-53 (Case rep.)
Hematopoietic stem cell transplantation
Stem cell research: obligations when religious values conflict with professional values (Jones and McCullough). 2004; 40:589-91
Hemodialysis
Axillorenal arteriovenous graft: a new approach for dialysis access (Karp et al). 2004;40:379-80 (Case rep.)
Outcome after autogenous brachial-axillary translocated superficial femoropopliteal vein hemodialysis access (Huber et al). 2004;40:311-18
Randomized comparison of 6-mm straight grafts versus 6- to 8-mm tapered grafts for brachial-axillary dialysis access (Polo et al). 2004;40:319-24
Hemodynamics
Hemodynamic and clinical impact of ultrasound-derived venous reflux parameters (Neglén et al). 2004;40:303-10
Heparin
Anti-platelet effect of aspirin is substantially reduced after administration of heparin during carotid endarterectomy (Webster et al). 2004;40:463-8
Heparin-bonded Dacron or polytetrafluorethylene for femoropopliteal bypass: five-year results of a prospective randomized multicenter clinical trial (Devine and McCollum). 2004;40:924-31
History of medicine
Presidential address: Vascular surgery: is our name Mudd or Quasimodo? (Snyder). 2004;40:194-8
Homocysteine
Curcumin blocks homocysteine-induced endothelial dysfunction in porcine coronary arteries (Ramaswami et al). 2004; 40:1216-22
Plasma homocysteine measurement after carotid artery manipulation and clamping in a rat CEA model (Brown et al). 2004;40:796-802
Hospital design and construction
Integrating surgery and radiology in one suite: a multicenter study (ten Cate et al). 2004;40:494-9
Hyperplasia
Transduction of peptide analogs of the small heat shock-related protein HSP20 inhibits intimal hyperplasia (Tessier et al). 2004;40:106-14
Hypertension, renovascular
Axillary to saphenous vein bypass for treatment of central venous obstruction in patients receiving dialysis (Kavalleratos et al). 2004;40:640-3
Diffusion of new technology for the treatment of renovascular hypertension in the United States: surgical revascularization versus catheter-based therapy, 1988-2001 (Knipp et al). 2004;40:717-23

I

Iliac aneurysm
Effects of bilateral hypogastric artery interruption during endovascular and open aortoiliac aneurysm repair (Mehta et al). 2004;40:698-702
External iliac venous aneurysm in a pregnant woman: a case report (Banno et al). 2004;40:174-8 (Case rep.)
Overt ischemic colitis after endovascular repair of aortoiliac aneurysms (Geraghty et al). 2004;40:413-18

Unilateral lower extremity paralysis after coil embolization of an internal iliac artery aneurysm (Kritpracha and Comerota). 2004;40:819-21 (Case rep.)

Iliac artery

Effects of bilateral hypogastric artery interruption during endovascular and open aortoiliac aneurysm repair (Mehta et al). 2004;40:698-702

Initial management and outcome of aortic endograft limb occlusion (Erzurum et al). 2004;40:419-23

Primary stenting of bilateral radiation-induced external iliac stenoses (Baerlocher et al). 2004;40:1028-31 (Case rep.)

Spontaneous dissection and rupture of common iliac artery in a patient with fibromuscular dysplasia: a case report and review of the literature on iliac artery dissections secondary to fibromuscular dysplasia (Honjo et al). 2004;40:1032-6 (Case rep.)

Total laparoscopic bypass for aortoiliac occlusive lesions: 93-case experience (Coggia et al). 2004;40:899-906

Iliac vein

Combined regional thrombolysis and surgical thrombectomy for treatment of iliofemoral vein thrombosis (Blättler et al). 2004;40:620-5

External iliac venous aneurysm in a pregnant woman: a case report (Banno et al). 2004;40:174-8 (Case rep.)

Iliac compression syndrome and recanalization of femoropopliteal and iliac venous thrombosis: a prospective study with magnetic resonance venography (Fraser et al). 2004;40:612-19

Radiation-associated venous stenosis: endovascular treatment options (Zhou et al). 2004;40:179-82 (Case rep.)

Re-evaluation of iliac compression syndrome using magnetic resonance imaging in patients with acute deep venous thromboses (Fraser et al). 2004;40:604-11

Inflammation

Risk of treatment of peripheral arterial disease is related to inflammation-sensitive plasma proteins: a prospective cohort study (Engström et al). 2004;40:1101-1105

Informed consent

Family-surgeon disagreements over interventions (Jones et al). 2004;40:831-2

Interleukins

Wall shear modulation of cytokines in early vein grafts (Jiang et al). 2004;40:345-50

Intermittent claudication

Atherothrombotic risk factor clustering in healthy male relatives of male patients with intermittent claudication (Parry et al). 2004;40:891-8

Clinical review of patients treated for atypical claudication: a 28-year experience (Turnipseed). 2004;40:79-85

Effect of carbohydrate supplementation on walking performance in peripheral arterial disease: a preliminary physiologic study (Barker et al). 2004;40:932-8

Natural history of physical function in older men with intermittent claudication (Gardner et al). 2004;40:73-8

Persistent sciatic artery as collateral for an occluded iliofemoral system (Samson and Showalter). 2004;40:183. Correction 2004;40:295

Internship and residency

Vascular surgery training in the United States, 1994 to 2003 (Cronenwett). 2004;40:660-9

Intestinal fistula

Combined endovascular stent grafting and endoscopic injection of fibrin sealant for aortoenteric fistula complicating esophagectomy (Mok et al). 2004;40:1234-7 (Case rep.)

Intracranial aneurysm

Treatment of multiple visceral aneurysms in a 20-year-old patient (Woo and Fairman). 2004;40:167-9 (Case rep.)

Ischemia

Autologous skeletal myoblasts transduced with a new adenoviral bicistronic vector for treatment of hind limb ischemia (Niagara et al). 2004;40:774-85

Blunt popliteal artery injury with complete lower limb ischemia: is routine use of temporary intraluminal arterial shunt justified? (Hossny). 2004;40:61-6

Bypass to plantar and tarsal arteries: an acceptable approach to limb salvage (Hughes et al). 2004;40:1149-57

CCR2$^{-/-}$ knockout mice revascularize normally in response to severe hindlimb ischemia (Tang et al). 2004;40:786-95

Diabetes as an independent risk factor for early postoperative complications in critical limb ischemia (Virkkunen et al). 2004;40:761-7

Embolus of surgical adhesive to the extremities during acute ischemia: report of two cases (Guerrero et al). 2004;40:571-3 (Case rep.)

Ischemic complications after endovascular abdominal aortic aneurysm repair (Maldonado et al). 2004;40:703-10

J

Journal of Vascular Surgery

Withdrawal of article by the FDA after objection from Medtronic (Cronenwett and Seeger). 2004;40:209-10

K

Kidney, abnormalities

Endovascular aneurysm repair: treatment of choice for abdominal aortic aneurysm coincident with horseshoe kidney? Three case reports and review of literature (Ruppert et al). 2004;40:367-70 (Case rep.)

Kidney failure, acute

Prevention of contrast-induced nephropathy in vascular patients undergoing angiography: a randomized controlled trial of intravenous N-acetylcysteine (Rashid et al). 2004;40:1136-41

Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al);. (Cambria) (Commentary). 2004;40:1067-73

Regarding "Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair" (Molina) (Letter); (Hassoun et al) (Reply). 2004;40:205

Kidney failure, chronic

Regarding "Safety of gadolinium contrast angiography in patients with chronic renal insufficiency" (Nyman and Golman) (Letter); (Morash et al) (Reply). 2004;40:204

L

Laparoscopy

Total laparoscopic bypass for aortoiliac occlusive lesions: 93-case experience (Coggia et al). 2004;40:899-906

Total laparoscopic infrarenal aortic aneurysm repair: preliminary results (Coggia et al). 2004;40:448-54

Total laparoscopic repeat aortic surgery (Mercier et al). 2004;40:822-5 (Case rep.)

Laparotomy

Resection of an intravenous leiomyoma with intracardiac ex-

tension with use of endovascular techniques (DeRubertis et al). 2004;40:554-8 (Case rep.)

Leg
Five-year outcome study of deep vein thrombosis in the lower limbs (Asbeutah et al). 2004;40:1184-9
Prevalence, anatomic patterns, valvular competence, and clinical significance of Giacomini vein (Delis et al). 2004;40:1174-83

Leiomyoma, vascular; *see* Angiomyoma

Letters to the Editor
Inappropriate industry influence on FDA processes (Perler). 2004;40:594
Misperceptions regarding the long-term safety of the AneuRx stent graft (Zarins and Bloch). 2004;40:594-5
Regarding "Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron?" (Kim and Yul) (Letter); (Cronenwett and Seeger) (Reply). 2004;40:1062
Regarding "Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Ouriel) (Letter); (Sullivan) (Reply). 2004;40:595-6
Regarding "Caution in signing nondisclosure contracts" (Yao). 2004;40:835
Regarding "Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair" (Molina) (Letter); (Hassoun et al) (Reply). 2004;40:205
Regarding "Decreased use of iliac extensions and reduced graft junctions with software assisted centerline measurements" (Adiseshiah) (Letter); (Velazquez) (Reply). 2004;40:1063-4
Regarding "Deep vein harvest: predicting need for fasciotomy" (Nevelsteen et al) (Letter); (Modrall and Clagett) (Reply). 2004;40:403-4
Regarding "Disappointing results with a new commercially available thoracic endograft" (Colone) (Letter); (Melissano and Chiesa) (Reply). 2004;40:205-8
Regarding "Ethics of boutique medical practice" (Akbari and Henochowicz) (Letter); (Jones and Richman) (Reply). 2004;40:836-7
Regarding "Floating thoracic aortic thrombus in 'protein S' deficient patient" (Manfredini et al) (Letter); (Perler and Bluemke) (Reply). 2004;40:1062-3
Regarding "Lunar cycles and abdominal aortic aneurysm rupture" (Takagi). 2004;40:1261
Regarding "A new approach to carotid angioplasty and stenting with transcervial occlusion and protective shunting: why it may be a better carotid artery intervention" (Chang). 2004;40:1062
Regarding "Noninvasive augmentation of microvessel number in patients with peripheral vascular disease" (Chekanov) (Letter); (Clover et al) (Reply). 2004;40:1260
Regarding "Safety of gadolinium contrast angiography in patients with chronic renal insufficiency" (Nyman and Golman) (Letter); (Morash et al) (Reply). 2004;40:204
Regarding "Screening for abdominal aortic aneurysm: a consensus statement" (Koelemay) (Letter); (Hollenbeck and Kent) (Reply). 2004;40:402-3
Regarding "Standards of practice: carotid angioplasty and stenting" (Durham et al) (Letter); (Ouriel) (Reply). 2004;40:837-8
Regarding "Withdrawal of article by the FDA after objection from Medtronic" (Greenfield). 2004;40:594
Regarding "Withdrawal of article by the FDA after objection from Medtronic" (Oesterle). 2004;40:835-6

Limb salvage
Bypass to plantar and tarsal arteries: an acceptable approach to limb salvage (Hughes et al). 2004;40:1149-57

Lipoproteins, LDL
Role of reactive oxygen species in inhibition of endothelial cell migration by oxidized low-density lipoprotein (van Aalst et al). 2004;40:1208-15

Losartan
Perivascular delivery of losartan with surgical fibrin glue prevents neointimal hyperplasia after arterial injury (Moon et al). 2004;40:130-7

Lysyl oxidase; *see* Protein-lysine 6-oxidase

M

Macrophages
Degree of carotid plaque calcification in relation to symptomatic outcome and plaque inflammation (Shaalan et al). 2004;40:262-9

Magnetic resonance imaging (MRI)
Iliac compression syndrome and recanalization of femoropopliteal and iliac venous thrombosis: a prospective study with magnetic resonance venography (Fraser et al). 2004;40:612-19
Re-evaluation of iliac compression syndrome using magnetic resonance imaging in patients with acute deep venous thromboses (Fraser et al). 2004;40:604-11

Magnetics
Side-to-side sutureless vascular anastomosis with magnets (Erdmann et al). 2004;40:505-11

Mass screening
Regarding "Screening for abdominal aortic aneurysm: a consensus statement" (Koelemay) (Letter); (Hollenbeck and Kent) (Reply). 2004;40:402-3

Materials testing
Decellullarized vein as a potential scaffold for vascular tissue engineering (Schaner et al). 2004;40:146-53

Matrix metalloproteinases
Matrix metalloproteinase-specific inhibition of Ca^{2+} entry mechanisms of vascular contraction (Chew et al). 2004;40:1001-10
Recanalization of arterial thrombus, and inhibition with β-radiation in a new murine carotid occlusion model: mRNA expression of angiopoietins, metalloproteinases, and their inhibitors (Raymond et al). 2004;40:1190-8
Serum values of metalloproteinase-2 and metalloproteinase-9 as related to unstable plaque and inflammatory cells in patients with greater than 70% carotid artery stenosis (Alvarez et al). 2004;40:469-75

Men
Natural history of physical function in older men with intermittent claudication (Gardner et al). 2004;40:73-8

Mesenteric artery, superior
Common celiacomesenteric trunk: aneurysmal and occlusive disease (Ailawadi et al). 2004;40:1040-3 (Case rep.)

Mesenteric vascular occlusion
Mesenteric artery disease in the elderly (Hansen et al). 2004;40:45-52

Methylenetetrahydrofolate reductase
Plasma homocysteine measurement after carotid artery manip-

ulation and clamping in a rat CEA model (Brown et al). 2004;40:796-802

Mice, knockout

CCR2$^{-/-}$ knockout mice revascularize normally in response to severe hindlimb ischemia (Tang et al). 2004;40:786-95

Microcirculation

Regarding "Noninvasive augmentation of microvessel number in patients with peripheral vascular disease" (Chekanov) (Letter); (Clover et al) (Reply). 2004;40:1260

Models

Characterization of retrograde collateral (type II) endoleaks using a new canine model (Dayal et al). 2004;40:985-94

Monocyte chemoattractant protein-1

CCR2$^{-/-}$ knockout mice revascularize normally in response to severe hindlimb ischemia (Tang et al). 2004;40:786-95

Multiple trauma

Role of prophylactic temporary inferior vena cava filters placed at the ICU bedside under intravascular ultrasound guidance in patients with multiple trauma (Rosenthal et al). 2004;40:958-64

Muscle, skeletal

Autologous skeletal myoblasts transduced with a new adenoviral bicistronic vector for treatment of hind limb ischemia (Niagara et al). 2004;40:774-85

Impaired muscle oxygen use at onset of exercise in peripheral arterial disease (Bauer et al). 2004;40:488-93

Muscle, smooth, vascular

Aging exacerbates neointimal formation, and increases proliferation and reduces susceptibility to apoptosis of vascular smooth muscle cells in mice (Vazquez-Padron et al). 2004;40:1199-1207

Intracellular calcium transients are necessary for platelet-derived growth factor but not extracellular matrix protein–induced vascular smooth muscle cell migration (Hollenbeck et al). 2004;40:351-8

Matrix metalloproteinase-specific inhibition of Ca^{2+} entry mechanisms of vascular contraction (Chew et al). 2004;40:1001-10

Pharmacologic inhibition of nitric oxide synthases and cyclooxygenases enhances intimal hyperplasia in balloon-injured rat carotid arteries (Fischer et al). 2004;40:115-22

Regulator of G protein signaling 5 marks peripheral arterial smooth muscle cells and is downregulated in atherosclerotic plaque (Li et al). 2004;40:519-28

Mycobacterium tuberculosis

Aortobifemoral graft infection with *Mycobacterium tuberculosis*: treatment with abscess drainage, debridement, and long-term administration of antibiotic agents (Raffetto et al). 2004;40:826-9 (Case rep.)

N

Naloxone

Naloxone lowers cerebrospinal fluid levels of excitatory amino acids after thoracoabdominal aortic surgery (Kunihara et al). 2004;40:670-80

Neovascularization

Aging exacerbates neointimal formation, and increases proliferation and reduces susceptibility to apoptosis of vascular smooth muscle cells in mice (Vazquez-Padron et al). 2004;40:1199-1207

Deep vein thrombosis resolution is not accelerated with increased neovascularization (Varma et al). 2004;40:536-42

Neovascularization and recurrent varicose veins: more histologic and ultrasound evidence (van Rij et al). 2004;40:296-302

Nitric oxide

Nitric oxide and arterial disease (Barbato and Tzeng). 2004;40:187-93 (Review)

Nitric oxide-releasing biopolymers inhibit thrombus formation in a sheep model of arteriovenous bridge grafts (Fleser et al). 2004;40:803-11

Nitric oxide synthase

Pharmacologic inhibition of nitric oxide synthases and cyclooxygenases enhances intimal hyperplasia in balloon-injured rat carotid arteries (Fischer et al). 2004;40:115-22

O

Observer variation

Is three-dimensional computed tomography reconstruction justified before endovascular aortic aneurysm repair? (Sprouse et al). 2004;40:443-7

Operating rooms

Integrating surgery and radiology in one suite: a multicenter study (ten Cate et al). 2004;40:494-9

Outcome assessment (health care)

Diffusion of new technology for the treatment of renovascular hypertension in the United States: surgical revascularization versus catheter-based therapy, 1988-2001 (Knipp et al). 2004;40:717-23

Explant analysis of AneuRx stent grafts: relationship between structural findings and clinical outcome (Zarins et al). 2004;40:1-11

Five-year outcome study of deep vein thrombosis in the lower limbs (Asbeutah et al). 2004;40:1184-9

Initial management and outcome of aortic endograft limb occlusion (Erzurum et al). 2004;40:419-23

Midterm results of the multicenter trial of the Powerlink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2004;40:849-59

Outcome of popliteal artery aneurysms after exclusion and bypass: significance of residual patent branches mimicking type II endoleaks (Mehta et al). 2004;40:886-90

Remote superficial femoral artery endarterectomy and distal aSpire stenting: multicenter medium-term results (Rosenthal et al). 2004;40:67-72

Rupture of abdominal aortic aneurysm: concurrent comparison of outcome of those occurring after endovascular repair versus those occurring without previous treatment in an 11-year single-center experience (May et al). 2004;40:860-6

Twenty-year experience with acute distal thoracic aortic dissections (Roseborough et al). 2004;40:235-46

Oxygen consumption

Carotid angioplasty with internal carotid artery flow reversal is well tolerated in the awake patient (Criado et al). 2004;40:92-7

Impaired muscle oxygen use at onset of exercise in peripheral arterial disease (Bauer et al). 2004;40:488-93

P

Paraplegia

Cerebrospinal fluid drainage to prevent paraplegia during thoracic and thoracoabdominal aortic aneurysm surgery: a systematic review and meta-analysis (Cinà et al). 2004;40:36-44

Unilateral lower extremity paralysis after coil embolization of

an internal iliac artery aneurysm (Kritpracha and Comerota). 2004;40:819-21 (Case rep.)

Peripheral vascular diseases
Acute arterial thrombosis associated with cocaine abuse (Zhou et al). 2004;40:291-5
Adventitial vasa vasorum heterogeneity among different vascular beds (Galili et al). 2004;40:529-35
Clinical and economic outcomes in thrombolytic treatment of peripheral arterial occlusive disease and deep venous thrombosis (Ouriel et al). 2004;40:971-7
Does a standardization tool to direct invasive therapy for symptomatic lower extremity peripheral arterial disease improve outcomes? (Androes et al). 2004;40:907-15
Effect of carbohydrate supplementation on walking performance in peripheral arterial disease: a preliminary physiologic study (Barker et al). 2004;40:932-8
Exercise training enhances endogenous fibrinolysis in peripheral arterial disease (Killewich et al). 2004;40:741-5
Genomic, serologic, and clinical case-control study of *Chlamydia pneumoniae* and peripheral artery occlusive disease (Linares-Palomino et al). 2004;40:359-66
Impaired muscle oxygen use at onset of exercise in peripheral arterial disease (Bauer et al). 2004;40:488-93
Influence of smoking on incidence and prevalence of peripheral arterial disease (Willigendael et al). 2004;40:1158-65
Prevalence, risk factors, and clinical patterns of chronic venous disorders of lower limbs: a population-based study in France (Carpentier et al). 2004;40:650-9
Re-evaluation of iliac compression syndrome using magnetic resonance imaging in patients with acute deep venous thromboses (Fraser et al). 2004;40:604-11
Regarding "Noninvasive augmentation of microvessel number in patients with peripheral vascular disease" (Chekanov) (Letter); (Clover et al) (Reply). 2004;40:1260
Risk of treatment of peripheral arterial disease is related to inflammation-sensitive plasma proteins: a prospective cohort study (Engström et al). 2004;40:1101-1105
Serum total 8-iso-prostaglandin $F_{2\alpha}$: a new and independent predictor of peripheral arterial disease (Mueller et al). 2004;40:768-73

Phlebography
Iliac compression syndrome and recanalization of femoropopliteal and iliac venous thrombosis: a prospective study with magnetic resonance venography (Fraser et al). 2004;40:612-19

Physical fitness
Natural history of physical function in older men with intermittent claudication (Gardner et al). 2004;40:73-8

Physician-patient relations
Ethical nuances of combining romance with medical practice (Jones et al). 2004;40:1255-7

Plasma proteins; *see* Blood proteins

Platelet aggregation inhibitors
Anti-platelet effect of aspirin is substantially reduced after administration of heparin during carotid endarterectomy (Webster et al). 2004;40:463-8

Platelet-derived growth factor
Intracellular calcium transients are necessary for platelet-derived growth factor but not extracellular matrix protein–induced vascular smooth muscle cell migration (Hollenbeck et al). 2004;40:351-8

Polytetrafluoroethylene
Heparin-bonded Dacron or polytetrafluorethylene for femoropopliteal bypass: five-year results of a prospective randomized multicenter clinical trial (Devine and McCollum). 2004;40:924-31

Popliteal artery
Blunt popliteal artery injury with complete lower limb ischemia: is routine use of temporary intraluminal arterial shunt justified? (Hossny). 2004;40:61-6
Outcome of popliteal artery aneurysms after exclusion and bypass: significance of residual patent branches mimicking type II endoleaks (Mehta et al). 2004;40:886-90

Popliteal vein
Hemodynamic and clinical impact of ultrasound-derived venous reflux parameters (Neglén et al). 2004;40:303-10
Outcome after autogenous brachial-axillary translocated superficial femoropopliteal vein hemodialysis access (Huber et al). 2004;40:311-18
Primary popliteal venous aneurysm (Tambyraja et al). 2004;40:830
Prospective randomized study on reversed saphenous vein infrapopliteal bypass to treat limb-threatening ischemia: common femoral artery versus superficial femoral or popliteal and tibial arteries as inflow (Ballotta). 2004;40:732-40

Postoperative complications
Carotid artery stenting is associated with increased complications in octogenarians: 30-day stroke and death rates in the CREST lead-in phase (Hobson et al). 2004;40:1106-11
Characterization of retrograde collateral (type II) endoleaks using a new canine model (Dayal et al). 2004;40:985-94
Complications of endovascular repair of high-risk and emergent descending thoracic aortic aneurysms and dissections (Hansen et al). 2004;40:228-34
Deep venous thrombosis after radiofrequency ablation of greater saphenous vein: a word of caution (Hingorani et al). 2004;40:500-4
Diabetes as an independent risk factor for early postoperative complications in critical limb ischemia (Virkkunen et al). 2004;40:761-7
Effect of ethnicity on access and device complications during endovascular aneurysm repair (Masuda et al). 2004;40:24-9
Effect of improved endograft design on outcome of endovascular aneurysm repair (Torella). 2004;40:216-21. Correction 2004;40:563
Effectiveness of coiling in the treatment of endoleaks after endovascular repair (Sheehan et al). 2004;40:430-4
Effects of bilateral hypogastric artery interruption during endovascular and open aortoiliac aneurysm repair (Mehta et al). 2004;40:698-702
Embolization as cause of bowel ischemia after endovascular abdominal aortic aneurysm repair (Zhang et al). 2004;40:867-72
Embolus of surgical adhesive to the extremities during acute ischemia: report of two cases (Guerrero et al). 2004;40:571-3 (Case rep.)
Ischemic complications after endovascular abdominal aortic aneurysm repair (Maldonado et al). 2004;40:703-10
Late lumbar hemorrhage after open repair of abdominal aortic aneurysm: computed tomographic appearance resembling type II endoleak (Yow and McCleary). 2004;40:1037-9 (Case rep.)
Midterm pivotal trial results of the Talent Low Profile System for repair of abdominal aortic aneurysm: analysis of compli-

cated versus uncomplicated aortic necks (Fairman et al). 2004;40:1074-82

Outcome of popliteal artery aneurysms after exclusion and bypass: significance of residual patent branches mimicking type II endoleaks (Mehta et al). 2004;40:886-90

Overt ischemic colitis after endovascular repair of aortoiliac aneurysms (Geraghty et al). 2004;40:413-18

Percutaneous repair of abdominal aortic aneurysm (Morasch et al). 2004;40:12-16

Predictors of complications after a prospective evaluation of diagnostic and therapeutic endovascular procedures (Danetz et al). 2004;40:1142-8

Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al);. (Cambria) (Commentary). 2004;40:1067-73

Regarding "Disappointing results with a new commercially available thoracic endograft" (Colone) (Letter); (Melissano and Chiesa) (Reply). 2004;40:205-8

Surgical management of renal artery aneurysms (English et al). 2004;40:53-60

Symptomatic sac enlargement and rupture due to seroma after open abdominal aortic aneurysm repair with polytetrafluoroethylene graft: implications for endovascular repair and endotension (Thoo et al). 2004;40:1089-94

Type II endoleak in porcine model of abdominal aortic aneurysm (Diaz et al). 2004;40:339-44

Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis (Salles-Cunha et al). 2004;40:1165-73

Unilateral lower extremity paralysis after coil embolization of an internal iliac artery aneurysm (Kritpracha and Comerota). 2004;40:819-21 (Case rep.)

Pregnancy complications

External iliac venous aneurysm in a pregnant woman: a case report (Banno et al). 2004;40:174-8 (Case rep.)

Extracranial carotid aneurysm related to pregnancy (Gupta et al). 2004;40:375-8 (Case rep.)

Professional competence

Use of computer simulation for determining endovascular skill levels in a carotid stenting model (Hus et al). 2004;40:1118-26

Professional practice

Regarding "Ethics of boutique medical practice" (Akbari and Henochowicz) (Letter); (Jones and Richman) (Reply). 2004;40:836-7

Prostaglandins F

Serum total 8-iso-prostaglandin $F_{2\alpha}$: a new and independent predictor of peripheral arterial disease (Mueller et al). 2004;40:768-73

Prosthesis failure

Explant analysis of AneuRx stent grafts: relationship between structural findings and clinical outcome (Zarins et al). 2004;40:1-11

Prosthesis-related infections

Aortobifemoral graft infection with *Mycobacterium tuberculosis*: treatment with abscess drainage, debridement, and long-term administration of antibiotic agents (Raffetto et al). 2004;40:826-9 (Case rep.)

Diagnosis of vascular prosthesis infection with FDG-PET/CT (Štádler et al). 2004;40:1246-7 (Tech. Note)

Endovascular repair of an infected carotid artery pseudoaneurysm (Baril et al). 2004;40:1024-7 (Case rep.)

Infected aortic aneurysms: clinical outcome and risk factor analysis (Hsu et al). 2004;40:30-5

Use of superficial femoral artery to treat an infected great vessel prosthetic graft (Fields and Bower). 2004;40:554-8 (Case rep.)

Protein-lysine 6-oxidase

Lysyl oxidase expression in a rat model of arterial balloon injury (Nuthakki et al). 2004;40:123-9

Protein S deficiency

Floating thoracic aortic thrombus in "protein S" deficient patient (Hazirolan et al). 2004;40:381

Regarding "Floating thoracic aortic thrombus in 'protein S' deficient patient" (Manfredini et al) (Letter); (Perler and Bluemke) (Reply). 2004;40:1062-3

Pseudoaneurysm; *see* Aneurysm, false

Pulmonary artery

Chronic posttraumatic aneurysm of descending aorta with fistulous communication into pulmonary artery (Hirose and Svensson). 2004;40:564-6 (Case rep.)

Q

Quackery

Presidential address: Nostrums, quackery, and ethics in vascular surgery: how to remain true to the path of Hippocrates and still feed our families (Ascher). 2004;40:389-94

R

Radiation injuries

Primary stenting of bilateral radiation-induced external iliac stenoses (Baerlocher et al). 2004;40:1028-31 (Case rep.)

Radiation-associated venous stenosis: endovascular treatment options (Zhou et al). 2004;40:179-82 (Case rep.)

Radiotherapy-induced supra-aortic trunk disease: early and long-term results of surgical and endovascular reconstruction (Hassen-Khodja and Kieffer). 2004;40:254-61

Radiography, interventional

Computer simulation as a component of catheter-based training (Dayal et al). 2004;40:1112-7

Radionuclide angiography

Regarding "Safety of gadolinium contrast angiography in patients with chronic renal insufficiency" (Nyman and Golman) (Letter); (Morash et al) (Reply). 2004;40:204

Randomized controlled trials

Prevention of contrast-induced nephropathy in vascular patients undergoing angiography: a randomized controlled trial of intravenous N-acetylcysteine (Rashid et al). 2004;40:1136-41

Systematic review of randomized controlled trials of patch angioplasty versus primary closure and different types of patch materials during carotid endarterectomy (Bond et al). 2004;40:1126-35

Rapamycin; *see* Sirolimus

Reactive oxygen species

Role of reactive oxygen species in inhibition of endothelial cell migration by oxidized low-density lipoprotein (van Aalst et al). 2004;40:1208-15

Receptors, CCR5

Genetic risk factor characterizes abdominal aortic aneurysm from arterial occlusive disease in human beings: CCR5 Δ32 deletion (Ghilardi et al). 2004;40:995-1000

Receptors, chemokine

$CCR2^{-/-}$ knockout mice revascularize normally in response to severe hindlimb ischemia (Tang et al). 2004;40:786-95

Refusal to treat
Ethics of refusal to treat patients as a social statement (Jones et al). 2004;40:1057-9
Regression analysis
Perforator vein incompetence in chronic venous disease: a multivariate regression analysis model (Delis). 2004;40:626-33. Correction 2004;40:1031
Renal artery
Exceptionally large renal artery aneurysm (Chiesa et al). 2004;40:1245
Surgical management of renal artery aneurysms (English et al). 2004;40:53-60
Renal veins
Axillorenal arteriovenous graft: a new approach for dialysis access (Karp et al). 2004;40:379-80 (Case rep.)
Reoperation
Causes of varicose vein recurrence: late results of randomized controlled trial of stripping the long saphenous vein (Winterborn et al). 2004;40:634-9
Infrainguinal vein bypass graft revision: factors affecting long-term outcome (Nguyen et al). 2004;40:916-23
Total laparoscopic repeat aortic surgery (Mercier et al). 2004;40:822-5 (Case rep.)
Reperfusion injury
Resveratrol, a red wine polyphenol, protects spinal cord from ischemia-reperfusion injury (Kiziltepe et al). 2004;40:138-45
Resveratrol; *see* Stilbenes
Retracted publications
Regarding "Withdrawal of article by the FDA after objection from Medtronic" (Greenfield). 2004;40:594 (Letter)
Regarding "Withdrawal of article by the FDA after objection from Medtronic" (Oesterle). 2004;40:835-6 (Letter)
Withdrawal of article by the FDA after objection from Medtronic (Cronenwett and Seeger). 2004;40:209-10
Retrospective studies
Clinical review of patients treated for atypical claudication: a 28-year experience (Turnipseed). 2004;40:79-85
Revascularization
Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron? (Jackson et al). 2004;40:17-23
Axillary to saphenous vein bypass for treatment of central venous obstruction in patients receiving dialysis (Kavalieratos et al). 2004;40:640-3
Bypass to plantar and tarsal arteries: an acceptable approach to limb salvage (Hughes et al). 2004;40:1149-57
CCR2$^{-/-}$ knockout mice revascularize normally in response to severe hindlimb ischemia (Tang et al). 2004;40:786-95
Diffusion of new technology for the treatment of renovascular hypertension in the United States: surgical revascularization versus catheter-based therapy, 1988-2001 (Knipp et al). 2004;40:717-23
The Giacomini vein as an autologous conduit in infrainguinal arterial reconstruction (Delis et al). 2004;40:578-81 (Case rep.)
Iliac compression syndrome and recanalization of femoropopliteal and iliac venous thrombosis: a prospective study with magnetic resonance venography (Fraser et al). 2004;40:612-19
Optimizing infrainguinal arm vein bypass patency with duplex ultrasound surveillance and endovascular therapy (Armstrong et al). 2004;40:724-31
Prospective randomized study on reversed saphenous vein infrapopliteal bypass to treat limb-threatening ischemia: common femoral artery versus superficial femoral or popliteal and tibial arteries as inflow (Ballotta). 2004;40:732-40
Radiotherapy-induced supra-aortic trunk disease: early and long-term results of surgical and endovascular reconstruction (Hassen-Khodja and Kieffer). 2004;40:254-61
Risk factors
Atherothrombotic risk factor clustering in healthy male relatives of male patients with intermittent claudication (Parry et al). 2004;40:891-8
Diabetes as an independent risk factor for early postoperative complications in critical limb ischemia (Virkkunen et al). 2004;40:761-7
Infected aortic aneurysms: clinical outcome and risk factor analysis (Hsu et al). 2004;40:30-5
Influence of smoking on incidence and prevalence of peripheral arterial disease (Willigendael et al). 2004;40:1158-65
Long-term survival after vascular surgery: specific influence of cardiac factors and implications for preoperative evaluation (Back et al). 2004;40:752-60
Patient risk perceptions for carotid endarterectomy: which patients are strongly averse to surgery? (Bosworth et al). 2004;40:86-91
Patients with abdominal aortic aneurysm: are we missing the opportunity for cardiovascular risk reduction? (Lloyd et al). 2004;40:690-7
Predictors of complications after a prospective evaluation of diagnostic and therapeutic endovascular procedures (Danetz et al). 2004;40:1142-8
Regarding "Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Ouriel) (Letter); (Sullivan) (Reply). 2004;40:595-6
RNA, messenger
Lysyl oxidase expression in a rat model of arterial balloon injury (Nuthakki et al). 2004;40:123-9
Rupture
Spontaneous dissection and rupture of common iliac artery in a patient with fibromuscular dysplasia: a case report and review of the literature on iliac artery dissections secondary to fibromuscular dysplasia (Honjo et al). 2004;40:1032-6 (Case rep.)

S

Saphenous vein
Causes of varicose vein recurrence: late results of randomized controlled trial of stripping the long saphenous vein (Winterborn et al). 2004;40:634-9
Decellullarized vein as a potential scaffold for vascular tissue engineering (Schaner et al). 2004;40:146-53
Deep venous thrombosis after radiofrequency ablation of greater saphenous vein: a word of caution (Hingorani et al). 2004;40:500-4
The Giacomini vein as an autologous conduit in infrainguinal arterial reconstruction (Delis et al). 2004;40:578-81 (Case rep.)
Long-term reduction of medial and intimal thickening in porcine saphenous vein grafts with a polyglactin biodegradable external sheath (Vijayan et al). 2004;40:1011-19
Outcome after autogenous brachial-axillary translocated superficial femoropopliteal vein hemodialysis access (Huber et al). 2004;40:311-18

Prevalence, anatomic patterns, valvular competence, and clinical significance of Giacomini vein (Delis et al). 2004;40:1174-83

Silicone patch saphenoplasty to prevent repeat recurrence after surgery to treat recurrent saphenofemoral incompetence: long-term follow-up study (De Maeseneer et al). 2004;40:92-7

Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis (Salles-Cunha et al). 2004;40:1165-73

Severity of illness index

Revision of the CEAP classification for chronic venous disorders: consensus statement (Eklöf et al). 2004;40:1248-52

Sex behavior

Ethical nuances of combining romance with medical practice (Jones et al). 2004;40:1255-7

Sex factors

Gender differences in blood velocities across carotid stenoses (Comerota et al). 2004;40:939-44

Shunts

Regarding "Disappointing results with a new commercially available thoracic endograft" (Colone) (Letter); (Melissano and Chiesa) (Reply). 2004;40:205-8

Sirolimus

Rapamycin suppresses experimental aortic aneurysm growth (Lawrence et al). 2004;40:334-8

Smoking

Influence of smoking on incidence and prevalence of peripheral arterial disease (Willigendael et al). 2004;40:1158-65

Society for Clinical Vascular Surgery

Presidential address: Canine or chameleon (revisited): a never-ending challenge in a perpetually changing world (Hodgson). 2004;40:1050-6

Society for Vascular Surgery

Presidential address: A live dog is better than a dead lion (Green). 2004;40:583-8

Southern Association for Vascular Surgery

Presidential address: Vascular surgery: is our name Mudd or Quasimodo? (Snyder). 2004;40:194-8

Specialties, surgical

Choice of vascular surgery as a specialty: survey of vascular surgery residents, general surgery chief residents, and medical students at hospitals with vascular surgery training programs (Calligaro et al). 2004;40:978-84

Spinal cord ischemia

Naloxone lowers cerebrospinal fluid levels of excitatory amino acids after thoracoabdominal aortic surgery (Kunihara et al). 2004;40:670-80

Splenic artery

Occlusion of a giant splenic artery pseudoaneurysm with percutaneous thrombin-collagen injection (Huang et al). 2004;40:574-7 (Case rep.)

Transcatheter embolization of a splenic artery aneurysm (Schmittling and McLafferty). 2004;40:1049

Treatment of multiple visceral aneurysms in a 20-year-old patient (Woo and Fairman). 2004;40:167-9 (Case rep.)

Stem cell transplantation; *see* Hematopoietic stem cell transplantation

Stents

Carotid artery stenting is associated with increased complications in octogenarians: 30-day stroke and death rates in the CREST lead-in phase (Hobson et al). 2004;40:1106-11

Clinical effect of abdominal aortic aneurysm endografting: 7-year concurrent comparison with open repair (Cao et al). 2004;40:841-8

Combined endovascular stent grafting and endoscopic injection of fibrin sealant for aortoenteric fistula complicating esophagectomy (Mok et al). 2004;40:1234-7 (Case rep.)

Comparison of angioplasty and stenting with cerebral protection versus endarterectomy for treatment of internal carotid artery stenosis in elderly patients (Kastrup et al). 2004;40:945-51

Complications of endovascular repair of high-risk and emergent descending thoracic aortic aneurysms and dissections (Hansen et al). 2004;40:228-34

Computer simulation as a component of catheter-based training (Dayal et al). 2004;40:1112-7

Credentialing of surgeons as interventionalists for carotid artery stenting: experience from the lead-in phase of CREST (Hobson et al). 2004;40:952-7

Decreased use of iliac extensions and reduced graft junctions with software-assisted centerline measurements in selection of endograft components for endovascular aneurysm repair (Velazquez et al). 2004;40:222-7

Effect of ethnicity on access and device complications during endovascular aneurysm repair (Masuda et al). 2004;40:24-9

Effect of improved endograft design on outcome of endovascular aneurysm repair (Torella). 2004;40:216-21. Correction 2004;40:563

Effectiveness of coiling in the treatment of endoleaks after endovascular repair (Sheehan et al). 2004;40:430-4

Embolization as cause of bowel ischemia after endovascular abdominal aortic aneurysm repair (Zhang et al). 2004;40:867-72

Endovascular aneurysm repair: treatment of choice for abdominal aortic aneurysm coincident with horseshoe kidney? Three case reports and review of literature (Ruppert et al). 2004;40:367-70 (Case rep.)

Endovascular repair of a spontaneous carotid artery dissection with carotid stent and coils (Biggs et al). 2004;40:170-3 (Case rep.)

Endovascular repair of an infected carotid artery pseudoaneurysm (Baril et al). 2004;40:1024-7 (Case rep.)

Endovascular treatment of penetrating injury of axillary vein with Viabahn endoprosthesis (Kumar). 2004;40:1243-4 (Case rep.)

Endovascular treatment of thoracic aortic diseases: combined experience from the EUROSTAR and United Kingdom Thoracic Endograft registries (Leurs et al); (Cambria) (Commentary). 2004;40:670-80

Explant analysis of AneuRx stent grafts: relationship between structural findings and clinical outcome (Zarins et al). 2004;40:1-11

First experience in human beings with a permanently implantable intrasac pressure transducer for monitoring endovascular repair of abdominal aortic aneurysms (Ellozy et al). 2004;40:405-12

Impact of endovascular repair on early outcomes of ruptured abdominal aortic aneurysms (Lee et al). 2004;40:211-15

Initial management and outcome of aortic endograft limb occlusion (Erzurum et al). 2004;40:419-23

Long-term results of covered stent repair of internal carotid artery dissections (Assadian et al). 2004;40:484-7

Midterm outcome of endovascular abdominal aortic aneurysm

repair in octogenarians: a single institution's experience (Biebl et al). 2004;40:435-42
Midterm results of the multicenter trial of the Powerlink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2004;40:849-59
Misperceptions regarding the long-term safety of the AneuRx stent graft (Zarins and Bloch). 2004;40:594-5 (Letter)
Mycotic aneurysm of the abdominal aorta with retroperitoneal abscess: successful endovascular repair (Koeppel et al). 2004;40:164-6 (Case rep.)
Primary stenting of bilateral radiation-induced external iliac stenoses (Baerlocher et al). 2004;40:1028-31 (Case rep.)
Regarding "Standards of practice: carotid angioplasty and stenting" (Durham et al) (Letter); (Ouriel) (Reply). 2004;40:837-8
Remote superficial femoral artery endarterectomy and distal aSpire stenting: multicenter medium-term results (Rosenthal et al). 2004;40:67-72
Repair of mycotic aortic pseudoaneurysm with a stent graft using transesophageal echocardiography (Rayan et al). 2004;40:567-70 (Case rep.)
The role of aortic stent grafting in the treatment of atheromatous embolization syndrome: results after a mean of 15 months follow-up (Carroccio et al). 2004;40:424-9
Rupture of abdominal aortic aneurysm: concurrent comparison of outcome of those occurring after endovascular repair versus those occurring without previous treatment in an 11-year single-center experience (May et al). 2004;40:860-6
Second-generation percutaneous bioprosthetic valve: a short-term study in sheep (Pavcnik et al). 2004;40:1223-33
Stent-graft repair of traumatic thoracic aortic disruptions (Wellons et al). 2004;40:1095-1100
Successful endovascular repair of an aneurysm of the ductus diverticulum with a branched stent graft: case report and review of literature (Saito et al). 2004;40:1228-33 (Case rep.)
Surgical versus endovascular treatment of traumatic thoracic aortic rupture (Amabile et al). 2004;40:872-9
Technical challenges in a program of carotid artery stenting (Choi et al). 2004;40:746-51
Transcervical carotid stenting with internal carotid artery flow reversal: feasibility and preliminary results (Criado et al). 2004;40:476-83
Transesophageal echocardiography–guided algorithm for stent-graft implantation in aortic dissection (Rocci et al). 2004;40:880-5
Use of computer simulation for determining endovascular skill levels in a carotid stenting model (Hus et al). 2004;40:1118-26

Stilbenes
Resveratrol, a red wine polyphenol, protects spinal cord from ischemia-reperfusion injury (Kiziltepe et al). 2004;40:138-45

Subclavian artery
Iatrogenic subclavian artery pseudoaneurysm causing airway compromise: treatment with percutaneous thrombin injection (Jeganathan et al). 2004;40:371-4 (Case rep.)

Surgical Ethics Challenges
Ethical nuances of combining romance with medical practice (Jones et al). 2004;40:1255-7
The ethics of innovative surgical approaches for well-established procedures (Jones et al). 2004;40:199-201
The ethics of personal advertising in surgery (Jones et al). 2004;40:397-9
Ethics of refusal to treat patients as a social statement (Jones et al). 2004;40:1057-9
Family-surgeon disagreements over interventions (Jones et al). 2004;40:831-2
Stem cell research: obligations when religious values conflict with professional values (Jones and McCullough). 2004;40:589-91

Surgical instruments
The use of the Angioseal device for femoral artery closure (Abando et al). 2004;40:287-90

Surveys; *see* Data collection

Survival analysis
Long-term survival after vascular surgery: specific influence of cardiac factors and implications for preoperative evaluation (Back et al). 2004;40:752-60

T

Technical Notes
Technical Notes. 2004;40:1246-7

Terminology
Regarding "Aortofemoral bypass in young patients with premature atherosclerosis: is superficial femoral vein superior to Dacron?" (Kim and Yul) (Letter); (Cronenwett and Seeger) (Reply). 2004;40:1062

Thoracic outlet syndrome
Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty (Schneider et al). 2004;40:599-603

Thrombectomy
Combined regional thrombolysis and surgical thrombectomy for treatment of iliofemoral vein thrombosis (Blättler et al). 2004;40:620-5
Pharmacomechanical thrombectomy for treatment of symptomatic lower extremity deep venous thrombosis: safety and feasibility study (Bush et al). 2004;40:965-70
Protruding aortic arch thrombus: treatment with minimally invasive surgical approach (Schneiderman et al). 2004;40:1083-8

Thrombin
Iatrogenic subclavian artery pseudoaneurysm causing airway compromise: treatment with percutaneous thrombin injection (Jeganathan et al). 2004;40:371-4 (Case rep.)
Occlusion of a giant splenic artery pseudoaneurysm with percutaneous thrombin-collagen injection (Huang et al). 2004;40:574-7 (Case rep.)

Thrombolytic therapy
Clinical and economic outcomes in thrombolytic treatment of peripheral arterial occlusive disease and deep venous thrombosis (Ouriel et al). 2004;40:971-7
Combined regional thrombolysis and surgical thrombectomy for treatment of iliofemoral vein thrombosis (Blättler et al). 2004;40:620-5
Pharmacomechanical thrombectomy for treatment of symptomatic lower extremity deep venous thrombosis: safety and feasibility study (Bush et al). 2004;40:965-70

Thrombosis
Floating thoracic aortic thrombus in "protein S" deficient patient (Hazirolan et al). 2004;40:381
Masson's intravascular hemangioma masquerading as effort thrombosis (Kumar et al). 2004;40:812-14 (Case rep.)
Nitric oxide-releasing biopolymers inhibit thrombus formation

in a sheep model of arteriovenous bridge grafts (Fleser et al). 2004;40:803-11

Protruding aortic arch thrombus: treatment with minimally invasive surgical approach (Schneiderman et al). 2004;40: 1083-8

Recanalization of arterial thrombus, and inhibition with β-radiation in a new murine carotid occlusion model: mRNA expression of angiopoietins, metalloproteinases, and their inhibitors (Raymond et al). 2004;40:1190-8

Regarding "Floating thoracic aortic thrombus in 'protein S' deficient patient" (Manfredini et al) (Letter); (Perler and Bluemke) (Reply). 2004;40:1062-3

Time factors

Activation of fibrinolytic pathways is associated with duration of supraceliac aortic cross-clamping (Haithcock et al). 2004;40:325-33

Tissue adhesives

Embolus of surgical adhesive to the extremities during acute ischemia: report of two cases (Guerrero et al). 2004;40: 571-3 (Case rep.)

Tissue culture

Decellullarized vein as a potential scaffold for vascular tissue engineering (Schaner et al). 2004;40:146-53

Tissue harvesting

The Giacomini vein as an autologous conduit in infrainguinal arterial reconstruction (Delis et al). 2004;40:578-81 (Case rep.)

Regarding "Deep vein harvest: predicting need for fasciotomy" (Nevelsteen et al) (Letter); (Modrall and Clagett) (Reply). 2004;40:403-4

Tomography, emission-computed

Diagnosis of vascular prosthesis infection with FDG-PET/CT (Štádler et al). 2004;40:1246-7 (Tech. Note)

Tomography, X-ray computed

Decreased use of iliac extensions and reduced graft junctions with software-assisted centerline measurements in selection of endograft components for endovascular aneurysm repair (Velazquez et al). 2004;40:222-7

Is three-dimensional computed tomography reconstruction justified before endovascular aortic aneurysm repair? (Sprouse et al). 2004;40:443-7

Late lumbar hemorrhage after open repair of abdominal aortic aneurysm: computed tomographic appearance resembling type II endoleak (Yow and McCleary). 2004;40:1037-9 (Case rep.)

Regarding "Decreased use of iliac extensions and reduced graft junctions with software assisted centerline measurements" (Adiseshiah) (Letter); (Velazquez) (Reply). 2004;40: 1063-4

Transducers, pressure

First experience in human beings with a permanently implantable intrasac pressure transducer for monitoring endovascular repair of abdominal aortic aneurysms (Ellozy et al). 2004;40:405-12

Treatment outcome

Causes of varicose vein recurrence: late results of randomized controlled trial of stripping the long saphenous vein (Winterborn et al). 2004;40:634-9

Clinical effect of abdominal aortic aneurysm endografting: 7-year concurrent comparison with open repair (Cao et al). 2004;40:841-8

Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty (Schneider et al). 2004;40:599-603

Does a standardization tool to direct invasive therapy for symptomatic lower extremity peripheral arterial disease improve outcomes? (Androes et al). 2004;40:907-15

Effect of ethnicity on access and device complications during endovascular aneurysm repair (Masuda et al). 2004;40: 24-9

Effect of improved endograft design on outcome of endovascular aneurysm repair (Torella). 2004;40:216-21. Correction 2004;40:563

Impact of endovascular repair on early outcomes of ruptured abdominal aortic aneurysms (Lee et al). 2004;40:211-15

Infected aortic aneurysms: clinical outcome and risk factor analysis (Hsu et al). 2004;40:30-5

Infrainguinal vein bypass graft revision: factors affecting long-term outcome (Nguyen et al). 2004;40:916-23

Long-term results of covered stent repair of internal carotid artery dissections (Assadian et al). 2004;40:484-7

Midterm outcome of endovascular abdominal aortic aneurysm repair in octogenarians: a single institution's experience (Biebl et al). 2004;40:435-42

Midterm pivotal trial results of the Talent Low Profile System for repair of abdominal aortic aneurysm: analysis of complicated versus uncomplicated aortic necks (Fairman et al). 2004;40:1074-82

Prospective randomized study on reversed saphenous vein infrapopliteal bypass to treat limb-threatening ischemia: common femoral artery versus superficial femoral or popliteal and tibial arteries as inflow (Ballotta). 2004;40:732-40

Surgical management of renal artery aneurysms (English et al). 2004;40:53-60

Surgical versus endovascular treatment of traumatic thoracic aortic rupture (Amabile et al). 2004;40:872-9

Total laparoscopic infrarenal aortic aneurysm repair: preliminary results (Coggia et al). 2004;40:448-54

Treatment refusal

Patient risk perceptions for carotid endarterectomy: which patients are strongly averse to surgery? (Bosworth et al). 2004;40:86-91

Tunica intima

Intimal angiosarcoma of the aorta: report of a case and review of the literature (Thalheimer et al). 2004;40:548-53 (Case rep.)

Perivascular delivery of losartan with surgical fibrin glue prevents neointimal hyperplasia after arterial injury (Moon et al). 2004;40:130-7

Pharmacologic inhibition of nitric oxide synthases and cyclooxygenases enhances intimal hyperplasia in balloon-injured rat carotid arteries (Fischer et al). 2004;40:115-22

Transduction of peptide analogs of the small heat shock-related protein HSP20 inhibits intimal hyperplasia (Tessier et al). 2004;40:106-14

U

Ulnar artery

Hypothenar hammer syndrome: distal ulnar artery reconstruction with autologous inferior epigastric artery (Smith HE et al). 2004;40:1238-42 (Case rep.)

Ultrasonography

Ultrasound findings after radiofrequency ablation of the great saphenous vein: descriptive analysis (Salles-Cunha et al). 2004;40:1165-73

Ultrasonography, Doppler, duplex
Hemodynamic and clinical impact of ultrasound-derived venous reflux parameters (Neglén et al). 2004;40:303-10
Ocular findings as predictors of carotid artery occlusive disease: is carotid imaging justified? (McCullough et al). 2004;40:279-86
Optimizing infrainguinal arm vein bypass patency with duplex ultrasound surveillance and endovascular therapy (Armstrong et al). 2004;40:724-31
Outcome of popliteal artery aneurysms after exclusion and bypass: significance of residual patent branches mimicking type II endoleaks (Mehta et al). 2004;40:886-90
Ultrasonography, interventional
Role of prophylactic temporary inferior vena cava filters placed at the ICU bedside under intravascular ultrasound guidance in patients with multiple trauma (Rosenthal et al). 2004;40:958-64
United States Food and Drug Administration (FDA)
Inappropriate industry influence on FDA processes (Perler). 2004;40:594 (Letter)
Medical device adverse event reports and the Food and Drug administration (Greenfield). 2004;40:395-6 (Editorial)
Misperceptions regarding the long-term safety of the AneuRx stent graft (Zarins and Bloch). 2004;40:594-5 (Letter)
Regarding "Withdrawal of article by the FDA after objection from Medtronic" (Greenfield). 2004;40:594 (Letter)
Withdrawal of article by the FDA after objection from Medtronic (Cronenwett and Seeger). 2004;40:209-10

V

Varicose ulcer
Perforator vein incompetence in chronic venous disease: a multivariate regression analysis model (Delis). 2004;40:626-33. Correction 2004;40:1031
Varicose veins
Causes of varicose vein recurrence: late results of randomized controlled trial of stripping the long saphenous vein (Winterborn et al). 2004;40:634-9
Neovascularization and recurrent varicose veins: more histologic and ultrasound evidence (van Rij et al). 2004;40:296-302
Prevalence, risk factors, and clinical patterns of chronic venous disorders of lower limbs: a population-based study in France (Carpentier et al). 2004;40:650-9
Silicone patch saphenoplasty to prevent repeat recurrence after surgery to treat recurrent saphenofemoral incompetence: long-term follow-up study (De Maeseneer et al). 2004;40:98-105
Vasa vasorum
Adventitial vasa vasorum heterogeneity among different vascular beds (Galili et al). 2004;40:529-35
Vascular Images
Exceptionally large renal artery aneurysm (Chiesa et al). 2004;40:1245
Floating thoracic aortic thrombus in "protein S" deficient patient (Hazirolan et al). 2004;40:381
Persistent sciatic artery as collateral for an occluded iliofemoral system (Samson and Showalter). 2004;40:183. Correction 2004;40:295
Primary popliteal venous aneurysm (Tambyraja et al). 2004;40:830
Ruptured abdominal aortic aneurysm with aorto-caval fistula (Adili et al). 2004;40:582
Transcatheter embolization of a splenic artery aneurysm (Schmittling and McLafferty). 2004;40:1049
Vascular patency
Optimizing infrainguinal arm vein bypass patency with duplex ultrasound surveillance and endovascular therapy (Armstrong et al). 2004;40:724-31
Vascular surgery
Choice of vascular surgery as a specialty: survey of vascular surgery residents, general surgery chief residents, and medical students at hospitals with vascular surgery training programs (Calligaro et al). 2004;40:978-84
Presidential address: Canine or chameleon (revisited): a never-ending challenge in a perpetually changing world (Hodgson). 2004;40:1050-6
Presidential address: A live dog is better than a dead lion (Green). 2004;40:583-8
Presidential address: Nostrums, quackery, and ethics in vascular surgery: how to remain true to the path of Hippocrates and still feed our families (Ascher). 2004;40:389-94
Presidential address: Vascular surgery: is our name Mudd or Quasimodo? (Snyder). 2004;40:194-8
Vascular surgery training in the United States, 1994 to 2003 (Cronenwett). 2004;40:660-9
Vascular surgical procedures
Axillary to saphenous vein bypass for treatment of central venous obstruction in patients receiving dialysis (Kavallieratos et al). 2004;40:640-3
Axillorenal arteriovenous graft: a new approach for dialysis access (Karp et al). 2004;40:379-80 (Case rep.)
Combination treatment of venous thoracic outlet syndrome: open surgical decompression and intraoperative angioplasty (Schneider et al). 2004;40:599-603
Computer simulation as a component of catheter-based training (Dayal et al). 2004;40:1112-7
Decreased use of iliac extensions and reduced graft junctions with software-assisted centerline measurements in selection of endograft components for endovascular aneurysm repair (Velazquez et al). 2004;40:222-7
The ethics of innovative surgical approaches for well-established procedures (Jones et al). 2004;40:199-201
The Giacomini vein as an autologous conduit in infrainguinal arterial reconstruction (Delis et al). 2004;40:578-81 (Case rep.)
Hypothenar hammer syndrome: distal ulnar artery reconstruction with autologous inferior epigastric artery (Smith HE et al). 2004;40:1238-42 (Case rep.)
Minimally invasive retroperitoneal approach for the treatment of infrarenal aortic disease (Piquet et al). 2004;40:455-62
Percutaneous repair of abdominal aortic aneurysm (Morasch et al). 2004;40:12-16
Pharmacomechanical thrombectomy for treatment of symptomatic lower extremity deep venous thrombosis: safety and feasibility study (Bush et al). 2004;40:965-70
Predictors of complications after a prospective evaluation of diagnostic and therapeutic endovascular procedures (Danetz et al). 2004;40:1142-8
Prospective randomized study on reversed saphenous vein infrapopliteal bypass to treat limb-threatening ischemia: common femoral artery versus superficial femoral or popliteal and tibial arteries as inflow (Ballotta). 2004;40:732-40
Protruding aortic arch thrombus: treatment with minimally invasive surgical approach (Schneiderman et al). 2004;40:1083-8

Randomized comparison of 6-mm straight grafts versus 6- to 8-mm tapered grafts for brachial-axillary dialysis access (Polo et al). 2004;40:319-24

Regarding "Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair" (Molina) (Letter); (Hassoun et al) (Reply). 2004;40:205

Regarding "A new approach to carotid angioplasty and stenting with transcervial occlusion and protective shunting: why it may be a better carotid artery intervention" (Chang). 2004;40:1062 (Letter)

Resection of an intravenous leiomyoma with intracardiac extension with use of endovascular techniques (DeRubertis et al). 2004;40:554-8 (Case rep.)

Side-to-side sutureless vascular anastomosis with magnets (Erdmann et al). 2004;40:505-11

Silicone patch saphenoplasty to prevent repeat recurrence after surgery to treat recurrent saphenofemoral incompetence: long-term follow-up study (De Maeseneer et al). 2004;40:92-7

Surgical management of peripancreatic arterial aneurysms (Moore et al). 2004;40:247-53

Technical challenges in a program of carotid artery stenting (Choi et al). 2004;40:746-51

Transcervical carotid stenting with internal carotid artery flow reversal: feasibility and preliminary results (Criado et al). 2004;40:476-83

Transposition of the brachial vein: a new source for autologous arteriovenous fistulas (Bazan and Schanzer). 2004;40:184-6 (Tech. Note)

The use of the Angioseal device for femoral artery closure (Abando et al). 2004;40:287-90

Vasodilation

Curcumin blocks homocysteine-induced endothelial dysfunction in porcine coronary arteries (Ramaswami et al). 2004;40:1216-22

Vena cava, inferior

Repair of a thoracoabdominal aortic aneurysm in the presence of a left-sided inferior vena cava (Giglia and Thompson). 2004;40:161-3 (Case rep.)

Ruptured abdominal aortic aneurysm with aorto-caval fistula (Adili et al). 2004;40:582

Vena cava filters

Role of prophylactic temporary inferior vena cava filters placed at the ICU bedside under intravascular ultrasound guidance in patients with multiple trauma (Rosenthal et al). 2004;40:958-64

Venae cavae

Ruptured abdominal aortic aneurysm with aorto-caval fistula (Adili et al). 2004;40:582

Venography; *see* Phlebography

Venous insufficiency

C-reactive protein and red cell aggregation correlate with late venous function after acute deep venous thrombosis (Krieger et al). 2004;40:644-9

Diaphragm-like membrane causing common femoral vein obstruction: case report (Kilkens et al). 2004;40:815-18 (Case rep.)

Hemodynamic and clinical impact of ultrasound-derived venous reflux parameters (Neglén et al). 2004;40:303-10

Neovascularization and recurrent varicose veins: more histologic and ultrasound evidence (van Rij et al). 2004;40:296-302

Perforator vein incompetence in chronic venous disease: a multivariate regression analysis model (Delis). 2004;40:626-33. Correction 2004;40:1031

Prevalence, risk factors, and clinical patterns of chronic venous disorders of lower limbs: a population-based study in France (Carpentier et al). 2004;40:650-9

Radiation-associated venous stenosis: endovascular treatment options (Zhou et al). 2004;40:179-82 (Case rep.)

Revision of the CEAP classification for chronic venous disorders: consensus statement (Eklöf et al). 2004;40:1248-52

Venous thrombosis

C-reactive protein and red cell aggregation correlate with late venous function after acute deep venous thrombosis (Krieger et al). 2004;40:644-9

Clinical and economic outcomes in thrombolytic treatment of peripheral arterial occlusive disease and deep venous thrombosis (Ouriel et al). 2004;40:971-7

Combined regional thrombolysis and surgical thrombectomy for treatment of iliofemoral vein thrombosis (Blättler et al). 2004;40:620-5

Deep vein thrombosis resolution is not accelerated with increased neovascularization (Varma et al). 2004;40:536-42

Deep venous thrombosis after radiofrequency ablation of greater saphenous vein: a word of caution (Hingorani et al). 2004;40:500-4

Five-year outcome study of deep vein thrombosis in the lower limbs (Asbeutah et al). 2004;40:1184-9

Pharmacomechanical thrombectomy for treatment of symptomatic lower extremity deep venous thrombosis: safety and feasibility study (Bush et al). 2004;40:965-70

Prevalence, risk factors, and clinical patterns of chronic venous disorders of lower limbs: a population-based study in France (Carpentier et al). 2004;40:650-9

Radiation-associated venous stenosis: endovascular treatment options (Zhou et al). 2004;40:179-82 (Case rep.)

Re-evaluation of iliac compression syndrome using magnetic resonance imaging in patients with acute deep venous thromboses (Fraser et al). 2004;40:604-11

W

Walking

Effect of carbohydrate supplementation on walking performance in peripheral arterial disease: a preliminary physiologic study (Barker et al). 2004;40:932-8

Warfarin

Regarding "Floating thoracic aortic thrombus in 'protein S' deficient patient" (Manfredini et al) (Letter); (Perler and Bluemke) (Reply). 2004;40:1062-3

Wine

Resveratrol, a red wine polyphenol, protects spinal cord from ischemia-reperfusion injury (Kiziltepe et al). 2004;40:138-45

Wounds, nonpenetrating

Stent-graft repair of traumatic thoracic aortic disruptions (Wellons et al). 2004;40:1095-1100

Wounds, penetrating

Endovascular treatment of penetrating injury of axillary vein with Viabahn endoprosthesis (Kumar). 2004;40:1243-4 (Case rep.)